

Nothing but **HEAVY DUTY.**™





2025/26



# TO DEVELOP AND PRODUCE **NOTHING BUT HEAVY DUTY POWER TOOLS** IS ONLY ONE PART OF THE **MILWAUKEE® PROMISE.**



MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

# **EXPERIENCE** THE HEAVY DUTY **DIFFERENCE**

# **TOOLS BUILT TO DO** THE JOB BETTER.

than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

better, faster, reliably and safely.



# ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY™

# **NOTHING BUT HEAVY DUTY GUARANTEE:**



From 1st of February 2024 the extended guarantee for eligible MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.



For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service/



MILWAUKEE® power tool(s), outdoor power equipment & batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting www.milwaukeetool.eu.

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1+2). With the exception of MX FUEL™ tools for which the guarantee can be extended from 1 year to a maximum of 2 years (1+1).

All MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1+1).

All guarantee extensions are subject to registering online within

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to be NOTHING BUT HEAVY DUTY™ qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers.

The guarantee extension is only available in those countries listed on our warranty registration website. The extended quarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

# MILWAUKEE® hand tool lifetime guarantee

Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.

MILWAUKEE® Levels - 30 year accuracy guarantee
The following MILWAUKEE® levels are sold with a 30 year
accuracy guarantee: MILWAUKEE® BACKBONE™; Compact box levels; and the Block Torpedo level.\*

MILWAUKEE® Levels - 10 year accuracy guarantee
The following MILWAUKEE® levels are sold with a 10 year accuracy guarantee: MILWAUKEE® Slim box level; REDCAST® level; Minibox level; Billet Torpedo; and I-Beam level.\*

\*For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service/



ZERO EMISSIONS IN USE.\* ZERO COMPROMISE.

**ENSURING OUR USERS CAN WORK SAFELY,** SUSTAINABLY, AND PRODUCTIVELY.

# THE EU AIMS TO BE CLIMATE-NEUTRAL





PETROL EQUIVALENT PERFORMANCE



LOW NOISE



**NO PETROL** OR EMISSIONS



**LESS DOWNTIME** 



**ENHANCED** JOBSITE SAFETY



**INCREASED PRODUCTIVITY** 

\*Zero emissions when product in use



M18 FUEL M12 FLIEL



# **MXF PC50** MX FUEL™ PLATE COMPACTOR







- First reversible Plate Compactor of the weight
- High speed of 26 m/min without sacrificing compaction force
- 2 speed modes deliver ultimate user control
- and required pace for more efficiency
  Accessible push-button controls on handle
- Easy flip handle for direction changes
- Foldable handle for easy transportation and efficient storage on site

	MXF PC50-0	MXF PC50-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933493267	4933493268
FAN Code	4058546481384	4058546481391

# SEE PAGE 105 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR PLATE **COMPACTOR**





# **MXF RAM** MX FUEL™ RAMMER





- No petrol headaches in trenches.
- Petrol-like performance
   Handle integrated controls for increased user 2 speed modes deliver ultimate user control
- and required pace for more efficiency

  Accessible push-button controls on handle
- Fuel gauge displays remaining charge

	MXF RAM60-0	MXF RAM60-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933498158	4933498159
EAN Code	4058546513184	4058546513191



# **MXF CVHF**

# MX FUEL™ HIGH FREQUENCY CONCRETE VIBRATOR



# **MXF CVBP** MX FUEL™ BACKPACK CONCRETE VIBRATOR







- The MX FUEL™ High Frequency Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the job site
- Consolidates up to 55 m<sup>3</sup> of concrete on 1x MXF XC608 battery

	MXF CVHF-0	MXF CVHF-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933498132	4933498133
EAN Code	4058546512927	4058546512934



- The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite It has the power to push up to Ø63 mm head
- at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

	MXF CVBP-0	MXF CVBP-602	MXF CVBPKIT-602
Standard equipment	Remote control	Remote control	Remote control, 2 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479595	4933479591	4933479593
EAN Code	4058546373894	4058546373856	4058546373870

# **MXF CVBC**

# MX FUEL™ BRIEFCASE CONCRETE VIBRATOR







- · Compact and slim design for increased mobility suiting stationary as well as mobile applications
- Carrying strap and handle for increased
- flexibility on site and easy transport Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

	MXF CVBC-0	MXF CVBC-602	MXF CVBCKIT-602
Standard equipment	Remote control	Remote control	Remote control, 4 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479607	4933479608	4933479610
EAN Code	4058546374013	4058546374020	4058546374044

# SEE PAGE 104 OR SCAN TO **VIEW OUR ACCESSORIES** FOR CONCRETE VIBRATORS





# **MXF PSC** MX FUEL™ SCREED





ONE KEY

- The MX FUEL™ Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches Power to pull blades up to 4.9 m
- The push-button start delivers instant power. eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

	MXF PSC-0	MXF PSC-302
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479771	4933479772
EAN Code	4058546375652	4058546375669

# **MXF WBT60**

# MX FUEL™ 600 MM WALK BEHIND EDGING TROWEL





- Provides a smooth, balanced finishing experience with 5 HP performance
  AUTOSTOP™ for improved user protection
- Up to 35 min run time per charge
- Variable blade speed from 30 to 160 rpm
- Ergonomic throttle for best control · Handlebar height adjustment for increased
- Fine pitch dial for precise blade pitch adjustment

	MXF WBT60-0	MXF WBT60-122
Standard equipment	1x set of combination blades (4pcs)	1x set of combination blades (4pcs)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933498325	4933493601
EAN Code	4058546521943	4058546484729

# **MXF WBT90** MX FUEL™ 900 MM WALK BEHIND POWER TROWEL







- · Provides a smooth, balanced finishing experience with 5 HP performance
  AUTOSTOP™ for improved user protection
- Up to 25 min run time per charge
- Variable blade, max blade speed up to 130 rpm
- Ergonomic throttle for best control
- Handlebar height adjustment for increased
- Fine pitch dial for precise blade pitch adjustment

	MXF WBT90-0	MXF WBT90-122
Standard equipment	1x set of combination blades (4pcs)	1x set of combination blades (4pcs)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933498326	4933493602
EAN Code	4058546521950	4058546484736

# **MXF SMP2** MX FUEL™ SUBMERSIBLE PUMP





- 3-mode operation for the perfect flow rate
- Eco-mode for extended run time
- Auto-sensing: On, Off, Automated flow rate Up to 18 m pump height
- 320 l/min flow rate for optimised productivity
  User notifications via remote control
- No more generators when using indoors or under ground

	MXF SMP2-0	MXF SMP2-802
Kit included	No batteries supplied, No charger supplied. No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF FC Charger, No kitbox or bag supplied
Article Number	4933498162	4933498163
EAN Code	4058546513221	4058546513238



# MXF COS350G2

# MX FUEL™ 350 MM CUT-OFF SAW







- · Battery powered, it can be used indoors due to zero fume emissions
- Anti-kickback system prevents users from being injured in case of a kickback
- RAPIDSTOP™/ blade brake: blade stops within
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

	MXF COS350G2-0	MXF C0S350G2-802
Standard equipment	HUDD 350mm SPEEDCROSS <sup>™</sup> diamond blade (4932471985) & contractor bag	HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag
Kit included	No batteries supplied, No charger supplied Contractor Bag	
Article Number	4933480478	4933480480
EAN Code	4058546407636	4058546407650

# **MXF COSCG2** MX FUEL™ CUT-OFF SAW CART





- 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity
- Height-adjustable drive handle and easy to reach depth adjustment handle to facilitate
- one-handed operation
  Tool-free machine and water tank attachment compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply system

MXF COSCG2
4933493264
4058546481353

# SCAN TO VIEW OUR CUT-OFF SAW DISCS





# **MXF DCD350** MX FUEL™ 350 MM DIAMOND CORE DRILL



MX



# **MXF DCD150**





Standard equipment Kit included Article Number EAN Code

Article Number EAN Code



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body Speed 1: 152 - 350 mm/ Speed 2: 76 -
- 152 mm/ Speed 3: 51 76 mm/ Speed 4: up to 51 mm

MXF DCD350 KIT-0	MXF DCD350 KIT-122
MXF DCD350 DR rig stand	MXF DCD350 DR rig stand
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
4933493142	4933493143
4058546480134	4058546480141

# MX FUEL™ 150 MM DIAMOND CORE DRILL



ONEÎKEY

- Core with confidence by delivering AC performance with a maximum core diameter . capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body

  Speed 1: up to 75 mm diameter wet & dry
- coring at 1600 rpm
- Speed 2: 76 to 152 mm diameter wet & dry coring 800 rpm

	MXF DCD150-0C	MXF DCD150-302C	MXF DCD150-302C KIT
Standard equipment	Trigger lock-on, side handle	Trigger lock-on, side handle	Trigger lock-on, side handle, MXF DR255TV drill stand
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox
Article Number	4933478986	4933464887	4933471835
EAN Code	4058546362683	4058546228323	4058546297343

# **MXF DR255TV**





- · Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- Tool-free machine and watertank attachment compatible with M18™ SWITCH TANK™ 15 I water supply

MXF	DR255TV

Article Number	4933472247	
EAN Code	4058546338930	

# SEE PAGE 109 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL DIAMOND CORE DRILLS






# **MXF DH2528H**

# MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION **HAMMER**





of impact energy for toughest demolition applications

 Floating body anti-vibration technologies
 allows the user to work all day without reaching dangerous exposure levels

	MXF DH2528H-0	MXF DH2528H-602	
Kit included	No batteries supplied, No charger	2 x MXF XC406 Battery packs, MXF C	
Kit ilicidued	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied	
Article Number	4933478985	4933464877	
EAN Code	4058546362676	4058546228224	

# **MXF DHT**

MX

MX

MX

# BREAKER TROLLEY FOR MX FUEL™ DEMOLITION **HAMMER**



- Lightweight demolition hammer cart with large rubber wheels for easy transport across
- uneven terrain Integrated demolition hammer retention strap
- and full-metal fastening locations
  On-board spring-loaded storage locations for 4 chisels
- Battery & charger storage dock with charger cable hook for transport

	MXF DHT	
Article Number	4933464879	
EAN Code	4058546228248	

# **MXF PTR2**

# MX FUEL™ PIPE THREADING MACHINE 2"



- Threading capacity from 1/8" all the way up to 2"
   One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and

MXF PTR2-0	MXF PTR2-601
1/2"-3/4" BSPT HS die set, 1"-2" BSPT	1/2"-3/4" BSPT HS die set, 1"-2" BSPT
HS die set	HS die set
No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF C
supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
4933498324	4933492100
4058546521936	4058546414672
	1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set No batteries supplied, No charger supplied, No kitbox or bag supplied 4933498324

# SEE PAGES 106 - 107 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ PIPE THREADING MACHINE 2 WITH ONE-KEY



MX



# **MXF LSDP**

# MX FUEL™ LARGE SEWER DRUM MACHINE WITH **POWERTREDZ**



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

# MXF LSDP-301

Standard equipment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933471851
EAN Code	4058546297503

# SEE PAGE 110 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL LARGE SEWER DRUM MACHINE WITH POWERTREDZ





# **MXF TL MX FUEL™ TOWER LIGHT**





- TRUEVIEW™ high definition light output vith up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

	MXF TL-601	
Kit included	1 x MXF XC406 Battery pack, Integrated charger, No	
KIT INCIUDED	kitbox or bag supplied	
Article Number	4933471844	
EAN Code	4058546297435	

# **MXF TLIC** MX FUEL™ COMPACT SITE LIGHT





- TRUEVIEW™ high definition light output with up to 15,000 lumens in AC and DC mode for both task and area lighting Has the ability to manoeuvre the light head,
- allowing the user to direct light to wherever it's needed
- Low weight of 17.5 kg without battery allows for easy transportation across wet and uneven iob site terrains with minimum effort

	MXF TLIC-0	MXF TLIC-601
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x MXF XC406 Battery pack, MXF FC Charger, No kitbox or bag supplied
Article Number	4933498075	4933498072
EAN Code	4058546512354	4058546512323



# **MXF PS** MX FUEL™ POWER SUPPLY



# **MXF PBE** MX FUEL™ PORTABLE BATTERY EXTENSION







 Building on the strengths of the FUEL™ technology, MX FUEL™ system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

	MXF PS-0	MXF PS-602
Kit included	No batteries supplied, Integrated charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied
Article Number	4933493922	4933479266
EAN Code	4058546510824	4058546370602
LAN COUC	4030340310024	4030340370002



- Reduces tool weight by up to 45% by adding the battery to the backpack harness
   Leverage XC & HD batteries on handheld equipment without ergonomic trade-off
- o Maintains peak performance o Up to 2X more run time with MX FUEL™ REDLITHIUM™ FORGE™ batteries
- Detachable backpack harness
- Folding handle for easy carrying or hanging
   Fits all MX FUEL™ battery packs

# MXF PBE-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933498067
EAN Code	4058546512279

# IRPSUOP2500


# ROLL-ON 7200/ 3600 W 2.5 KWH POWER SUPPLY



- REDLITHIUM™ 2.5 kWh internal battery with peak power of 7,200 W and continuous power of 3,600 W
- Wheels and telescoping handle providing portable power anywhere and job site ready IP54 rating
- Passthrough power for charging and discharging simultaneously
- Zero emissions, quiet operation, efficient power without downtime and no power wasted

					_	
- 1	Kľ	PSL	JU	2	ы	υU

Article Number	4933492133
EAN Code	4058546415006





# REDLITHIUM<sup>™</sup> FORGE<sup>™</sup>

**MOST POWER I FASTEST CHARGING I LONGEST LIFE\*** 

# **RUN TIME**







# **MX FUEL™ BATTERIES**















	MXF HD812	MXF XC608	MXF XC406	MXF XC-2406	MXF CP203	MXF CP-2203
System	MX FUEL™					
Battery pack capacity (Ah)	12.0	8.0	6.0	6.0	3.0	3.0
No. of batteries supplied	1	1	1	2	1	2
Charge time MXF C charger	160 min	110 min	90 min	90 min	45 min	45 min
Charge time MXF FC charger	100 min	65 min	45 min	45 min	45 min	45 min
Charge time MXF SC charger	65 min	45 min				
Weight (kg)	5.9	4.5	4.8	4.8	2.7	2.7
Supplied in	No kitbox or bag supplied					
Article Number	4932492128	4932492130	4933471837	4933479162	4933471838	4933479161
EAN Code	4058546414955	4058546414979	4058546297367	4058546369569	4058546297374	4058546369552
· · · · · · · · · · · · · · · · · · ·						

# **MX FUEL™ CHARGERS**









	MXF SC	MXF FC	MXF C
Charging ports	1 x MX FUEL™	1 x MX FUEL™	1 x MX FUEL™
Charge type	Single	Single	Single
Power source	AC	AC	AC
Carry handle	Yes	Yes	Yes
Wall mountable	No	Yes	Yes
Weight (kg)	8.9	2.33	2.7
Supplied in	No kitbox or bag supplied	No kitbox or bag supplied	No kitbox or bag supplied
Article Number	4932492848	4933498547	4933471839
EAN Code	4058546477196	4058546524166	4058546297381

# **MX FUEL™ BATTERIES AND CHARGER KITS**





	MXF NRG-406	MXF FORGENRG-802	MXF FORGENRG-122
Kit included	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933479160	4933493548	4933493549
EAN Code	4058546369545	4058546484194	4058546484200






# **EQUIPMENT REDEFINED.** TRADE FOCUSED. SYSTEM WIDE.

THE MILWAUKEE® MX FUEL™ CORDLESS SYSTEM REVOLUTIONISES THE LIGHT EQUIPMENT MARKET BY DELIVERING THE PERFORMANCE, RUN TIME, AND DURABILITY DEMANDED BY THE TRADES WITHOUT THE HAZARDS ASSOCIATED WITH EMISSIONS, NOISE, VIBRATION, AND THE FRUSTRATIONS OF PETROL MAINTENANCE.

NOW WITH OVER 25 SOLUTIONS, THE MX FUEL™ EQUIPMENT SYSTEM PROVIDES EQUIVALENT PETROL, CORDED AND PNEUMATIC PERFORMANCE WHILE PRODUCING ZERO EMISSIONS IN USE.

		BATTERY				
TOOL	APPLICATION	MXF XC608 COOL-CYCLE	MXF HD812 COOL-CYCLE			
MXF COS350G2	Cutting kerbstone	36 cuts*	50 cuts*			
MXF DH2528H	Breaking concrete	1.3 tonnes*	4 tonnes*			
MXF DCD150	76 mm x 250 mm holes	17 holes*	26 holes*			
MXF DCD350	250 mm x 150 mm holes	3 holes*	5 holes*			
MXF PS	Grinding with 180 mm corded angle grinder	40 min*†	60 min* <sup>†</sup>			
MXF CVHF	Pouring concrete	55 m³*	82 m³*			
MXF CVBP	Pouring concrete	53 m³*	80 m³*			
MXF CVBC	Pouring concrete	53 m³*	80 m³*			
MXF PSC	Screeding concrete	5 hours 20 min*	8 hours*			
MXF WBT60	Finishing concrete	23 min*	35 min*			
MXF WBT90	Finishing concrete	16 min*	25 min*			
MXF PC50	Compacting gravel	22 min*	35 min*			
MXF RAM	Compacting gravel	17 min*	25 min*			
MXF SMP2	Pumping water (High Mode)	28 min*	40 min*			
MXF PTR2	Full cycle	200 cycles*	280 cycles*			
MXF TL	on High Mode	4 hours*	6 hours*			
MXF TLIC	on High Mode	4 hours*	6 hours*			

<sup>\*</sup> Run times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application.
† Using 2 batteries during application.





# TRACK. MANAGE. CUSTOMISE.

With ONE-KEY™ you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise effiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool status and usage.

All of this and much more FOR FREE!



# **GET STARTED IN 2 MINUTES**



REGISTER **YOUR PROFILE FAST & EASY** 

DONE! **YOU ARE NOW READY TO USE** ONE-KEY<sup>™</sup>

arks owned by Bluetooth SIG, Inc., and any use of such marks by (TTI corporate name) is under license.





# NEXT GENERATION

# 

**DRIVEN TO OUTPERFORM,** 

# LIMITS REDEFINED.

M18 FUEL™ NEXT GENERATION.
MORE COMPACT. UNRIVALLED ACCURACY.
REDEFINED PERFORMANCE.

M18<sup>™</sup> Next Generation FUEL<sup>™</sup>, packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.

NEXT GENERATION

Put M18<sup>™</sup> Next Generation FUEL<sup>™</sup> to the test, and reset your expectations of 18 V tools.



POWERSTATE™ BRUSHLESS MOTOR





REDLINK PLUS™ INTELLIGENCE





REDLITHIUM™ BATTERY PACKS





**MORE COMPACT.** 

**UNRIVALED ACCURACY.** 

**REDEFINED PERFORMANCE.** 



# REDLITHIUM

**MOST** POWER I **FASTEST** CHARGING I **LONGEST** LIFE

# WHAT MAKES REDLITHIUM™ FORGE™?





# LITHIUM CELL TECHNOLOGIES



- Up to 50% higher power
- ▶ Up to 45% less heat generation
- Up to 6X faster charging
- Up to 50% lower electrical resistance

# **ELECTRONICS**



- Maximise full power delivery to tool
- Accelerate charge speed
- Full system backwards compatibility

# REDESIGN



- Advanced thermal management
- Vibration protection
- Built to withstand harsh jobsite environments
- Laser welding

# **PROTECTION**



- Patented polymer ingress coating: protection against water and debris
- Resistant housing: protection against common oils, greases and solvents

# ACTIVE COOLING SYSTEM

**WORK DONE WITH 80% CHARGE** 

Up to 18.5 cuts of 400 mm hard wood with 2x M18 FB12 (M18 F2CHS50)



Up to 553 cuts in 50 x 100 mm soft wood with M18 FB12 (M18 FCS66)

# TIME TO COOL & CHARGE A HOT BATTERY 160 **150min** arge to 100% 140 120 80 60 40







# THREE BENEFITS OF COOL-CYCLETM **ACTIVE COOLING** SYSTEM

**COOL-CYCLE™ CAPABLE PACKS:** 

- BEGIN CHARGING RAPIDLY
- COME OFF THE CHARGER COOLER, RESULTING IN MORE WORK DONE PER DAY
- 3. HAVE LONGER LIFE

<sup>\*</sup> Vs other cell technologies

<sup>\*</sup> vs previous generation



# UPGRADE YOUR TOOLS WITH TO REFER TM

# SCAN HERE TO VIEW OUR FULL RANGE OF FORGE BATTERIES





VS



MOST POWER I FASTEST CHARGING I LONGEST LIFE



# **BATTERY RUN TIMES**





TOOL DESCRIP	TION	APPLICATION	M18 HB8	M18 HB12	M18 FB8	M18 FB12	RESULTS PER BATTERY CHARGE
	M18 FCHS M18 FUEL™ CHAINSAW WITH 40 CM BAR	LOG CUTTING CUTTING OF 30 CM SPRUCE TREE		23 cuts*		36 cuts*	up to 56% increase*
	M18 F2CHS50 M18 FUEL™ 50 CM DUAL BATTERY CHAINSAW	LOG CUTTING CUTTING OF 35 CM SPRUCE TREE	23 cuts*†		32 cuts*†		up to 39% increase*
	M18 FTHCHS35 M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR	LOG CUTTING CUTTING OF 30 CM SPRUCE TREE	12 cuts*		24 cuts*		up to 100% increase*
	M18 FLAG230XPDB M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH	METAL GRINDING MATERIAL REMOVAL FROM STEAM BEAM		147 g debris removal*		234 g debris removal*	up to 59% increase*
	M18 ONEFLAG230XPDB M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	METAL GRINDING MATERIAL REMOVAL FROM STEAM BEAM		187 g debris removal*		223 g debris removal*	up to 19% increase*
	M18 FHSAG125XPDB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH	PIPE CUTTING CUTTING OF 22 MM METAL PIPES		127 cuts*		175 cuts*	up to 38% increase*
	M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW	METAL CUTTING CUTTING OF 3 MM SHEET METAL		22 metre cuts*		25 metre cuts*	up to 15% increase*
	M18 FCS66GR3 M18 FUEL™ GUIDE RAIN COMPATIBLE CIRCULAR SAW	LAMINATED CUTTING RIP CUT THROUGH 42 MM LAMINATED PINE 140 MM CUTS		28 cuts*		34 cuts*	up to 22% increase*
	M18 FCOS230 M18 FUEL™ CUT-OFF SAW	KERBSTONE CUTTING CUTTING OF 250 X 80 MM KERBSTONE		7 cuts*		11 cuts*	up to 46% increase*


<sup>\*</sup>Runtimes are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. † Using 2 batteries.

# GET THE RIGHT HAMMER FOR THE JOB

 For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and reinforced concrete









Balanced performance weight ratio, ideal for light chiseling applications



Fixing hammers, ideal for tight spaces and all day use



# **SDS-MAX**

		Platform	Feature	ONE-KEY™	Blow energy (EPTA)(J)	Full load hammer action (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²)	Vibration chiseling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
1.	M18 FHM-121C	M18 FUEL™	AUTOSTOP™	ONE-KEY™	11.0	0 - 2900	0 - 380	20 - 40	12.25	12.25	10.2 (M18 FB12)	PHDE72
1.	M18 CHM-121C	M18 FUEL™	-		6.1	0 - 3000	0 - 450	Ø 16 - 32	11.03	10.63	7.1 (M18 FB12)	PHDE72

# SDS-PLUS

		Platform	Technology	ONE-KEY™	FIXTEC™	Blow energy (EPTA)(J)	Max. percussion rate (bpm)		Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²)	Vibration chiseling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
2.	M18 ONEFHP-OX	M18 FUEL™		ONE-KEY™	-	5.0	4600	0 - 800	8 - 24	8.46	7.92	5.0 (M18 HB5.5)	M18 FPDDEXL
2.	M18 ONEFHPX-552X	M18 FUEL™		ONE-KEY™	V	5.0	4600	0 - 800	8 - 24	8.46	7.92	5.2 (M18 HB5.5)	M18 FPDDEXL
2.	M18 FHACOD32-0C	M18 FUEL™		ONE-KEY™	-	4.9	4600	0 - 800	8 - 24	10.5	9.4	5.9 (M18 HB5.5)	M18 FDDEL32
3.	M18 FH-0X	M18 FUEL™		-	-	2.5	4800	0 - 1330	8 - 24	17	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 FHX-552X	M18 FUEL™		-	V	2.5	4800	0 - 1330	6 - 20	17	14.2	4.4 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFH-OX	M18 FUEL™		ONE-KEY™	-	2.5	4800	0 - 1330	6 - 20	17	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFHX-552X	M18 FUEL™		ONE-KEY™	V	2.5	4800	0 - 1330	6 - 20	17	14.2	4.5 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
4.	M18 FHAF0H16-302X	M18 FUEL™		-	-	2.3	4740	0 - 1310	5.5 - 13	12.56	-	3.3 (M18 HB3)	Integrated dust extractor
4.	M18 FHAC16-302X	M18 FUEL™		-	-	1.7	5080	0 - 1400	5.5 - 13	13.6	10.9	2.6 (M18 HB3)	M18 FDDEC
4.	M18 BLH-502X	M18™	Brushless	-	-	2.3	5100	0 - 1400	6 - 18	14.9	12.7	3.3 (M18 B5)	M18 CDEX
4.	M18 BLHX-502X	M18™	Brushless	-	V	2.3	4900	0 - 1400	6 - 18	14.9	12.7	3.5 (M18 B5)	M18 CDEX
4.	M18 BLHACD26-402X	M18™	Brushless	-	-	2.6	4600	0 - 1270	6 - 18	13.9	13.2	3.1 (M18 B4)	M18 CDEX
4.	M12 FHAC16-502X	M12 FUEL™		-	-	1.15	4410	0 - 1200	5.5 -13	12.3	10.3	2.3 (M12 HB5)	M12 UDEL
5.	M18 BH-402C	M18™		-	-	1.2	7000	0 - 1300	5.5 - 13	10.91	-	2.5 (M18 B4)	M12 UDEL



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS



# **M18 FHM**

# M18 FUEL

M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND **BREAKING HAMMER** 



Kit included

EAN Code

Article Number



- The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18™ platform
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT and FORGE™ batteries

	M18 FHM-0C	M18 FHM-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464893	4933499269
EAN Code	4058546228385	4058546564339

# **M18 CHM**

M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The world's first 18V 5 kg SDS-Max hammer for maximum versatility and portability with equal performance to an AC tool • Brushless POWERSTATE™ motor provides
- corded drilling performance REDLINK PLUS™ intelligence system delivers
- an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M18 CHM-0C	M18 CHM-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933451362	4933499271
EAN Code	4002395159208	4058546564353

# M<sub>18</sub> ONEFHPX

# 

M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 8.46 m/ s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18<sup>™</sup> HIGH OUTPUT<sup>™</sup> 5.5 Ah battery charge
   AUTOSTOP<sup>™</sup> shuts down the tool to protect the
- user of sharp movement in bind up situations

M18 ONEFHPX-552X
2 x M18 HB5.5 Battery packs, M12-
18 FC Charger, HD Box
4933478496

4058546346898

# M<sub>18</sub> FPDDEXL

M18

DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch AUTOPULSE™ industry's first on-board
- automatic filter cleaning mechanism for an ontool dust extractor, which increases the air flow
- efficiency as well as the filter life time The highly efficient HEPA filter collects 99.97%of airborne particles down to 0.3 microns

	M18 FPDDEXL-0	
Article Number	4933478509	
EAN Code	4058546347024	

# M18 FUEL

M18 ONEFHPXDEL

M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR

4058546346881



- M18 ONEFHPX M18 FUEL™ high performance 4-mode 32 mm SDS-Plus hammer with ONE-KEY™ and FIXTEC™ chuck
- M18 FPDDEXL Dedicated dust extraction for M18 FUEL™ 32 mm SDS-Plus hammers with AUTOPULSE™

M18 ONEFHP M18 FUEU M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 8.46 m/ s<sup>2</sup> vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
  AUTOSTOP™ shuts down the tool to protect the
- user of sharp movement in bind up situations

M18	ONEFHPXDEL-552C	

Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478498
FAN Code	4058546346911

# M18 ONEFHP-OX

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478884
FAN Code	4058546361662

# M18 FHACOD32 M18 FUEL M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™



- D-handle with compact and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 4.9 J of impact 4-mode operation: rotary hammer, hammer
- only, rotation only and variolock for maximum
- Anti-vibration side handle for lower vibration

	M18 FHACOD32-0C	M18 FHACOD32-0
Kit included	No batteries supplied, No charger	No batteries supplied, No charger
NII IIICIUUEU	supplied, Kitbox	supplied, No kitbox or bag supplied
Article Number	4933492140	4933492141
EAN Code	4058546415075	4058546415082

# M<sub>18</sub> FDDEL<sub>32</sub>

M18

# DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE



- Designed to collect dust efficiently with automatic operation from the tools on/ off triager switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an ontool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

M18 FDDEL32-0	J
---------------	---

Article Number	4933492142	
EAN Code	4058546415099	

# M18 ONEFHX M18 FUE™ 4-MODE 26 MM SDS-PLUS HAMMER WITH

# M18 FUEL

# M18 ONEFH M18 FUE M18 FUEL ONE-KEY™





FIXTEC™ CHUCK AND ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy
- Drills up to 125 Ø10 x 50 mm holes on a M18" HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFHX-OX	M18 ONEFHX-552X
Kit included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
Kit ilicidued	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478503	4933478504
EAN Code	4058546346966	4058546346973



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

M1Q	UN	ICCU	_0

Kit included No batteries supplied, No charger supplied, H	
Article Number	4933478886
EAN Code	4058546361686

# **M18 FHX**

# M18 FUEL

# M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH





- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of
- Powerful narmier mechanism delivers 2.5 5 5.6 impact energy

   Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge

   AUTOSTOP™ shuts down the tool to protect
- the user of sharp movement in bind up situations

	M18 FHX-0X	M18 FHX-552X
Kit included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
Nt included	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478888	4933478889
EAN Code	4058546361709	4058546361716

# **M18 FH**

# M18 FUEL

# M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER



- The fastest drilling rotary hammer in its class leading to increased productivity
- · Powerful hammer mechanism delivers 2.5 J of impact energy
- Prills up to 125 Ø10 x 50 mm holes on a M18<sup>n</sup> HIGH OUTPUT™ 5.5 Ah battery charge AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up
- M18 FH-0X

## Kit included No batteries supplied, No charger supplied, HD Box Article Number 4933478500 4058546346935 **EAN Code**

**COMPACT DEDICATED DUST EXTRACTION FOR M18** 

situations

# M<sub>18</sub> FDDEXL

# M18

# DEDICATED DUST EXTRACTION FOR M18 FUEL™26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off
- trigger switch

  AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

_	

- Designed to collect dust efficiently with automatic operation from the tools on/ off
- trigger switch The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
  Manual filter cleaning mechanism increases the
- air flow efficiency as well as the filter life time

<u> </u>	-
_	A TOTAL

# M18 FDDEXL-0

Article Number	4933478508
EAN Code	4058546347017

FUEL™ 26 MM SDS-PLUS HAMMERS

M<sub>18</sub> FCDDEXL

# M18 FCDDEXL-0

Article Number	4933478507	
EAN Code	4058546347000	

# M<sub>18</sub> ONEFHXDEL

# 

# M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR



Kit included Article Number EAN Code

- M18 ONEFHX M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™ chuck and
- M18 FDDEXL Dedicated dust extraction for M18 FUEL™26 mm SDS-Plus hammers with AUTOPULSE<sup>1</sup>

M18 ONEFHXDEL-552C
2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
4933478506
4058546346997

M18 FUEL

M18

# M18 FHAFOH16 M18 FUEL™ 16 MM SDS-PLUS HAMMER WITH INTEGRATED DUST EXTRACTOR



- World's first integrated dust extractor drilling
  - The highly efficient HEPA filter collects 99.97%
  - of airborne particles down to 0.3 microns
    AUTOSTOP™ shuts down the tool to protect
    the user of sharp movement in bind up situations
  - Optimised for overhead applications

M18 FHAF0H16-0	M18 FHAFOH16-0X	M18 FHAF0H16-302X
No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB3 Battery packs, M12-18 FC Charger, HD Box
4933493531	4933493532	4933493533
4058546484026	4058546484033	4058546484040
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933493531	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933493531  No batteries supplied, No charger supplied, HD Box 4933493531  4933493532

# **M18 FHAC16**

# M18 FUEL

# M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS **PLUS HAMMER**





- The most compact and fastest drilling rotary hammer in its class leading to increased
- productivity and comfort Powerful hammer mechanism delivers 1.7 J of
- impact energy

  Drills up to 58 holes Ø10 x 50 mm on a M18"
  HIGH OUTPUT" 3.0 Ah battery charge
  AUTOSTOP" shuts down the tool to protect the user of sharp movement in bind up situations

	M18 FHAC16-0	M18 FHAC16-0X	M18 FHAC16-302X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB3 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933498582	4933498583	4933498584
EAN Code	4058546524517	4058546524524	4058546524531

# M<sub>18</sub> FDDEC

M18

# M18™ DEDICATED DUST EXTRACTOR FOR M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER



- Designed to collect dust effectively with automatic operation from the tools on/off
- trigger switch HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box

  Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

# M18 FDDEC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933498587
EAN Code	4058546524562

# M<sub>18</sub> FHACDDE

# 

# M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR



- M18 FHAC16 M18 FUEL<sup>™</sup> high performance
- M18 FHAC16 M18 FUEL inign performance 4-mode 16 mm SDS-Plus hammer
   M18 FDDEC M18™ dedicated dust extractor for M18 FUEL™ high performance 4-mode 16 mm SDS-Plus hammer

	MIO I MODDE OF	
Kit included	No batteries supplied, No charger supplied, Kitbox	
Article Number	4933498586	Π
EAN Code	4058546524555	

M18 FHACDDF-0C

# M<sub>18</sub> BLHX

M18

# M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK

# BRUSHLESS



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact
- Compact, ergonomic design for increased end
- user comfort FIXTEC™ system for keyless chuck changing
- between SDS-Plus and 13 mm metal chuck All metal gear case optimum seating of the
- gears for enhanced tool life

	M18 BLHX-0X	M18 BLHX-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478891	4933478892
EAN Code	4058546361730	4058546361747

# **M18 BLH**

# M18

# M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

# BRUSHLESS



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy Compact, ergonomic design for increased end
- user comfort All metal gear case - optimum seating of the
- gears for enhanced tool life 4-mode operation: rotary hammer, hammer
- only, rotation only and selectable work position of the chisel (variolock) for maximum versatility

	III IO DEII O	III TO DEIT GOEK
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, No kitbox or bag supplied	18 FC Charger, HD Box
Article Number	4933479426	4933478894
EAN Code	4058546372200	4058546361761

# M<sub>18</sub> CDEX

# M18

M18

# M18 FUEL™ SDS-PLUS DUST EXTRACTOR



- Designed to collect dust effectively with automatic operation from the tools on/off
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
   Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

# M18 CDFX-0

Article Number	4933447450	
FAN Code	4002395006243	

# M<sub>18</sub> BLHACD<sub>26</sub>

# M18

# M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE **HAMMER**



- D-handle with lightweight and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 2.6 J of impact
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure

	M18 BLHACD26-0X	M18 BLHACD26-402X
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
	supplied, HD Box	Charger, HD Box
Article Number	4933492482	4933492480
EAN Code	4058546418496	4058546418472

# **M18 BH**

# M18™ COMPACT 2-MODE SDS-PLUS HAMMER



- Superior power to weight ratio in its class 2.5 kg 1.2 J (EPTA)

  High performance 4-pole motor delivers
- maximum power whilst maximising the power
- to weight ratio
  REDLINK™ overload protection electronics
  in tool and battery pack deliver best in class system durability
  2-mode operation: choose rotary hammer or
- rotation only for maximum versatility

	M18 BH-0	M18 BH-402C
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933443320	4933443330
EAN Code	4002395003730	4002395003747

# M18 FCOS230 M18 FUEL™ CUT-OFF SAW

# M18 FUEL

# **M18 FPM** M18 FUEL™ PADDLE MIXER

# M18 FUEL



- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions

	M18 FC0S230-0	M18 FC0S230-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 FB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471696	4933499175
EAN Code	4058546295950	4058546563394



- POWERSTATE™ brushless motor delivers the power to mix heavy compounds, such as concrete and mortar
  Ultimate speed control: 3 different ways of
- controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
  180° adjustable handle with 16 adjustable
- settings for user to optimise the handle position based on preference and comfort

M18 FPM-0	

Kit included	No batteries supplied, No charger supplied, HD Box		
Article Number	4933459719		
EAN Code	4058546028916		

# M<sub>18</sub> FCVN

# M18 FUEL

# M18 FUEL™ NEEDLE CONCRETE VIBRATOR



- M18 FUEL™ Needle Vibrator for consolidation of concrete with a compact design
- 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)
- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24)
- 25 mm² head design and 12,500 VPM for an improved consolidation power
- Variable speed trigger for ideal adaption to each material and formwork size

	M18 FCVN12-0	M18 FCVN12-551	M18 FCVN24-0	M18 FCVN24-551
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		/No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933479596	4933479597	4933479599	4933479600
EAN Code	4058546373900	4058546373917	4058546373931	4058546373948

# M<sub>18</sub> BLCHTO

M18

# M18™ BRUSHLESS 1 TON CHAIN HOIST WITH ONE-KEY™



- 1 ton lifting capacity to lift a wide variety of materials
- Up to 6 m lift height to cover all applications Remote control operated for safe applications from a distance
- Chain stop within 1 second for precise and safe working
- Micro movement & soft-start for precise work
  AUTOSTOP when the load chain is fully retracted or extended

# M18 BI CHTO-121

Kit included	1 x M18 FB12 Battery pack, M12-18 FC Charger,
Article Number	4933500224
EAN Code	4058546615260

# **M18 ONEPD3**

# M18 FUEL

# M18 FUEL™ ONE-KEY™ PERCUSSION DRILL





- · Higher power efficiency under load outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

M18 ONEPD3-OX	M18 ONEPD3-502X
No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
4933492798	4933492801
4058546476694	4058546476724

# M18 ONEDD3 M18 FUEL\*\* ONE-KEY\*\* DRILL DRIVER

# M18 FUEL



- Higher power efficiency under load outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces
  Connect via Bluetooth® with the ONE-KEY™
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	MIO ONEDDO-OX	M10 UNEDD3-302X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933492799	4933492802
EAN Code	4058546476700	4058546476731

# **M18 FPD3** M18 FUEL™ PERCUSSION DRILL

# M18 FUEL

# **M18 FDD3**

# M18 FUEL™ DRILL DRIVER





Kit included Article Number EAN Code



- · Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces

  AUTOSTOP™ control mode offers enhanced
- safety for the operator by preventing overrotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention

	M18 FPD3-0X	M18 FPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479859	4933479860
EAN Code	4058546376536	4058546376543

# AUTO STOP





- · Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces

  • AUTOSTOP™ control mode offers enhanced
- safety for the operator by preventing overrotation in a bind-up
- Fastest drilling and driving applications under load
- Brighter LED workspace illumination

	M18 FDD3-0X	M18 FDD3-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIICIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933479862	4933479863
EAN Code	4058546376567	4058546376574



# GET THE RIGHT PERCUSSION DRILL FOR THE JOB







		Platform	Technology	ONE-KEYTM	Feature		Max. drilling wood/ steel/ masonry (mm)	Max. percussion rate (bpm)	Max. torque (Nm)	Chuck capacity (mm)	Weight with battery pack (EPTA) (kg)
1.	M18 ONEPD3-502X	M18 FUEL™		ONE-KEY™	-	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
	M18 FPD3-502X	M18 FUEL™			AUTOSTOP™	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M12 FPD2-602X	M12 FUEL™		-	-	0 - 450/ 0 - 1,550	35/ 13/ 13	0 - 22,500	45	13	1.4 (M12 B6)
2.	M18 BLPD2-502X	M18 <sup>™</sup>	Brushless	-	-	0 - 550/ 0 - 1800	76/ 13/ 16	0 - 28,800	82	13	2.1 (M18 B5)
3.	M18 BLPDRC-502C	M18 <sup>™</sup>	Compact Brushless	-	-	0-550/ 0-1700	52/ 13/ 16	0 - 25,500	60.5	13	1.5 (M18 B5)











# **M18 BLPD2**

# M18™ BRUSHLESS PERCUSSION DRILL

## M18 **M18 BLDD2**

# M18™ BRUSHLESS DRILL DRIVER

# BRUSHLESS



<ul> <li>New brushless motor design delivers 40%</li> </ul>
more torque than previous model - up to
82 Nm
<ul> <li>Compact design (180 mm in length) provid</li> </ul>

- des excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 550/ 0 1800 rpm)

	M18 BLPD2-0X	M18 BLPD2-402X	M18 BLPD2-502X
Kit included	No batteries supplied, No	2 x M18 B4 Battery packs,	2 x M18 B5 Battery packs,
KIL IIICIUUEU	charger supplied, HD Box	M12-18 FC Charger, HD Box	M12-18 FC Charger, HD Box
Article Number	4933464516	4933464560	4933464517
EAN Code	4058546224615	4058546225056	4058546224622

# BRUSHLESS



- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 550/ 0 1800 rpm)

	M18 BLDD2-0X	M18 BLDD2-402X	M18 BLDD2-502X
Kit included	No batteries supplied, No	2 x M18 B4 Battery packs,	2 x M18 B5 Battery packs,
KIT IIICIUUEU	charger supplied, HD Box	M12-18 C Charger, HD Box	M12-18 FC Charger, HD Box
Article Number	4933464514	4933464559	4933464515
EAN Code	4058546224592	4058546225049	4058546224608

# M18 BLPDRC

# M18

# M18™ COMPACT BRUSHLESS PERCUSSION DRILL

# BRUSHLESS



- Compact brushless percussion drill measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60.5 Nm of torque best power to size ratio
- All metal reversible belt clip to hang your tool quickly and easily On board fuel gauge and LED light

BLPDRC-OX	M18 BLPDRC-202C	M18 BLPDRC-502C
No batteries supplied, No 2 x M18 B2 Battery packs,		2 x M18 B5 Battery packs,
ger supplied, HD Box	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
3492821	4933492822	4933492826
8546476922	4058546476939	4058546476977
9	atteries supplied, No ger supplied, HD Box 3492821	atteries supplied, No 2 x M18 B2 Battery packs, ger supplied, HD Box M12-18 C Charger, Kitbox 4933492822

# M18 BLDDRC

# M18™ COMPACT BRUSHLESS DRILL DRIVER

# M18

M18

# BRUSHLESS



- Compact brushless drill driver measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60.5 Nm of torque best power to size ratio All metal reversible belt clip to hang your tool
- quickly and easily
- On board fuel gauge and LED light

	M18 BLDDRC-0X	M18 BLDDRC-202C	M18 BLDDRC-502C
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B5 Battery packs,
KIT INCIUOEO	charger supplied, HD Box	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
Article Number	4933492832	4933492833	4933492835
EAN Code	4058546477035	4058546477042	4058546477066

# **M18 FRAD2**

# M18 FUEL

# M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL **DRIVER GEN II**



- Extremely long run time, up to 100 holes with a 65 mm auger bit into wood

  • POWERSTATE™ brushless motor provides
- constant power under load to power through 152 mm holes
- Mechanical clutch protects the tool in the event of a stall
- Compact design allows working in confined
- On board fuel gauge and LED light

# M18 FRAD2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471207
EAN Code	4058546288358

# **M18 CRAD2**

# M18 FUEL™ RIGHT ANGLE DRILL

# 

M18 FUEL



- · Delivers corded power and speed (1500 rpm) in wood drilling applications
- All metal gear case and 13 mm keyed chuck
   Extremely long run time with a 5.5 Ah battery pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

# M18 CRAD2-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471641
EAN Code	4058546295400

# **C18 RAD** M18™ COMPACT RIGHT ANGLE DRILL



Optimised performance: 1500 rpm at 20 Nm
 REDLINK™ overload protection electronics

M18

- in tool and battery pack deliver best in class system durability
- Perfect speed to power ratio for fast application completion
- 10 mm single sleeve ratcheting chuck provides maximum versatility and grip
- 100 mm compact head designed to fit in the tightest work areas

## C18 RAD-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number EAN Code 4002395239085

# M<sub>18</sub> ONEID<sub>3</sub>

# M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER





- Save up to 3 custom settings to the tools memory for fast selection on the jobs
- Connect via Bluetooth® with the ONE-KEY™
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm Extremely compact design of 113 mm length
- for access into tight spaces
- Adjustable trigger control for all applications with ONE-KEY™

M18 ONEID3-OX	M18 ONEID3-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933492800	4933492804
4058546476717	4058546476755
	No batteries supplied, No charger supplied, HD Box 4933492800



# GET THE RIGHT IMPACT DRIVER FOR THE JOB









		Battery system	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)	Max. torque (Nm)	Tool reception	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1.	M18 ONEID3-502X	M18 FUEL™		ONE-KEY™	1750/3000/4000/0-4000	1200/3400/4300/0-4400	119/176/226/0-226	1/4" Hex	M16	1.7 (M18 B5)
	M18 FID3-502X	M18 FUEL™			1750/3000/3900/0-3900	1400/3600/4400/0-4400	226	1/4" Hex	M16	1.7 (M18 B5)
1.	M12 FID2-602X	M12 FUEL™		-	1700/2900/3600/3600	1300/3500/4000/0-4000	170	1/4" Hex	M14	1.1 (M12 B6)
	M18 FQID-502X	M18 FUEL™	SURGE™		900/2100/3000/0-3000	1800/2900/4000/0-4000	50	1/4" Hex	M14	1.7 (M18 B5)
	M12 FQID-202X	M12 FUEL™	SURGE™		1100/2200/3200/3200	950/2200/3400/3400	50	1/4" Hex	M14	1.1 (M12 B2)
2.	M18 BLIDR-502X	M18™	Brushless	-	1250/2400/3600	2500/4700/4900	190	1/4" Hex	M14	1.3 (M18 B5)
3.	M18 BLIDRC-402C	M18™	Compact Brushless	-	0 - 3600	0 - 4900	190	1/4" Hex	M14	1.3 (M18 B4)
4.	M18 BRAID-0	M18™		-	1500/ 2250	2400/3400	41/81	1/4" Hex	M14	1.8 (M18 B5)
4.	M12 BRAID-0	M12™		-	0 - 2425	0 - 3300	68	1/4" Hex	M12	1.2 (M12 B2)









# **M18 FID3**

# M18 FUEL™ 1/4" HEX IMPACT DRIVER

# M18 FUEL

# M<sub>18</sub> FQID

# M18 FUEL

# M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER





- · Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility Mode 1 for precision work

	M18 FID3-0X	M18 FID3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479864	4933479865
EAN Code	4058546376581	4058546376598

# SURGE



- The M18 FUEL™ SURGE™ 1/4" Hex hydraulic driver is MILWAUKEE®'s quietest impact driver
- FLUID-DRIVE<sup>™</sup> hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers same performance in wood fastening as standard brushless impact drivers

	M18 FQID-0X	M18 FQID-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459187	4933451790
EAN Code	4002395289226	4002395277636

# M<sub>18</sub> BLIDR

# M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER

# M18

M18

# M18 BLIDRC

# M18

# M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER

# BRUSHLESS



- · Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
  Brushless motor technology delivers 190 Nm
- of torque, 3600 rpm and 4900 ipm 3-Mode DRIVE CONTROL allows the user to shift into three different speed and torque settings to maximise application versatility
- One-handed bit insert with retention lock, for faster, easier changing of bits

	M18 BLIDR-0X	M18 BLIDR-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492842	4933492843
EAN Code	4058546477134	4058546477141

# COMPACT BRUSHLESS



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
  Brushless motor technology delivers 190 Nm
- of torque, 3600 rpm and 4900 ipm
  One-handed bit insert with retention lock, for
- faster, easier changing of bits Heavy duty full metal gearbox and gears for superior durability and maximum torque On board fuel gauge and LED light

	M18 BLIDRC-0	M18 BLIDRC-402C
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
Kit iliciadea	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933492839	4933492840
EAN Code	4058546477103	4058546477110

# M<sub>18</sub> BRAID

# M18™ RIGHT ANGLE IMPACT DRIVER



- Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- · Full metal gearbox and gears for superior
- durability and maximum torque Compact 53 mm head design

# M18 BRAID-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447891
EAN Code	4002395006663

# M<sub>18</sub> FSGC

# M18 FUEL

# M18 FUEL™ SCREW GUN WITH A COLLATED **ATTACHMENT**



- Fine adjustment nose cone for setting desired
- countersink levels in single screw applications Removable collated attachment allows the user to use the gun as a stand alone screwdriver or a collaged screw gun
- Reinforced collated attachment to protect against dropping of tool

## M18 FSGC-202X Kit included 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box Article Number 4933459199 EAN Code 4002395289943

# **M18 FSG** M18 FUEL™ SCREW GUN





- Fine adjustment nose cone for setting desired. countersink levels in single screw applications
- Quick release 1/4" Hex chuck allows for easy
- of AUTO-START™ technology: When activated the power only engages when the screw gun is pushed into the material during application, delivering outstanding run time
- On board fuel gauge and LED light

# M18 FSG-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459201
EAN Code	4002395289967

# M18 ONEFMTIW2FC12

# 

M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2" CONTROLLED **SOLAR MID-TORQUE IMPACT WRENCH WITH FRICTION RING** 





TORQUE-SENSE™ torque control delivers greater torque repeatability than blow counting impact wrenches by utilising proprietary sensors and machine learning algorithms to overcome common job site variability Customisable torque ranges from 67 to 338 Nm


# M18 ONEFMTIW2FC12-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493413
EAN Code	4058546482848



# GET THE RIGHT IMPACT WRENCH FOR THE JOB

# For the most demanding applications in railway, (semi) truck, metal construction and utility maintenance



		Platform	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)
1.	M18 FHIWF1R-122C	M18 FUEL™		-	1000 / 1400 / 1670 / 1670	1750 / 2150 / 2500 / 2500
1.	M18 ONEFHIWF1D-121C	M18 FUEL™		ONE-KEY™	600 / 700 / 900 / 1200	750 / 930 / 1200 / 1440
1.	M18 ONEFHIWF1DS-121C	M18 FUEL™		ONE-KEY™	600 / 700 / 900 / 1200	750 / 930 / 1200 / 1440
1.	M18 ONEFHIWH716-502X	M18 FUEL™		ONE-KEY™	0-900/ 0-1200/ 0-1800/ 0-2300	0-800/ 0-1300/ 0-2600/ 0-2800
1.	M18 ONEFHIWF34-502X	M18 FUEL™		ONE-KEY™	0-800/ 0-1300/ 0-1800/ 0-1800	0-850/ 0-1850/ 0-2400/ 0-2400
1.	M18 ONEFHIWF1-802X	M18 FUEL™		ONE-KEY™	0-950 / 0-1080 / 0-1370 / 0-1670	1350 / 1650 / 2100 / 0-2500
1.	M18 ONEFHIWF12-502X	M18 FUEL™		ONE-KEY™	0-550/ 0-1400/ 0-1750/ 0-1750	0-950/ 0-1750/ 0-2100/ 0-2100
1.	M18 ONEFHIWF12E-0X	M18 FUEL™		ONE-KEY™	0-1200/ 0-1800/ 0-1800/ 0-1800	0-1600/ 0-2400/ 0-2400/ 0-2400
1.	M18 ONEFHIWP12-502X	M18 FUEL™		ONE-KEY™	0-950/ 0-1500/ 0-1800/ 0-1800	0-1150/ 0-2100/ 0-2400/ 0-2400
1.	M18 FHIW2F12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1300/ 0-2200/ 0-2400/ 0-2400
1.	M18 FHIW2P12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1400/ 0-2500/ 0-2700/ 0-2700
1.	M18 BLHIWF12-0X	M18 <sup>™</sup>	Brushless	-	0 - 1750	0 - 2000
2.	M18 ONEFMTIW2FC12-0X	M18 FUEL™		ONE-KEY™	0 - 1250 / 0 - 1725 / 0 - 2000 / 0-2400	0 - 1800 / 0 - 2300 / 0 - 2800 / 0 - 3400
2.	M18 FMTIW2F12-502X	M18 FUEL™			0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
2.	M18 FMTIW2P12-502X	M18 FUEL™			0-1250/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
2.	M18 FMTIW2F38-502X	M18 FUEL™		-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
3.	M18 ONEFIW2FC12-0X	M18 FUEL™		ONE-KEY™	0 - 1125 / 0 - 1525 / 0 - 1850 / 0 - 2325	0 - 1650 / 0 - 2475 / 0 - 3000 / 0 - 3500
3.	M18 ONEIWF12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200
3.	M18 ONEIWP12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200
3.	M18 FIW2F12-502X	M18 FUEL™		-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500
3.	M18 FIW2P12-502X	M18 FUEL™		-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500
3.	M18 FIW2F38-0X	M18 FUEL™		-	0-800/ 0-1650/ 0-2400/ 0-1000	0-1000/ 0-2400/ 0-3500
3.	M18 FMTIW2F12-502X	M18 FUEL™		-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
3.	M18 FMTIW2P12-502X	M18 FUEL™		-	0-1250/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
3.	M18 FMTIW2F38-502X	M18 FUEL™		-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100
3.	M12 FCIWF12G3-502X	M12 FUEL™			0-930/ 0-2100/ 0-3000/ 0-1300	0-1500 / 0-3000 / 0-3300 / -
3.	M12 FCIWP12G3-0	M12 FUEL™		-	0-930/ 0-2100/ 0-3000/ 0-1300	0-1500 / 0-3000 / 0-3300 / -
3.	M12 FCIWF38G3-502X	M12 FUEL™			0-930/ 0-2100/ 0-3000/ 0-1300	0-1500 / 0-3000 / 0-3300 / -
3.	M12 FIW14-0	M12 FUEL™		-	1300/ 1900/ 3200/ 3200	1300/ 2000/ 4300
3.	M18 BIW12-402C	M18™		-	0 - 2450	0 - 3350
3.	M18 BIW38-0	M18™		-	0 - 2450	0 - 3350
3.	M12 BIW12-202C	M12™		-	0 - 2550	0 - 3400
3.	M12 BIW38-0	M12™		-	0 - 2500	0 - 3300





Tool reception	Max. torque (Nm)	Nut-busting torque (Nm)	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1" square	730 / 1500 / 2000	2000	M42	7.8 (M18 FB12)
1" square	1180 / 1254 / 1966 / 2576	2711	M42	12.7 (M18 FB12)
1" square	1180 / 1254 / 1966 / 2576	2711	M42	11.1 (M18 FB12)
7/16" Hex	1017	1017	M24	3.3 (M18 B5)
³/4" square	702/ 1138/ 1627/ 1627	2034	M33	3.5 (M18 B5)
1" square	530 / 1020 / 1800 / 2033	2400	M42	5.9 (M18 FB8)
½" square	130/ 400/ 1356/ 1356	1898	M33	3.3 (M18 B5)
½" square	102/ 203/ 610/ 1017	1500	M33	3.3 (M18 B5)
½" square	190/ 400/ 1017/ 1017	1491	M24	3.2 (M18 B5)
½" square	881 / 1220 / 1491 / 68	2034	M36	3.4 (M18 B5)
½" square	475 / 1017 / 1220 / 68	1491	M36	3.4 (M18 B5)
½" square	1085	1627	M36	3.4 (M18 B5)
½" square	338	746	M22	2.5 (M18 B5)
½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
³/8" square	475/ 610/ 745/ 47	813	M22	2.3 (M18 B5)
½" square	203	298	M22	2.0 (M18 B5)
½" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
½" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
½" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
½" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
³/8" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
³/8" square	475/ 610/ 745/ 47	813	M22	2.3 (M18 B5)
½" square	271 / 406 / 542 / 20	745	M16	1.5 (M12 HB5)
½" square	271 / 406 / 542 / 20	745	M16	1.5 (M12 HB5)
³/8" square	271 / 406 / 542 / 20	745	M16	1.5 (M12 HB5)
1/4" square	136	136	M12	0.90 (M12 B4)
½" square	240	240	M14	1.9 (M18 B4)
³/8" square	210	210	M14	1.9 (M18 B4)
½" square	138	138	M12	1.0 (M12 B2)
³/8" square	135	135	M12	1.0 (M12 B2)







# M18 ONEFIW2FC12

# M18 FUEL

M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2" CONTROLLED **SOLAR COMPACT IMPACT WRENCH WITH FRICTION RING** 





 TORQUE-SENSE<sup>™</sup> torque control delivers greater torque repeatability than blow counting impact wrenches by utilising proprietary sensors and machine learning algorithms to overcome common job site variability. Customisable torque ranges from 67 to 203

# M18 ONEFIW2FC12-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493412
EAN Code	4058546482831

# M<sub>18</sub> FHIWF<sub>1</sub>R

# 

M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION



- The M18 FUEL™ 1" railway impact wrench with 2000 Nm of maximum torque has the power to replace petrol solutions With a weight of only 6.1 kg it allows fatigue
- free working even over long periods of time

  Three different speed settings ensure that work
- can always be done at the optimum speed
  The auto shut-off function integrated in mode 4 prevents over tightening of bolts

# M18 FHIWF1R-0C

Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933493140
EAN Code	4058546480110

# M<sub>18</sub> ONEFHIWF<sub>1D</sub>

# 

M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL



- The M18 FUEL™ D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF1D-0C	M18 ONEFHIWF1D-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933471755	4933499251
EAN Code	4058546296544	4058546564155

# M<sub>18</sub> ONEFHIWF<sub>1DS</sub>

M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL



- The M18 FUEL<sup>™</sup> D-handle high torque impact wrench delivers 2576 Nm of fastening torque
- replacing AC, petrol or pneumatic solutions Delivers up to 2711 Nm of nut-busting torque
- that enables bolts up to M42 to be unfastened The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

8 UNEFHIWF IDS-UC	M18 ONEFHIWF1DS-121C
batteries supplied, No charger	1 x M18 FB12 Battery pack, M12-
oplied, Kitbox	18 FC Charger, Kitbox
33472071	4933499253
58546324674	4058546564179
2	batteries supplied, No charger plied, Kitbox 3472071

M18 ONEFHIWF1
M18 FUEL\*\* ONE-KEY\*\* 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



Kit included Article Number EAN Code

- The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions
- Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or
- Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

M18 ONEFHIWF1-OX	M18 ONEFHIWF1-802X
No batteries supplied, No charger supplied, HD Box	2 x M18 FB8 Battery packs, M12- 18 FC Charger, HD Box
4933459732	4933499254
4058546029043	4058546564186

M18 ONEFHIWF34
M18 FUEL\*\* ONE-KEY\*\* 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING





- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF34-0X	M18 ONEFHIWF34-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459729	4933459730
EAN Code	4058546029012	4058546029029

# M<sub>18</sub> ONEFHIWF<sub>12</sub>

# M18 FUEL

M18 FUEL" ONE-KEY" 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF12-0X	M18 ONEFHIWF12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459726	4933459727
EAN Code	4058546028985	4058546028992

# M<sub>18</sub> ONEFHIWF<sub>12</sub>E

M18 FUEL" ONE-KEY" 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL





- The M18 FUEL™ extended anvil high torque impact wrench with ONE KEY™ technology delivering 1017 Nm of fastening torque with a 75 mm extended ¹/s″ anvil friction ring reception
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The M18 FUEL™ extended anvil high torque impact wrench with ONE KEY™ technology delivers 1500 Nm of nut busting torque

# M18 ONEFHIWF12E-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478405
EAN Code	4058546345969

# M18 ONEFHIWP12

# M18 FUEL

M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT **WRENCH WITH PIN DETENT** 



- The M18 FUEL<sup>™</sup> high torque impact wrench with ONE-KEY<sup>™</sup> technology delivers 1017 Nm of fastening torque in a compact size of 206 mm, which gives more access in tight
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWP12-0X	M18 ONEFHIWP12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459724	4933459725
EAN Code	4058546028961	4058546028978

# M18 FUEL

M18 ONEFHIWH716 M18 FL
M18 FUEL\*\* 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™



- Our MILWAUKEE® M18 FUEL™ 7/16" hex utility high torque impact wrench with ONE-KEY is the perfect match for our 7/16" accessories range giving you the power when needed in larger wood application
  With up to 1017 Nm max torque, this battery
- powered impact wrench gives you more power to effortlessly complete your applications or the removal of rusted and corroded hardware

UNEEH	

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479152
EAN Code	4058546369460

# **M18 FHIW2F12**

# M18 FUEL

# M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH **FRICTION RING**



- Great power density: the M18 FUEL<sup>™</sup> high torque impact wrench delivers 1491 Nm fastening torque and 2034 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces 2000 RPMs of no load speed to perform your
- task 35% faster than with the previous gen
- Our battery isolation system provides a secure battery connection and controls vibration transmitted to the pack

	M18 FHIW2F12-0X	M18 FHIW2F12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933492782	4933492783
FAN Code	4058546476533	4058546476540

# **M18 FHIW2P12**

# 

M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT



- Great power density: the M18 FUEL<sup>™</sup> high torque impact wrench delivers 1220 Nm fastening torque and 1491 Nm of nut-busting torque in a compact size of 185 mm, which gives more access in tight spaces 2000 RPMs of no load speed to perform your
- task 35% faster than with the previous gen
- Our battery isolation system provides a secure battery connection and controls vibration transmitted to the pack

	M18 FHIW2P12-0X	M18 FHIW2P12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933492785	4933492786
EAN Code	4058546476564	4058546476571

# **M18 FMTIW2F12**

# M18 FUEL

# M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH **FRICTION RING**



Kit included Article Number EAN Code

Kit included

EAN Code

Article Number

- · Most versatile cordless impact wrench in the indu nuttorai
- Incre level appl

WAUKEE® impressive arsenal with an	
stry-leading performance at 881 Nm of	
busting torque and 745 Nm of fastening	
ue	
edibly compact design for this performance	
I, with only 152 mm overall length ideal for	
lications in tight spaces	

M18 FMTIW2F12-0X	M18 FMTIW2F12-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478449	4933478450
4058546346409	4058546346416

# **M18 FMTIW2P12**

# M18 FUEL

# M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN **DETENT**



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

	M18 FMTIW2P12-0X	M18 FMTIW2P12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit iliciuueu	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478452	4933478453
FAN Code	4058546346430	4058546346447

# **M18 FMTIW2F38**

# M18 FUEL

# M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH **FRICTION RING**



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening toraue
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

# M18 FMTIW2F38-0X No batteries supplied, No charger supplied, HD Box 4933479153

# M18 ONEIWF12

# M18 FUEL

# M18 FUEL" ONE-KEY" $1/2^{\prime\prime}$ IMPACT WRENCH WITH FRICTION RING



- M18 FIWF12 but with ONE-KEY™ technology Connect via Bluetooth® with the ONE-KEY app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs Control speed, torque, start - end speeds and
- LED light Configure to any application choosing optimum
- tool settings for repeatable precision Program / save profiles for unmatched control

	M18 ONEIWF12-0X	M18 ONEIWF12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459198	4933451374
EAN Code	4002395289936	4002395160525

4058546369477

# **M18 ONEIWP12**

# M18 FUEL

# M18 FUEL™ ONE-KEY™ 1/2″ IMPACT WRENCH WITH PIN DETENT





- M18 FIWP12 but with ONE-KEY™ technology
   Connect via Bluetooth® with the ONE-KEY™
- app Complete tool customisation via ONE-KEY™
- app to tune the tool to your needs Control speed, torque, start and end speeds and LED
- Configure to any application choosing optimum tool settings for repeatable precision
  • Program/save profiles for unmatched control

# M18 ONEIWP12-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451152
EAN Code	4002395138210

# M18 FIW2F12

# M18 FUEL

# M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Power efficiency under load outstanding torque of 339 Nm
- Extremely compact design total length of just 124 mm for access into tight spaces

  4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility Bolt removal control delivers full torque
- output, then decreases RPMs once the bolt is loosened to prevent fastener drops

	M18 FIW2F12-0X	M18 FIW2F12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478443	4933478444
EAN Code	4058546346348	4058546346355

# M18 FIW2P12

# M18 FUEL

# M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT



- Power efficiency under load outstanding torque of 339 Nm
- Extremely compact design total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque
- settings to maximise application versatility Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

	M18 FIW2P12-0X	M18 FIW2P12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
THE MINIGOUS	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478446	4933478447
EAN Code	4058546346379	4058546346386

# M18 FIW2F38

# M18 FUEL

# M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



- The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque
- Incredibly compact design for this performance level, with only 124 mm overall length ideal for
- applications in tight spaces
  4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	WIIO FIW2F30-UA	
	No batteries supplied, No charger supplied, HD Box	
·	4933478650	
	4058546348434	

# M<sub>18</sub> BLHIWF<sub>12</sub>

# M18

# M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

# BRUSHLESS



- Delivers 1085 Nm of fastening torque and 1627 Nm of nut-busting torque to easily work
- with most occasional applications 222 mm body allows for more access in tight spaces
- Integrated LED light to illuminate the working area
- A speed of 1750 RPM to do your task quickly and efficiently

# M18 BLHIWF12-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933492787	
EAN Code	4058546476588	

# M18 BIW12

Kit included Article Number EAN Code

# M18™ 1/2" IMPACT WRENCH

M18



- Compact 1/2" impact wrench measures 155 mm in length making it ideal for working within
- confined spaces
  High performance 4-pole motor delivers maximum power whilst maximising the power
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

	M18 BIW12-0	M18 BIW12-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933443590	4933443607
EAN Code	4002395003266	4002395003280

# M18 BIW38 M18™ 3/8" IMPACT WRENCH

# M18

# M18

# Compact <sup>3</sup>/<sub>8</sub>" impact wrench measures 152 mm in length making it ideal for working within confined spaces

- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- o 3/8" square drive for use with universal sockets

5 2.1100 0	
Kit included	No batteries supplied, No charger supplied, No kitbox or
Nit illiciauca	bag supplied
Article Number 4933443600	
EAN Code	4002395003273

# M<sub>18</sub> BRAIW

# M18™ 3/8" RIGHT ANGLE IMPACT WRENCH



- Compact right angle impact wrench measures
   307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
   Compact 53 mm head design

	III IO DIIAIVI-O	
Kit included	No batteries supplied, No charger supplied, No kitbox or	
Kit iliciuded	bag supplied	
Article Number	4933447899	
EAN Code	4002395006670	

# M<sub>18</sub> ONEFLT

# M18 FUEL

# M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™



- The M18 FUEL<sup>™</sup> lockbolt tool with ONE-KEY<sup>™</sup> is an optimised cordless solution that delivers fast, easy installations while maintaining performance, durability, and size
- 20,000 N of pulling force with a stroke length of 30 mm gives you the power to complete the larger applications effortlessly Installs up to 1,200 aluminium 6.4 mm
- lockbolts with one fully changed  $\text{M18}^{\text{\tiny{TM}}}\,5.0\text{ Ah}$  battery pack

	M18 ONEFLT-OX	M18 ONEFLT-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Nit iliciducu	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478637	4933478638
EAN Code	4058546348304	4058546348311

# **M18 ONEFPRT**

# M18 FUEL™ RIVET TOOL WITH ONE-KEY™



• The M18 FUEL™ rivet tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size

M18 FUEL

M18

M18

Pulls up to 900 rivets with a rivet size of 4.8 mm in aluminium or 500 rivets with a size of 6.4 mm in aluminium on a fully charged M18™ 2.0 Ah battery pack

	M18 ONEFPRT-OX	M18 ONEFPRT-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478601	4933478602
EAN Code	4058546347949	4058546347956

# C18 PCG/600

# M18™ CAULK GUN WITH 600 ML TUBE



Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun

M18

- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability
  Optimised performance with all adhesives and
- cool temperatures
  Anti-drip feature prevents unwanted dripping when trigger is released

	C18 PCG/600A-201B	C18 PCG/600T-201B
Kit included	1 x M18 B2 Battery pack, M12-18 C	1 x M18 B2 Battery pack, M12-18 C
	Charger, Tool bag	Charger, Tool bag
Article Number	4933441305	4933441808
EAN Code	4002395001422	4002395002375

# C18 PCG/400

# M18™ CAULK GUN WITH 400 ML TUBE



- Up to 4500N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
  Optimised performance with all adhesives and
- cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

# C18 PCG/400T-201B

Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag
Article Number	4933441812
EAN Code	4002395002368

# C18 PCG/310

# M18™ CAULK GUN WITH 310 ML CANISTER



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/310C-0B	C18 PCG/310C-201B
No batteries supplied, No charger supplied, Tool bag	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag
4933459637	4933441310
4058546028091	4002395001439

# **M18 GG** M18™ GREASE GUN



- Powerful 18V motor delivers over 690 bar max.
- operating pressure

  ∘ REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to
- 7 cartridges per charge Strong handle balance and ergonomics only 355 mm long and 3.9 kg

	WITO du-U	WIO dd-2016
Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 C
Kit iliciaaea	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933440493	4933440490
EAN Code	4002395000357	4002395000340

# M18 HMP700 M18™ HYDRAULIC MINI PUMP 700 BAR

# M18

M18



Kit included Article Number EAN Code



- FORCE LOGIC™ hydraulic mini pump powers commonly available single acting 700 bar head attachments
- Compact size allows usage in confined spaces
- and allows for easy storage The pump is equipped with a connection 3/8 thread to fit most common attachments
- The pump keeps pressure level for reliable use
- on different applications

	M18 HMP700-0	M18 HMP700-501
Kit included	No batteries supplied, No charger	1 x M18 B5 Battery pack, M12-18 FC
Kit included	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933493928	4933493921
EAN Code	4058546510886	4058546510817

# M18 ONEFLAG230XPDB M18 FUEL

# M18 FUEL" ONE-KEY" 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Delivering corded performance similar to a 2200 W grinder

  ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

	M18 ONEFLAG230XPDB-0C	M18 ONEFLAG230XPDB-122C
Kit included	No batteries supplied, No charger	2 x M18 FB12 Battery packs, M12-
	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933478782	4933499242
EAN Code	4058546360641	4058546564063



# GET THE RIGHT ANGLE GRINDER FOR THE JOB

HIGH OUTPUT™ designed for the heavy applications, from beveling to cleaning up welds



Flat gear head design allows working within acute angles down to 42°



Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal



Angle grinders that provide best handling and perfect for surface preparation



		Platform	Technology	Feature	ONE-KEYTM	No load speed (rpm)	Disc diameter (mm)	Weight with battery pack (EPTA) (kg)	Switch type	Brake	Anti-kickback protection	FIXTEC™	Line lock out function
1.	M18 ONEFLAG230XPDB-122C	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	6600	230	5.4 (M18 FB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FLAG230XPDB-121C	M18 FUEL™		-	-	6600	230	5.3 (M18 FB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG0180VXPDB2-0X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	5000 - 8400	180	3.6 (M18 FB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG150XPDB2-0X	M18 FUEL™		RAPIDSTOP™		9000	150	3.5 (M18 FB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
	M18 FHSAG150XB2-0X	M18 FUEL™		RAPIDSTOP™		9000	150	3.5 (M18 FB8)	Slide lock-on switch	Yes	Yes	Yes	Yes
	M18 FHSAG125XPDB2-802X	M18 FUEL™		RAPIDSTOP™		9000	125	3.5 (M18 FB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
	M18 FHSAG125XB2-802X	M18 FUEL™		RAPIDSTOP™		9000	125	3.5 (M18 FB8)	Slide lock-on switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XPDB-0X	M18 FUEL™		RAPIDSTOP™		8500	125	2.6 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XB-0X	M18 FUEL™		RAPIDSTOP™		8500	125	2.6 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
3.	M18 FSAGSV0125X-502X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	3500 - 8500	125	3.0 (M18 B5)	Deadman switch	Yes	Yes	Yes	Yes
3.	M18 FHSAG0125VXPDB2-802X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	3500 - 9000	125	3.5 (M18 FB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XPDB-0X	M18 FUEL™		RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XB-0X	M18 FUEL™		RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XPDB-802X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	8500	125	3.1 (M18 HB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XB-0X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125XB-502X	M18 FUEL™		RAPIDSTOP™	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125X-0X	M18 FUEL™		-	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125X-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125XPD-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes
4.	M18 BLSAG115XPD-402X	M18™	Brushless	-	-	11,000	115	2.4 (M18B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes



SCAN HERE TO VIEW OUR PPE RANGE





# M18 FLAG230XPDB

# M18 FUEL

M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH **PADDLE SWITCH** 



 The world's first single 18V battery operated large angle grinder that delivers the power to grind, lighter than corded tools and makes up to 68 cuts per charge in 42 mm stainless steel pipe

	M18 FLAG230XPDB-0C	M18 FLAG230XPDB-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464114	4933499241
EAN Code	4058546220594	4058546564056

# M18 FHSAGO180VXPDB2 M18 FUEL M18 FUEL™ HIGH PERFORMANCE 180 MM BRAKING GRINDER WITH VARIABLE SPEED & ONE-KEY™ GEN 2



- M18™ High Performance 180 mm small angle grinder, delivering corded performance similar
- to a 1800 W grinder
  Maximum control for every application with 4-mode push button, ideal for working with stainless steel and aluminium & for rust and
- paint removal RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

# M18 FHSAGO180VXPDB2-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933498942
EAN Code	4058546528119

## M18 FUEL M18 FHSAG150XPDB2

# M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING

**GRINDER WITH PADDLE SWITCH** 



- M18<sup>™</sup> High Performance 150 mm small angle grinder, delivering corded performance similar
- to a 1800 W grinder RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection Increased performance while reducing the
- housing around the motor for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration

# M18 FHSAG150XPDR2-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493422
EAN Code	4058546482930

# **M18 FHSAG150XB2**

# M18 FUEL

M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING **GRINDER WITH SLIDE SWITCH** 



- M18™ High Performance 150 mm small angle grinder, delivering corded performance similar to a 1800 W grinder RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection Increased performance while reducing the
- housing around the motor for better balance & ergonomics compared to previous model
- · Anti-vibration side handle for lower vibration

# M18 FHSAG150XB2-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493421
EAN Code	4058546482923

# M18 FHSAG125XPDB2 M18 FUEL

M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH PADDLE SWITCH** 



Kit inclu EAN Co

- M18™ High Performance 125 mm small angle grinder, delivering corded performance similar
- to a 1800 W grinder RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection Increased performance while reducing the housing around the motor for better balance &
- ergonomics compared to previous model Anti-vibration side handle for lower vibration

	M18 FHSAG125XPDB2-0X	M18 FHSAG125XPDB2-802X	
luded	No batteries supplied, No charger supplied, HD Box	2 x M18 FB8 Battery packs, M12- 18 FC Charger, HD Box	
Number	4933493417	4933493418	
ode	4058546482886	4058546482893	

# M18 FHSAG125XB2

# M18 FUEL

M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH SLIDE SWITCH** 



- M18<sup>™</sup> High Performance 125 mm small angle grinder, delivering corded performance similar to a 1800 W grinder RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection Increased performance while reducing the housing around the motor for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration

	M18 FHSAG125XB2-0X	M18 FHSAG125XB2-802X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 FB8 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933493415	4933493416
EAN Code	4058546482862	4058546482879

# M18 FUEL

# M18 FSAGSVO125X M18 FUE M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™



- Dual trigger activation requires the user to have always both hands on the tool and automatically shuts down the tool whenever one hand is taken off

  RAPIDSTOP™ for fastest disc brake in less than
- 1 second and best user protection AUTOSTOP™ shuts down the tool to protect
- the user in bind-up situations or any unnatural movement

	M18 FSAGSV0125X-0X	M18 FSAGSV0125X-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933493552	4933493553
EAN Code	4058546484231	4058546484248

# M18 FHSAGO125VXPDB2 M18 FUEL M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING

GRINDER WITH VARIABLE SPEED AND ONE-KEY™



- M18™ High Performance 125 mm small angle grinder, delivering corded performance similar to a 1800 W grinder
- Maximum control for every application with 4 - speed mode push button, ideal for working with stainless steel and aluminium & for rust
- and paint removal RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

	M18 FHSAG0125VXPDB2-0X	M18 FHSAG0125VXPDB2-802X
Kit included	No batteries supplied, No charger	2 x M18 FB8 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933493419	4933493420
EAN Code	4058546482909	4058546482916

# M18 ONEFSAG125XPDB

# M18 FUEL

M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE **GRINDER WITH PADDLE SWITCH** 



- Delivering corded performance similar to a
  - 1200 W grinder

    ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY ™ also features a remote locking functionality
  - RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

M18 ONEFSAG125XPDB-0X	M18 ONEFSAG125XPDB-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478434	4933478435
4058546346256	4058546346263
	No batteries supplied, No charger supplied, HD Box 4933478434

# M18 ONEFSAG125XB

# M18 FUEL

M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE **GRINDER WITH SLIDE SWITCH** 



- Delivering corded performance similar to a
- 1200 W grinder

   ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

# M18 ONEFSAG125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478433
EAN Code	4058546346249

# **M18 FSAG125XB**

# M18 FUEL

# M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a
- 1200 W grinder

  RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot for better balance & ergonomics
- compared to previous model Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel

	M18 FSAG125XB-0X	M18 FSAG125XB-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit iliciaded	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478429	4933478430
EAN Code	4058546346201	4058546346218

# **M18 FSAG125X**

# M18 FUEL

# M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE



- Delivering corded performance similar to a 1200 W grinder
- Reduced gearhead size and lower angle of battery slot for better balance & ergonomics compared to previous model Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change
- Slim handle desian

# M18 FSAG125X-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933478428	
EAN Code	4058546346195	

# M18 FSAGV125XPDB

# 

# M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



- Maximum control for every application 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line
- lock-out function to prevent automatic start up Anti-vibration side handle for lower vibration

# M18 FSAGV125XPDB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478437
EAN Code	4058546346287

# M18 FSAGV125XB

# 

# M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



- Maximum control for every application 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
  Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change

# M18 FSAGV125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933478436	
EAN Code	4058546346270	

# M18 FSAGF125XPDB

# M18 FUEL

# M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



- Flat gear head design allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection Non-lockable safety paddle switch with line-
- lock-out function to prevent automatic start up Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change

# M18 FSAGF125XPDB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number 4933478439	
EAN Code	4058546346300

# M18 FSAGF125XB

# M18 FUEL

# M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



- Flat gear head design allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
  RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change
- Slim handle design

# M18 FSAGF125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933478438	
EAN Code	4058546346294	

# M18 BLSAG125X

# M18

# M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE **SWITCH**

# BRUSHLESS



- 11,000 RPM optimised for cutting applications Powerful brushless motor delivering corded
- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

	M18 BLSAG125X-0	M18 BLSAG125X-402X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box
Article Number	4933492643	4933492644
EAN Code	4058546413934	4058546413941

# M18 BLSAG125XPD

# M18

# M18 BRUSHLESS 125 MM ANGLE GRINDER WITH **PADDLE SWITCH**

# **BRUSHLESS**



- 11,000 RPM optimised for cutting applications Powerful brushless motor delivering corded
- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range
- Safety clutch protects user the from kickback iniuries
- Integrated FIXTEC™ system for tool-free wheel change

	M18 BLSAG125XPD-0	M18 BLSAG125XPD-402X
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
Kit iliciadea	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933492645	4933492646
EAN Code	4058546413958	4058546413965

# M18 BLSAG115XPD

# M18

# M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH

# BRUSHLESS

Kit included Article Number

Standard e

Kit included Article Num

EAN Code



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded
- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range Safety clutch protects user the from kickback iniuries
- Integrated FIXTEC™ system for tool-free wheel change

M18 BLSAG115XPD-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933492647
4058546413972

# **M18 FROP21**

# M18 FUEL

# M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM **STROKE**



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications 8 position speed dial selection for maximum
- control and best finishing results 21 mm orbital function for fast and efficient
- polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

M18 FR0P21-0X	M18 FROP21-502X
150 mm backing pad, dust screen	150 mm backing pad, dust screen
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478836	4933478837
4058546361181	4058546361198
	No batteries supplied, No charger supplied, HD Box 4933478836

# **M18 FROP15**

# M18 FUEL

# M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM **STROKE**



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications 8 position speed dial selection for maximum
- control and best finishing results
- 15 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

	M18 FROP15-0X	M18 FROP15-502X	M18 FR0P15-502X KIT
quipment	125 mm backing pad, dust screen	125 mm backing pad, dust screen	125 mm backing pad, dust screen, 140 mm red sponge (hard), 140 mm yellow sponge (medium), red cloth, heavy compound, medium compound
d	No batteries supplied No charger supplied, HD Box		2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
nber	4933478834	4933478835	4933492352
	4058546361167	4058546361174	4058546417192

# **M18 FMCS66**

# M18 FUEL

# M18 FUEL™ 66 MM METAL CIRCULAR SAW



- First 18V cordless metal circular saw with 66 mm cutting depth and 1800 W corded performance
- Faster cutting speed compared to corded unit Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This allows the user to make straight and accurate cuts with minimum setup time
- Performance light indicates when the device is pushed to hard

	M18 FMCS66-0C	M18 FMCS66-802C
Kit included	No batteries supplied, No charger	2 x M18 FB8 Battery packs, M12-
	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933472110	4933499243
EAN Code	4058546325060	4058546564070

# **M18 FAP** M18 FUEL™ POLISHER

# M18 FUEL



- Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm
- Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches)
- Maximum polishing accessory diameter of 180 mm
- Constant speed electronics with soft start for smooth start up

M18 FAP180-0	M18 FAP180-502X
Polishing backing pad, dust screen, bale handle, AVS side handle	Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 FC Charger, HD
supplied, No kitbox or bag supplied	Box
4933451549	4933451550
4002395144518	4002395144525
	Polishing backing pad, dust screen, bale handle, AVS side handle No batteries supplied, No charger supplied, No kitbox or bag supplied 4933451549

# M<sub>18</sub> FMCS

# M18 FUEL

# M18 FUEL™ 57 MM METAL CIRCULAR SAW



- · Dry-cutting technology provides cold, fast and burr-free metal cutting
- Tool-free depth adjustment, quickly and easily adjusts cutting depth from 0 to 57 mm
- Compact and light weight design for most comfortable use
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts

M18 FMCS-0X	M18 FMCS-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933459192	4933459193
4002395289271	4002395289288
	No batteries supplied, No charger supplied, HD Box 4933459192

# M18 FBS127

# M18 FUEL

# M18 FUEL™ DEEP CUT BAND SAW GEN 2



- Fastest cutting band saw in it's class and 30% faster than previous model
- Optimised ergonomics and weight reduced by 1.4 kg compared to previous model
- Maximum control for any material, 4-step speed mode & variable speed trigger; ideal for
- working with stainless steel and aluminium Cut-stop technology, the tool shuts off
- automatically after the cut for increased user

	M18 FBS127-0	M18 FBS127-502C
Kit included	No batteries supplied, No charger supplied, KitboxNo kitbox or bag supplied	2 x M18 B5 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933498309	4933498310
EAN Code	4058546521783	4058546521790

# M18 FBS127DO

# M18 FUEL

# M18 FUEL™ DUAL-TRIGGER DEEP CUT BAND SAW WITH ONE-KEY™





- Dual trigger activation, requires the user to have always both hands on the tool and automatically shuts down the tool whenever one hand is taken off
- Maximum control for any material, 4-step speed mode & variable speed trigger; ideal for working with stainless steel and aluminium

# M18 FBS127DO-0C

Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933498311
EAN Code	4058546521806

# M18 FBS85

# 

# **M18 FDGROVPDB**

# M18 FUEL

# M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH







- Maximum control for every application, 5-step speed dial ideal for working with stainless
- steel, carbide burrs & accessories up to 75 mm Delivering corded performance similar to a
  - 1200 W grinder ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

# M18 FDGROVPDB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933480957
EAN Code	4058546412425

# M18 FUEL™ COMPACT BAND SAW

- 20% faster cutting compared to previous model
- Large cutting capacity up to a diameter of
- Variable speed trigger for quick & easy speed adjustments
- Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds

M18 FBS85-0C	M18 FBS85-202C
No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12- 18 FC Charger, Kitbox
4933471496	4933471497
4058546293956	4058546293963
	No batteries supplied, No charger supplied, Kitbox 4933471496

# M<sub>18</sub> FDGROVB

# M18 FUEL

# M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH





- · Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

	M18 FDGROVB-0X	M18 FDGROVB-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933480955	4933480956
EAN Code	4058546412401	4058546412418

# M<sub>18</sub> FDGRB

# M18 FUEL

# M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH





- Delivering corded performance similar to a 1200 W grinder
- Spindle lock increased productivity by reducing the need of 2 wrenches
  RAPIDSTOP™ stops all accessories in under
- the 2 seconds
- Lower angle of battery slot for better balance & ergonomics compared to previous model
- Universal reception to fit both, 6 and 8 mm

	M18 FDGRB-0	M18 FDGRB-0X	M18 FDGRB-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480952	4933480953	4933480954
FAN Code	4058546412371	4058546412388	1058516112305

accessories

# M18 FUEL

# M18 FMDP M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET





- FUEL™ technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per battery charge AUTOSTOP™ lift-off detection: Detects excess
- rotation and automatically cuts power to the drill for best user protection

	M18 FMDP-0C	M18 FMDP-502C
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933451636	4933451012
EAN Code	4002395142330	4002395136650

# M18 BMS12 M18™ METAL SHEAR

M18



- · Accurate cuts with maximum cutting depth of 1.2 mm in steel
  Unique 360° tool-free rotating head with
- 12 locking positions to access tight spaces
- and increasing user comfort REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

# M18 BMS12-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933447925
EAN Code	4002395006731

# M18 BMS20 M18™ METAL SHEAR

# M18

# **M18 BHG** M18™ HEAT GUN

M18



- · Accurate cuts with maximum cutting depth of 2.0 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

4002395006748

Individual battery cell monitoring optimises tool

run time and ensures long term pack durability	
M18 BMS20-0	
No batteries supplied, No charger supplied, No kitbox or bag supplied	Kit inc
4933447935	Article

- · High performance heat coil allows the tool to reach 470 °C
- Reaches operational temperature in six seconds allowing the user to quickly complete his application
  REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M18 BHG-0	M18 BHG-502C
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
Kit iliciuueu	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933459771	4933459772
EAN Code	4058546029432	4058546029449

# M18 FMS305

Kit included

Article Number EAN Code

# M18 FUEL

# M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW



- · Delivers the power to cut at the same rate of an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed maximise the partnership with HIGH OUTPUT and FORGE™ batteries

	M18 FMS305-0	M18 FMS305-121		
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 FB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied		
Article Number	4933471205	4933499181		
EAN Code	4058546288334	4058546563455		

# M18 FMS254 M18 FUEL™ 254 MM MITRE SAW





- With a 254 mm blade it delivers large and accurate cut capacities
- Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work
- a full day without recharging the battery Quick release bevel setting with detents allows the simple setting of bevel angles to the left

	M18 FMS254-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuded	bag supplied
Article Number	4933451729
EAN Code	4002395279418

# M<sub>18</sub> FMS<sub>190</sub> M18 FUEL™ 190 MM MITRE SAW





- With a 190 mm blade it delivers accurate cut
- Up to 299 cuts in 38 mm 89 mm soft wood with a 5.0 Ah battery gives the ability to work a
- full day without recharging the battery Quick release bevel setting allows the simple setting of bevel angles to the left and right
- Large sliding fences gives maximum support to the material being cut providing stability and accuracy

# M18 FMS190-0

	No batteries supplied, No charger supplied, No kitbox or bag supplied			
Article Number 4	933459619			
EAN Code 4	058546027919			

# **MSL 1000**

# MITRE SAW STAND EXTENDABLE UP TO 2 M



- · Light weight aluminium, easy to transport onto
- o 1.08 m total length, will fit into most small vans
- Extendable each side 2.08 m extended
- Will hold up to 180 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

	M2F 1000	
Article Number	4933428970	
EAN Code	4002395241729	

# **MSL 2000** MITRE SAW STAND EXTENDABLE UP TO 2.5 M



- · Light weight aluminium, easy to transport onto
- 1.09 m total length, will fit into most small vans
- Extendable each side 2.54 m extended
- Will hold up to 227 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

# MSL 2000

Article Number	4933459617
EAN Code	4058546027896

# **MSL 3000**

# MITRE SAW STAND EXTENDABLE UP TO 3 M



- · Lightweight construction and wheel set provides portability on the jobsite
- Folds down to 1200 mm thanks to the collapsible legs and compact design
- Extendable up to 3 m makes it easy to cut large workpieces to length
- Heavy Duty carries up to 250 kg
- One point leg adjustment for leveling on uneven around
- Comfortable working height at 81 cm

MSI	3000

Article Number	4933411565
EAN Code	4002395236213



# GET THE RIGHT MITRE SAW FOR THE JOB

# • EXTERNAL

Roofing, fencing, decking

**CAPACITY** 



# <sup>®</sup> INTERNAL

Second fix, smaller cuts, skirting boards, kitchen fitting, door and window surrounds

**PORTABILITY** 



		Platform	ONE-KEY™	No load speed (rpm)	Blade diameter (mm)	Bevel capacity left (°)	Bevel capacity right (°)	Mitre capacity left (°)	Mitre capacity right (°)	Bore size (mm)	Max. cutting capacity at fence 90° mitre / 90° bevel (mm)	Weight with battery pack (EPTA) (kg)
	M18 FMS305-121	M18 FUEL™	ONE-KEY™	3600	305	48	48	55	60	30	96.5 x 340	22.5 (M18 FB12)
1.	M18 FMS254-0	M18 FUEL™	-	4000	254	48	48	50	60	30	91 x 289	20.0 (M18 B5)
2.	M18 FMS190-0	M18 FUEL™	-	5000	190	48	48	48	48	30	-	12.7 (M18 B5)

# **MITRE SAW EXTENDABLE LEGSTANDS**

	Height (mm)	Base size (mm)	Extendable up to (mm)	Collapsed size (mm)	Bearing force (kg)	Weight (kg)
MSL 1000	850	1065	2125	1065	180	17.0
MSL 2000	860	1093	2542	1093	227	14.0
MSL 3000	810	1100	3000	1200	250	23.0
MSUV 280	850	1160	2800	1320	136	27.0







# **MSUV 280**

# MITRE SAW STAND EXTENDABLE UP TO 2.8 M



- Upright folding design for easy storage and transportation
- Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached
- Universal quick release saw brackets compatible with all MILWAUKEE® mitre saws
- Extra wide work piece support rollers allows larger materials to be more easily handled 2.8 m extension width

	IVIOUV ZOU	
Article Number	4933478992	
EAN Code	4058546362744	

# M18 FTS210

# M18 FUEL™ ONE-KEY™ TABLE SAW





 The ONE-KEY<sup>™</sup> M18 FUEL<sup>™</sup> table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah battery charge

	M18 FTS210-0	M18 FTS210-121B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 FB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933464722	4933499179
EAN Code	4058546226671	4058546563431

# **TSS 1000 TABLE SAW STAND**



- Light weight of only 6.6 kg easy to transport onto the job site
- Will hold up to 82 kg
- Quick release bracket to hold the saw firmly in place
- One point leg adjustment for leveling on
- uneven ground

  Comfortable work height at 559 mm

  To be used with M18 FUEL™ ONE-KEY™ table saw (M18 FTS210)

	TSS 1000	
Article Number	4933464227	
EAN Code	4058546221720	

# M18 FPS55

# M18 FUEL™ 55 MM PLUNGE SAW



M18



- The M18 FUEL<sup>™</sup> plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge
  The depth adjustment has two scales, one
- for on the rail and one for off the rail, this can easily be adjusted by the press of a button

	M18 FPS55-0P	M18 FPS55-552P
Kit included	No batteries supplied, No charger supplied, PACKOUT™ XL tool box	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, PACKOUT™ XL tool box
Article Number	4933478777	4933478778
EAN Code	4058546360597	4058546360603

# M18 FCS552

# M18 FUEL™ COMPACT CIRCULAR SAW





- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cut 200 pieces of 90 mm x 45 mm pine stud on one 3.0 Ah HIGH OUTPUT™ battery as its optimised for HIGH OUTPUT™ technology
- Magnesium shoe reduces weight and maximises durability
- Durable metal rafter hang hook for work space management and safety

	M18 FCS552-0	M18 FCS552-0X	M18 FCS552-302X
Kit included	No batteries supplied, No	No batteries supplied, No	2 x M18 HB3 Battery packs,
KII IIICIUUEU	charger supplied, Gift box	charger supplied, HD Box	M12-18 FC Charger, HD Box
Article Number	4933493587	4933493588	4933493589
EAN Code	4058546484583	4058546484590	4058546484606

# HD18 CS

# M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC



- Powerful 3500 rpm motor easily cuts most timber construction materials
- REDLINK<sup>™</sup> overload protection electronics in tool and battery pack deliver best in class system durability
- arge 50° bevel facility
- Magnesium upper guard provide best in class durability for impact resistance
- Excellent visibility of cutting line

	пи 10 03-0	HU 10 US-4UZB	
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C	
Kit iliciaaea	supplied, No kitbox or bag supplied	Charger, Tool bag	
Article Number	4933419134	4933441400	
EAN Code	4002395238248	4002395001613	


## M18 FUEL **M18 FCSRH662** M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD GEN 2



- Delivers the power to rip cut at the same feed. rate of an equivalent AC circular saw due to the FORGE™ technology built into this saw allows the ability to cross cut up to 700 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery
- 190 mm blade which gives a 68 mm depth of cut, enabling the saw to cut 3 stacked OSB
- Magnesium shoe reduces weight and maximises durability

# M18 FCSRH662-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIT IIICiuueu	bag supplied
Article Number	4933498992
EAN Code	4058546528614





# GET THE RIGHT SAW FOR THE JOB







# <sup>0</sup> TABLE, PLUNGE AND CIRCULAR SAWS

	Platform	ONE-KEYTM	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 90° (mm)	Weight with battery pack (EPTA) (kg)
M18 FTS210-121B	M18 FUEL™	ONE-KEY™	6300	210	47	-	63.5	22.3 (M18 FB12)
M18 FPS55-552P	M18 FUEL™	-	2500 - 5600	165	-1 - 48	44	59	4.9 (M18 HB5.5)
M18 FCS552-302X	M18 FUEL™	-	6000	165	50	44	57	3.4 (M18 HB3)
HD18 CS-402B	M18™	-	3500	165	0 - 50	39	55	3.8 (M18 B4)
M18 FCS66GR3-121C	M18 FUEL™	-	6,000	190	50	53	68	5.7 (M18 FB12)
M18 FCSRH662-0	M18 FUEL™	-	6,300	190	57	53	68	5.2 (M18 FB12)
M18 BLCS66-502X	M18™	-	5000	190	0 - 50	48	66	4.0 (M18 B5)
M12 FCS442-502X	M12 FUEL™	-	3850	140	0 - 50	32	46	2.4 (M12 HB5)

# <sup>®</sup> SAWZALL™, HACKZALL™, JIGSAWS

	Platform	ONE-KEYTM	No load stroke rate (spm)	Stroke length (mm)	Weight with battery pack (EPTA) (kg)
M18 FSX-801C	M18 FUEL™	-	0 - 3000	32	5.06 (M18 FB8)
M18 ONEFSZ-502X	M18 FUEL™	ONE-KEY™	0-3000	32	3.8 (M18 B5)
M18 FSZ-502X	M18 FUEL™	-	0-3000	32	3.8 (M18 B5)
M18 BSX-402C	M18™	-	0 - 3000	28.6	4.0 (M18 B4)
M18 FHZ-502X	M18 FUEL™	-	0 - 3000	22	2.6 (M18 B5)
C18 HZ-402B	M18™	-	0 - 3000	20	2.5 (M18 B4)
M18 FBJS-502X	M18 FUEL™	-	800 - 3500	25	2.8 (M18 B5)
M18 FJS-502X	M18 FUEL™	-	0 - 3500	25	2.9 (M18 B5)
M18 BJS-402C	M18™	-	0 - 2800	25	2.5 (M18 B4)
M12 CHZ-602X	M12 FUEL™	-	0 - 3000	15.9	1.6 (M12 B6)
C12 HZ-202C	M12™	-	0 - 3000	13	1.2 (M12 B2)
M12 FJS-422X	M12 FUEL™	-	800 - 3000	22	1.7 (M12 B2)

# **® MULTI-TOOLS**

	Platform	Oscillation angle left/ right (°)	No load speed (rpm)	Weight with battery pack (EPTA) (kg)
M18 FMT-502X	M18 FUEL™	2.1	10,000 - 20,000	1.9 (M18 B5)
M18 BMT-421C	M18™	1.7	12,000 - 18,000	1.7 (M18 B2)
M12 FMT-422X	M12 FUEL™	1.8	10,000 - 20,000	1.6 (M12 B2)
C12 MT-402B	M12 <sup>TM</sup>	1.5	5000 - 20,000	1.2 (M18 B4)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW OUR SAWING AND CUTTING BLADES



# **M18 FCS66GR3**

# M18 FUEL

# M18 FUEL™ GUIDE RAIL COMPATIBLE CIRCULAR SAW



• The M18 FUEL™ circular saw delivers the power to rip cut and maintain the 6,000 RPM's throughout the cut for a faster cutting experience due to the FORGE™ technology built into this saw - with the ability to cut up to 700 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge or 64 linear metres in 42 mm thick pine panel

	M18 FCS66GR3-0	M18 FCS66GR3-121C
Kit included	No batteries supplied, No charger supplied, Gift boxNo kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933493491	4933493492
EAN Code	4058546483623	4058546483630

# **M18 BLCS66**

M18

# M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD **AND PLASTICS**

## **BRUSHLESS**



- M18<sup>™</sup> brushless circular saw with a 190 mm blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards
- REDLINK<sup>™</sup> overload protection electronics in tool and battery pack deliver best in class system durability

	M18 BLCS66-0X	M18 BLCS66-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933464589	4933464590
EAN Code	4058546225346	4058546225353

# **M18 ONEFSZ**

# M18 FUEL™ ONE-KEY™ SAWZALL™



# ONETKEY



- M18 FSZ but with ONE-KEY<sup>™</sup> technolog
- Connect via Bluetooth® with the ONE-KEY™
- ONE-KEY™ tool customisation allows the user to optimise their tool for specific applications ONE-KEY™ tool tracking & security offers a free
- of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

	M18 ONEFSZ-OX	M18 ONEFSZ-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478296	4933478294
EAN Code	4058546344733	4058546344719

# M<sub>18</sub> FSZ M18 FUEL™ SAWZALL™





- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting
- Patented gear protecting clutch extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade
- clamp provides fast and easy blade changes Metal reinforced battery connection provides improved durability and battery retention over

	M18 FSZ-0X	M18 FSZ-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478293	4933478291
EAN Code	4058546344702	4058546344689

# **M18 FSX** M18 FUEL™ SUPER SAWZALL™





# M18


M18



• The M18 FUEL™ Super SAWZALL™ delivers the power to cut at the same speed as an equivalent AC reciprocating saw - with the ability to cut 150 pieces of 290 mm x 45 mm pine on one 12.0 Ah battery charge

	M18 FSX-0C	M18 FSX-801C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB8 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464724	4933499177
EAN Code	4058546226695	4058546563417

# **M18 BSX** M18™ SAWZALL™





keyless blade change

Counter balance mechanism to reduce vibrations 15.2 m/s2 in wooden beams

	MIIO DOX-U	W10 D3X-4020
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933447275	4933447285
EAN Code	4002395006113	4002395006120

# **M18 FHZ** M18 FUEL™ HACKZALL™







- With a 22 mm stroke length for controlled
- cutting wand a no load stroke rate of 3000 spm Patented FIXTEC™ clamp for quick and efficient blade change
- Pivoting shoe allows the user to optimise his cutting position

  Built in LED light improves visibility in low light
- cutting applications

	M18 FHZ-0X	M18 FHZ-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459887	4933459885
EAN Code	-MISSING-	4058546030575

# **C18 HZ** M18™ HACKZALL™



- High performance compact one handed use HACKZALL™, measuring only 375mm in length, makes it ideal for working within confined REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Dual gear counter balance reduces vibration and increases tool life

No batteries supplied, No charger supplied. No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag
cumplied. No kithoy or han cumplied	Charger Tool hag
supplied, No Kitbox of Day supplied	Gliaryci, ioui bay
4933416785	4933441340
4002395237982	4002395001491

# M<sub>18</sub> FBJS M18 FUEL™ BODY GRIP JIGSAW

# M18 FUEL

# **M18 FJS**

# M18 FUEL™ TOP HANDLE JIGSAW





- Patented FIXTEC<sup>™</sup> blade clamp for fast and easy blade change
- 3500 SPM delivers smooth cuts, minimised chipping and vibration
- 5 stage pendulum action for increased cutting performance
- Brushless POWERSTATE™ motor for fast cutting, long tool life and up to 32 m in 19 mm OSB (on a 5.0 Ah pack)

	M18 FBJS-0X	M18 FBJS-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933464799	4933464800
EAN Code	4058546227449	4058546227456



- Dust blower keeps the cut line free of wood
- Keyless bevel facility on the base plate allows for adjustment between 0 45°
   Patented FIXTEC™ blade clamp for fast and
- easy blade change
- 5 stage pendulum action for increased cutting

	M18 FJS-0X	M18 FJS-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933464726	4933464727
EAN Code	4058546226718	4058546226725

# **M18 BJS** M18™ TOP HANDLE JIGSAW

# M18

# **M18 FMT** M18 FUEL™ MULTI-TOOL

# M18 FUEL



- High performance motor delivers 2800 spm for fast cutting REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ blade clamp for fast and
- easy blade change Keyless bevel facility on the base plate allows for adjustment between 0 - 45°

	M18 BJS-0	M18 BJS-402C
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
THE HIGHER	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933451391	4933451389
EAN Code	-MISSING-	4002395157976



- ° POWERSTATE™ brushless motor pairs with an aggressive oscillation angle of 2.1° (left/ right) and 10,000 20,000 OPM to deliver one of the fastest cut speeds in the industry
- Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood
- 10-setting dial with an auto-load feature allows users to adjust the speed to the application

	M18 FMT-0X	M18 FMT-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478491	4933478492
EAN Code	4058546346843	4058546346850


# **M18 BMT** M18™ MULTI-TOOL

# M18

# **M18 BP** M18™ PLANER

# M18





- Productivity enhancing FIXTEC™ tool free blade change with universal blade change adaptor included to accept all competitor blades
- 12 variable speed settings from 12,000 18.000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic

	M18 BM1-0	M18 BM1-421C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933446203	4933446210
EAN Code	-MISSING-	4002395004911



M18 BP-0

4002395137374

- Adjustable depth of cut from 0 to 2 mm with twenty locking positions allows the user to accurately set the amount of material to be removed in one pass
- Up to 10.7 mm of rebate depth
- High performance 4-pole motor delivers 14.000 rpm to achieve optimum surface finish
- Faster material removal with two double edged carbide blades over a planning width of 82 mm
- M18 BP-402C No batteries supplied, No charger 2 x M18 B4 Battery packs, M12-18 C supplied, No kitbox or bag supplied 4933451113 Charger, Kitbox 4933451114

4002395137381

# M<sub>18</sub> FR<sub>12</sub> M18 FUEL™ 12 MM ROUTER

# M18 FUEL



- POWERSTATE™ brushless motor in combination with the HIGH OUTPUT™ 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit
- Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

	M18 FR12-0X	M18 FR12KIT-0P
Standard equipment	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extrac- tion pipe and plunge base
Kit included	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, PACKOUT™ box
Article Number	4933493304	4933493305
EAN Code	4058546481759	4058546481766

Kit included

Article Number EAN Code

# M18 FUEL

# M18 FTR8 M18 FUE™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES



- POWERSTATE™ brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting
- Variable speed dial allows users to adjust the speed between 10.000 and 31.000 rpm to choose the best control for the application at hand
- at hald

  All day run time on a single charge of an M18<sup>™</sup>

  5.0 Ah battery (up to 115 m)

M18 FTR8-0X
-------------

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479073
EAN Code	4058546368678

# M<sub>18</sub> BQSS M18™ QUARTER SHEET SANDER

## M18

# **M18 FBTS75** M18 FUEL™ 75 MM BELT SANDER

# M18 FUEL

M18



- High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal Variable speed wheel with 6 speed settings
- allows the correct speed to be set for different types of material
- Universal hook and loop sanding pad allows easy changing of sanding sheets
- Paper retention clips for use with standard sheet sand paper

	M18 BQSS-0	M18 BQSS-502B
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
KIT IIIGIUUGU	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933479966	4933479967
EAN Code	4058546377601	4058546377618



- Compact design, with a flat front and side edge allows flush sanding capability
   Captures 90% of dust either through the universal dust port or with the multi layered dust bag
- Variable speed adjustable with a belt speed range from 230 to 410 m/s
  Tool-free adjustable pommel allows for
- adjustment of the front handle letting the user find the optimum sanding position

	M18 FBTS75-0	M18 FBTS75-552X
Kit included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
	supplied, No kitbox or bag supplied	18 FC Charger, HD Box
Article Number	4933479614	4933479615
EAN Code	4058546374082	4058546374099

# M18 FROS125

# M18 FUEL

# M18 FUEL™ 125 MM RANDOM ORBIT SANDER



- The M18 FUEL<sup>™</sup> sander has a 2.5 mm orbit with 12,000 RPM's which allows a fast and efficient stock removal rate of 220 g of material per charge of one M18™ 5.0 Ah battery
- Fitted with VacLink technology which allows the tool to turn compatible MILWAUKEE® dust extractors on and off via Bluetooth®

	M18 FR0S125-0B	M18 FROS125-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit iliciuueu	supplied, Tool bag	18 FC Charger, HD Box
Article Number	4933498253	4933498254
EAN Code	4058546521226	4058546521233

# M18 BOS125

# M18™ 125 MM RANDOM ORBITAL SANDER



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
  REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

	M18 B0S125-0	M18 B0S125-502B
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
NII IIICiuueu	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933464228	4933464229
EAN Code	-MISSING-	4058546221744

# **M18 FAC** M18 FUEL™ AIR COMPRESSOR

# M18 FUEL



- POWERSTATE<sup>™</sup> brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

# M18 FAC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933472166	
EAN Code	4058546325626	

# M18 FFN21

# M18 FUEL™ 21° FRAMING NAILER 2-MODE



- Fires standard framing nails which fits an angled magazine at 20° to 22°
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

M18 FUEL

- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

# M18 FFN21-0C

Kit included	No batteries supplied, No charger supplied, Kitbox	
Article Number	4933478993	
EAN Code	4058546362751	

### M18 FUEL **M18 FFN** M18 FUEL™ 34° FRAMING NAILER 2-MODE



- Excellent power to consistently seat nails sub-flush to the surface in hardwoods
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little
- Two mode selection allows for sequential fire for precision or bump fire for speed

	M18 FFN-0C	M18 FFN-502C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933471406	4933471404
EAN Code	4058546290344	4058546290320

# M<sub>18</sub> FFNS

# M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY



Single shot mode only allows for precision placement of each nail fired

M18 FUEL

- Fires standard framing nails which fits an angled magazine at 30° or 34°
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little
- Excellent power to consistently seat nails subflush to the surface in hardwoods

# M18 FFNS-502C

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	
Article Number	4933478302	
EAN Code	4058546344795	



# M<sub>18</sub> FDN M18 FUEL™ DUPLEX NAILER

# M18 FUEL



- Fires MILWAUKEE® 21° collated duplex nails 3.3 mm x 73 mm and 3.3 mm x 92 mm
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933493600
EAN Code	4058546484712

M18 FDN-0C



# **M18 FRCN45** M18 FUEL™ ROOFING COIL NAILER

# 



- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Dry-Fire lockout stops the tool being fired when there are no nails left in the coil cage
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

	M18 FRCN45-OX	M18 FRCN45-302X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB3 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933498168	4933498169
EAN Code	4058546520373	4058546520380

# **M18 FN16GA**

# M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE



- Fire 16 Gauge nails with a 20° pitch
  Tool-free, quick and easy depth adjustment to
- assure nails are driven sub-flush
  No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails subflush to the surface in hardwoods

M18 FN16GA-0X	M18 FN16GA-202X
No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478094	4933478092
4058546340278	4058546340254
	No batteries supplied, No charger supplied, HD Box 4933478094

## M18 FUEL **M18 FN15GA** M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE



- Fires 15 gauge nails with a 34° pitch Fires up to 1200 nails per charge on a REDLITHIUM™ 2.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

# M18 FN15GA-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478091
EAN Code	4058546240247

# M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER

# M18 FUEL



- Fires 18 gauge straight nails with a 0° pitch
   Different shaped noses stored on board allows
- the user to get the best finish no matter what the application
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Smaller nail hole, the exact size of the nail head leaving a neater finish

	M18 FN18GS-0X	M18 FN18GS-202X
Kit included	No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933471409	4933471407
EAN Code	4058546290375	4058546290351

# **M18 FN16GS**

# M18 FUEL

# M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER



- Fire 16 gauge straight nails with a 0° pitch from 25 mm 64 mm long
   Quick and easy tool free adjustable nail driving
- Smaller nail hole, the exact size of the nail head leaving a neater finish
- Small work contact bracket allows the user to fire and sink nails at a more acute angle

  Dry-Fire lockout stops the tool being fired
- when there are no nails left in the magazine

# M18 FN16GS-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493353
EAN Code	4058546482244

# M<sub>18</sub> FFUS M18 FUEL™ FENCING UTILITY STAPLER





- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FFUS-0C	M18 FFUS-302C
Kit included	No batteries supplied, No charger	2 x M18 HB3 Battery packs, M12-
KII IIIGIUUEU	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933479834	4933479832
EAN Code	4058546376284	4058546376260

# GET THE RIGHT NAILER/ STAPLER FOR THE JOB

# ° FRAMING NAILERS



# ° FINISHING NAILERS



# ° FENCING UTILITY STAPLER



# ° STAPLERS



# ° CONCRETE FORMWORK



# ROOFING COIL NAILER



		Platform	Collation angle (°)	Nail diameter (mm)	Nail type (mm)	Staple strip length (mm)	Staple strip width (mm)	Magazine capacity	Weight with battery pack (EPTA) (kg)
	M18 FFN21-0C	M18 FUEL™	20 - 22	2.9 - 3.8	50 - 90			51	5.0 (M18 B5)
	M18 FFN-502C	M18 FUEL™	30 - 34	2.9 - 3.3	50 - 90			51	5.1 (M18 B5)
1.	M18 FFNS-502C	M18 FUEL™	30 - 34	2.9 - 3.3	50 - 90	-	-	51	5.1 (M18 B5)
2.	M18 FN18GS-202X	M18 FUEL™	0	1.2	16 / 54	-	-	110	3.1 (M18 B2)
2.	M18 FN16GA-202X	M18 FUEL™	20	1.6	32 - 64	-	-	110	3.3 (M18 B2)
2.	M18 FN16GS-0X	M18 FUEL™	0	1.6	25 - 64	-	-	110	3.2 (M18 B2)
2.	M18 FN15GA-0X	M18 FUEL™	34	1.8	32 - 64	-	-	110	3.3 (M18 B2)
2.	M12 FCN18GS-202X	M12 FUEL™	0	1.2	16 - 38	-	-	110	2.1 (M12 B2)
3.	M18 FFUS-302C	M18 FUEL™	0	4	-	38 - 51	10.3	45	5.0 (M18 HB3)
4.	M18 FNCS18GS-202X	M18 FUEL™	0	-	-	9.5 - 38	5.7 - 6.35	108	2.8 (M18 B2)
4.	M12 BCST-0	M12 <sup>™</sup>	0	-	-	25.4	19	45	2.3 (M12 B2)
4.	M12 BST-202X	M12 <sup>™</sup>	0	-	-	6 - 14	10.6	89	1.6 (M12 B2)
5.	M18 FDN-0C	M18 FUEL™	21°	3.3	73 - 92	-	-	44	5.1 (M18 B5)
6.	M18 FRCN45-302X	M18 FUEL™	15°	3	19 - 45	-	-	120	3.8 (M18 HB3)







# M<sub>18</sub> FNCS<sub>18</sub>GS

# M18 FUEL

# M18 FUEL™ NARROW CROWN STAPLER 2-MODE



- Accepts narrow crown staplers from 9.5 mm to 38 mm
- Ready to fire nail technology eliminates ramp-up time between each staple discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FNCS18GS-0X	M18 FNCS18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933471942	4933471940
EAN Code	4058546298418	4058546298395

# M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM



# M18 FUEL



M18 FUEL™ BACKPACK VACUUM





- The M18 FUEL™ 23 litre L class Wet/Dry Vacuum brings outstanding performance,
- durability, and versatility to jobsite cleanup With a maximum air flow of 3086 l/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

	M18	F2VC23L-0
--	-----	-----------

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478964
EAN Code	4058546362461



- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Dust class L. Standard MAK-factor > 1 mg/m³ Low noise of only 76 db (operating sound level)
- DEK 26 compatible allows the vacuum to be easily connected to a powertool
- Cyclonic technology for longer filter life, extended peak performance and bag-less debris collection

### M18 FBPV-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464483
EAN Code	4058546224288

# M<sub>18</sub> FPOVCL

# M18 FUEL

# M18 FUEL™ PACKOUT™ WET/ DRY VACUUM

# **PACKOUT**



- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE®
- PACKOUT™ Modular Storage System
  Delivers up to 30 minutes of run time on a
  HIGH OUTPUT™ 8.0 Ah battery pack in high
  mode and over 50 minutes in low mode
- Extendable hose up to 1.6 m for extended reach and versatility

# M18 FPOVCL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478187
EAN Code	4058546341206

# PODS-1

# PACKOUT™ COMPATIBLE DUST SEPERATOR

# **PACKOUT**



- Separates up to 99.9% of common jobsite
- Captures debris before reaching vacuum, resulting in less filter clogs and longer sustained suction
- Keeps debris in cyclone, eliminating user frustration of vacuum maintenance
- Fully compatible with PACKOUT™ Modular Storage System for easy transportation on, off, and around the job site

# PODS-1

Article Number	4932498256	
EAN Code	4058546521257	

# M18 VC2 M18™ WET/ DRY VACUUM

# M18

# **M18 CV**






- Powerful 18 V motor with a maximum air flow of 1300 l/min/ 80 bar provides excellent suction power for both wet and dry clean up
- HEPA filter will collect 99.97% of airborne particles down to 0.03 microns for fine dust collection
- Up to 30 minutes run time with M18™ HIGH OUTPUT™ 5.5 Ah battery pack

	1110 002 0
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933464029
EAN Code	4058546219741

# M18™ HAND VAC

• Excellent suction power for wood, metal and common debris



- Lock on switch reduces fatigue during
- Versatile accessories for small or large clean
- up areas Secure canister lock guards against unwanted spillage

# M18 CV-0


Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933459204
EAN Code	4002395289998

# M18 BBL M18™ BATTERY BLOWER

## M18

# M<sub>18</sub> ARFHP

# M18™ HIGH PERFORMANCE AIR FAN





- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360° Efficient air circulation circulates the air up to
- 5.775 m<sup>3</sup>/h Compact design with integrated carry handle
- to maximise portability

	ARFHP-0	
IVIIO	AKFAP-U	

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492110
FAN Code	4058546414771

# M18 BBL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933446216
EAN Code	4002395004942

speed trigger

attachment

Lock-on switch

# **M18 AFG2** M18™ AIR FAN

## M18

# M18 BI M18™ INFLATOR

### M18

M18



- Variable speed dial and a 180 mm blade diameter for optimised air flow up to 1.444 m<sup>3</sup>/h
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 300°

Compact body - clears dirt and debris in tight

Power control - 3 speed settings with variable

Removable nozzle for easy, convenient storage

Versatile attachments - nozzle extension

(228.6 mm), universal inflator/ deflator

- Compact design with integrated carry handle
- to maximise portability
  Compatible with the MILWAUKEE® PACKOUT®

# M18 AFG2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933493443
EAN Code	4058546483142

- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18<sup>™</sup> 5.0 battery
- pack 10.3 max bar capacity

### M18 BI-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478706
EAN Code	4058546348991

# M18 PRCDAB+

# M18™ PACKOUT™ RADIO CHARGER



M18

# M18 RADDAB+G2 M18™ JOBSITE RADIO DAB+

M18



# PACKOUT



- Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound
- for large and outdoor spaces DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer

# M18 PRCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472112
EAN Code	4058546325084



- · High performance audio system DAB+/ FM tuner with digital processor delivers high reception accuracy and signal clarity Digital Bluetooth® receiver, plays music up to
- 36 m away from your smartphone, computer
- Integrated handles and on board storage allow
- for easy transport and storage for phones Dual 8.89 cm woofers provide balanced & clear sound

# M18 RADDAB+G2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933492344
EAN Code	4058546417116

# **M18 RC**

# M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®



- Built in charger function allows for guick. convenient charging of any M18™ battery or electronic devices via USB port
- Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer,
- AC/DC versatility: powered by MILWAUKEE® M18™ batteries, or 230 V mains supply

	11101100
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933446639
EAN Code	4002395005420

# M<sub>18</sub> SPEJSG2 M18™ JOBSITE SPEAKER

M18



- Advanced technology Bluetooth<sup>®</sup> job site speaker
  Bluetooth® 5.3 plays music up to 60 m away
- from your smartphone, computer or tablet
- Balanced & clear sound at all volumes
- Premium speaker with bass port
- Provides audio for small to medium sized areas
- Audio link connects over 200 MILWAUKEE® speakers

# M18 SPEJSG2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIT IIICIUUEU	bag supplied
Article Number	4933493530
EAN Code	4058546484019







# M12 FUEL

# DRIVEN TO OUTPERFORM.

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL™ offers the best, full circle technology that drives, protects and powers your cordless tools.



# **POWERSTATE BRUSHLESS MOTOR**



- MILWAUKEE® designed and built brushless motor
- Provides increased efficiency
- Lasts longer and delivers maximum power\*



# REDLINK PLUS **INTELLIGENCE**

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life













# **REDLITHIUM BATTERY PACKS**

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



**MORE CAPABLE.** 

LIGHTWEIGHT.

**MORE COMPACT.** 

# **M12 FHAC16**

# M12 FUEL

# M12 FUEL™ COMPACT 16 MM SDS-PLUS HAMMER



- · Compact and balanced 12 V rotary hammer with 1.15 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility Anti-vibration system (AVS) for decreased user
- fatigue and lower vibration exposure. Also, an added anti-vibration side handle for lowering the vibration exposure even further Optimised hammer drilling up to 10 mm

	M12 FHAC16-0	M12 FHAC16-0X	M12 FHAC16-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M12 HB5 Battery packs, C12 C Charger, HD Box
Article Number	4933499183	4933499184	4933499185
EAN Code	4058546563479	4058546563486	4058546563493

# M<sub>12</sub> UDEL

# M12™ UNIVERSAL DUST EXTRACTOR



- Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer
- Delivering more than 40 min run time on a
- single M12 B2 2.0 Ah battery

  Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

	M12 UDEL-0B	M12 UDEL-201B
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
rat moidada	supplied, Tool bag	Charger, Tool bag
Article Number	4933471460	4933471461
EAN Code	4058546290887	4058546290894

# **M12 FPD2**

# M12 FUEL

# M12 FUEL™ SUB COMPACT PERCUSSION DRILL



- Extremely compact design of 152 mm length for access into tight spaces
- 45 Nm of torque superior power to size ratio
  13 mm heavy duty metal chuck for quick bit
- changes and bit retention Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling and 1 for locked
- clutch hammer On board fuel gauge, metal belt clip and LED

	M12 FPD2-0	M12 FPD2-202X	M12 FPD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479867	4933479868	4933479870
EAN Code	4058546376611	4058546376628	4058546376642

# **M12 FDD2**

# M12 FUEL

M12

# M12 FUEL™ SUB COMPACT DRILL DRIVER



- Extremely compact design of 151 mm length for access into tight spaces
- 45 Nm of torque superior power to size ratio
  13 mm heavy duty metal chuck for quick bit
- changes and bit retention
- Mechanical clutch with 13 torque settings,
- On board fuel gauge, metal belt clip and LED light

	M12 FDD2-0	M12 FDD2-202X	M12 FDD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479872	4933479873	4933479875
EAN Code	4058546376666	4058546376673	4058546376697

# M12 FUEL

# M12 FDDX M12 FUEL\*\* INSTALLATION DRILL/DRIVER WITH **INTERCHANGEABLE HEADS**



- · High performance compact 4-in-1 installation drill for extreme versatility
- Removable chuck system with 4 different heads for multiples of applications
- 1/4" hex drive behind chuck fitting, reduces drill length to 130 mm when required In-line grip for unrivaled access and control
- Brushless POWERSTATE™ motor delivers up to
- 34 Nm of torque
- Magnetic holder for easy bit access

	M12 FDDX-0	M12 FDDXKIT-0X	M12 FDDXKIT-202X
		10 mm metal chuck, right	10 mm metal chuck, right
Standard	10 mm metal chuck	angle attachment, offset	angle attachment, offset
equipment	10 mm metal chuck	attachment and 6mm hex	attachment and 6mm hex
		attachment	attachment
Kit included	No batteries supplied, No charger	No batteries supplied, No	2 x M12 B2 Battery packs,
Nit illoluded	supplied, No kitbox or bag supplied	charger supplied, HD Box	C12 C Charger, HD Box
Article Number	4933464978	4933471332	4933464979
EAN Code	4058546229238	4058546289607	4058546229245

# M12 FUEL

# M12 FPDX M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH **REMOVABLE CHUCK**



- High performance compact 6-in-1 percussion drill system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
   Brushless POWERSTATE™ motor delivers up to
- 44 Nm of torque REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M12 FPDX-0	M12 FPDX-202X	M12 FPDXKIT-202X
Standard equipment	Removable chuck	Removable chuck	Removable chuck, offset attach- ment, right angle attachment
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	C 2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464135	4933464136	4933464138
EAN Code	4058546220808	4058546220815	4058546220839

# M<sub>12</sub> BDDX

# M12

# M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK



- High performance sub compact 5-in-1 drill driver system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Standard 10 mm keyless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
- ¼" hex drive behind chuck fitting, reduces drill length to 153 mm when required

# M12 RDDXKIT-2020

	2 222/ 2020
Standard equipment	Removable FIXTEC™ chuck, offset attachment, right angle
Standard equipment	drill attachment, belt clip, 25 mm PZ2 bit
Kit included 2 x M12 B2 Battery packs, C12 C Charger, K	
Article Number	4933447836
EAN Code	4002395006601

# **C12 RAD**

# M12™ SUB COMPACT RIGHT ANGLE DRILL



- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed paddle switch trigger for
- comfortable working in any situation
   10 mm chuck for quick bit changes and bit retention

	C12 RAD-0	C12 RAD-202B
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
NIT IIICIUUEU	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933416900	4933441215
EAN Code	4002395237678	4002395001248

M12

# **M12 CD**

# M12 FUEL™ SUB COMPACT DRIVER



# **M12 BD**

# M12™ SUB COMPACT DRIVER



- 1/4" Hex chuck for quick easy one handed bit change

M12 CD-0

bag supplied 4933440450

4002395000968

 On board fuel gauge and LED light
 Individual battery cell monitoring optimises tool run time and ensures long term pack durability

No batteries supplied, No charger supplied, No kitbox or



High performance sub compact screw driver measures 175 mm in length making it ideal for

M12

- working within confined spaces REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 1/4" Hex chuck for quick easy one handed bit change
- Optimised handle for better control and improved grip

	M12 BD-0	M12 BD-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933441910	4933441900
EAN Code	4002395002566	4002395002559

# **M12 BSD**

Kit included

Article Number EAN Code

# M12™ SUB COMPACT SINGLE SPEED DRIVER

## M12



- High performance compact screw driver measures 169 mm in length making it ideal for
- working within confined spaces
  Metal planetary gears for superior durability
  and maximum torque up to 20 Nm
  1/4" Hex chuck for quick easy one handed bit
- change REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

	M12 BSD-0
it included	No batteries supplied, No charger supplied, No kitbox or bag supplied
rticle Number	4933447135
AN Code	4002395006021

# **M12 FID2**

# M12 FUEL M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER

- The compact design with a length of only
   127 mm is ideal for working in confined spaces
- Outstanding power to size ratio with 170 Nm of torque
- Fast driving speed with up to 3,600 rpm and 4,000 ipm
- Tri-LEDs deliver high definition lighting to increase workspace visibility

	M12 FID2-0	M12 FID2-202X
Kit included	No batteries supplied, No charger supplied. No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479876	4933479877
EAN Code	4058546376703	4058546376710

# M<sub>12</sub> FQID

# M12 FUEL M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

# SURGE

Kit included Article Number EAN Code

Kit



- The M12 FUEL<sup>™</sup> SURGE<sup>™</sup> 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool,
- delivering quieter operation, smoother performance and increased durability over a standard impact

M12 FQID-0	M12 FQID-202X
No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
supplied, No kitbox or bag supplied	Charger, HD Box
4933464972	4933464973
1050510000133	1050510000101

# M<sub>12</sub> BRAID

# M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER



- Compact right angle impact driver measures
   287 mm in length making it ideal for working
- within confined spaces

  REDLINK™ overload protection electronics
- delivers best in class system durability Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6 mm

# M12 BRAID-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIT IIIGIQUEQ	bag supplied
Article Number	4933451247
EAN Code	4002395167715

# M12 FUEL

# M12 FCIWF12G3 M12 F M12 FUEL" 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Best in class power: 542 Nm of fastening and 746 Nm of nut-busting torque to tackle mid torque applications
- A mass of 1 kg without battery and a length of 122 mm means better access and less fatigue.
- 3,000 RPMs for exceptional application speed
   4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M12 FCIWF12G3-0	M12 FCIWF12G3-502X
Kit included	No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
Kit iliciuueu	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933493454	4933493455
EAN Code	4058546483258	4058546483265

# **M12 FCIWP12G3**

# M12 FUEL

M12

# M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT



- Best in class power: 542 Nm of fastening and 746 Nm of nut-busting torque to tackle mid torque applications
- A mass of 1 kg without battery and a length of 122 mm means better access and less fatigue
- 3,000 RPMs for exceptional application speed
   4-Mode DRIVE CONTROL allows the user
- to shift into four different speed and torque settings to maximise application versatility

# M12 FCIWP12G3-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NI IIIGIUUEU	bag supplied
Article Number	4933493457
EAN Code	4058546483289

# M<sub>12</sub> FCIWF38G3

# M12 FUEL

M12 FUEL

# M12 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH **FRICTION RING**



- Best in class power: 542 Nm of fastening and 746 Nm of nut-busting torque to tackle mid torque applications
  A mass of 1 kg without battery and a length of
- 122 mm means better access and less fatigue 3,000 RPMs for exceptional application speed
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M12 FCIWF38G3-0	M12 FCIWF38G3-502X
Kit included	No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933493451	4933493452
EAN Code	4058546483227	4058546483234



# M12 BIW12

# M12™ SUB COMPACT 1/2" IMPACT WRENCH

M12

# M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH



M12 FIW14

- More power, more compact, more control
  Up to 115 Nm of maximum fastening torque
- Up to 136 Nm of maximum nut busting torque 1/4" anvil with friction ring for quick and easy
- socket changes Brushless POWERSTATE™ motor delivers more power in a more compact size

-

- High performance sub compact impact wrench measures 171 mm in length making it ideal for working within confined spaces
  REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 1/2" square drive with pin detent for use with universal sockets

	M12 FIW14-0		M12 BIW12-0	M12 BIW12-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or	Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit iliciuueu	bag supplied	Kit iliciuueu	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933464611	Article Number	4933447134	4933447133
EAN Code	4058546225568	EAN Code	4002395006014	4002395006007

M12

# **M12 BIW38**

# M12™ SUB COMPACT 3/8" IMPACT WRENCH



- · High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive with friction ring for use with universal sockets

# M12 BIW38-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933441985		
EAN Code	4002395002603		

# M<sub>12</sub> BPRT

# M12™ SUB COMPACT RIVET TOOL





- Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack
- Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm Rivets in one stroke with a 20.32 mm stroke
- length
- · Retention nose pieces hold rivets in any orientation

	WIZ DENI-U	WIIZ DENI-ZUIA
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit iliciuded	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933464404	4933464405
EAN Code	4058546223496	4058546223502

# M12 FUEL

# M12 FRAIWF12 M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque 4-Mode DRIVE CONTROL includes Auto
- Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head with anvil profile design allows for more access in tight spaces

# M12 FRAIWF12-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciaaca	bag supplied
Article Number	4933471699
FAN Code	4058546295981

# M12 FUEL

# M12 FRAIWF38 M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque 4-Mode DRIVE CONTROL includes Auto
- Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head profile design allows for more access in tight spaces

# M12 FRAIWF38-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4933471700
EAN Code	4058546295998



# GET THE RIGHT RATCHET FOR THE JOB

# • PRECISION TOOLS

Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality



# <sup>©</sup> Long Reach

Slim head profile and an extended reach that gives you the longest reach in tight spaces  $\,$ 



# <sup>®</sup> HIGH SPEED

Faster speed while installing and removing fasteners



# ° COMPACT

Perfect mix of size and power to get into those tight areas



		Platform	ONE-KEY™	Tool reception	Max. torque (Nm)	Torque range (Nm)	Accuracy	No load speed (rpm)	Length (mm)	Weight with battery pack (EPTA) (kg)
	M12 ONEFTR12-201C	M12 FUEL™	ONE-KEY™	½" square	203.4	16.9 - 203.4	CW ±2 %, CCW ±3%	0 - 100	596,9	2.6 (M12 B2)
	M12 ONEFTR38-201C	M12 FUEL™	ONE-KEY™	3/8" square	135.6	13.6 - 135.6	CW ±2 %, CCW ±3%	0 - 100	591,8	2.5 (M12 B2)
2.	M12 FPTR-202X	M12 FUEL™		14.4 mm Hex	81			0 - 350	386	1.2 (M12 B2)
2.	M12 FHIR14LR-0	M12 FUEL™		1/4" square	47			0 - 450	348	1.1 (M12 B2)
2.	M12 FHIR38LR-0	M12 FUEL™	-	³/8" square	47	-	-	0 - 450	363	1.1 (M12 B2)
2.	M12 FIR38LR-0	M12 FUEL™	-	³/8" square	75	-	-	0 - 200	363	1.4 (M12 B2)
3.	M12 FHIR14-0	M12 FUEL™	-	1/4" square	47	-	-	0 - 450	272	1.0 (M12 B2)
3.	M12 FHIR38-0	M12 FUEL™	-	³/8" square	47	-	-	0 - 450	272	1.0 (M12 B2)
4.	M12 FIR12-0	M12 FUEL™	-	½" square	81	-	-	0 - 175	290	1.5 (M12 B2)
4.	M12 FIR38-0	M12 FUEL™	-	³/8" square	75	-	-	0 - 200	281	1.4 (M12 B2)
4.	M12 IR-201B 3/8	M12™	-	³/8" square	47	-	-	0 - 250	274	0.9 (M12 B2)
4.	M12 IR-201B 1/4	M12 <sup>™</sup>		1/4" square	40			0 - 250	274	0.90 (M12 B2)
4.	M12 FRAIWF12-0	M12 FUEL™	-	½" square	270	-	-	0-1150/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)
4.	M12 FRAIWF38-0	M12 FUEL™	-	³/8" square	270	-	-	0-1550/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)



SCAN HERE TO VIEW OUR PPE RANGE





# M<sub>12</sub> ONEFTR<sub>12</sub>

# M12 FUEL

# M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool Provides 16.9 - 203.4 Nm of torque range
- and accuracy within ±2% for torque critical fasteners
  - Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

	M12 ONEFTR12-OC	M12 ONEFTR12-201C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933464969	4933464970
EAN Code	4058546229146	4058546229153

# M<sub>12</sub> ONEFTR<sub>38</sub>

# M12 FUEL

# M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by
- replacing the hand tool Provides 13.6 135.6 Nm of torque range and accuracy within  $\pm 2\%$  for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

	M12 ONEFTR38-OC	M12 ONEFTR38-201C
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit iliciuded	supplied, Kitbox	Charger, Kitbox
Article Number	4933464966	4933464967
EAN Code	4058546229115	4058546229122

# M<sub>12</sub> FPTR

# M12 FUEL

# M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



- With up to 81 Nm of max torque and 350 rpm's, this tool offers the perfect
- combination of power and speed Features the lowest-profile head for best-inclass access in confined spaces
- The extended neck allows users better access in hard-to-reach places
- Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

	M12 FPTR-0	M12 FPTR-202X
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933499413	4933499411
EAN Code	4058546565770	4058546565756

# M12 FHIR14LR

# M12 FUEL

# M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- or 19 mm low profile head design and extended neck allow users better access in tight spaces The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

### M12 FHIR14I R-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480790
EAN Code	4058546410759

# M<sub>12</sub> FHIR<sub>38</sub>LR

# M12 FUEL

# M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the
- 19 mm low profile head design and extended
- neck allow users better access in tight spaces

  The industry leading FUEL™ technology
  combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

# M12 FHIR38LR-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4933480791
FAN Code	4058546410766

# M<sub>12</sub> FIR<sub>38</sub>LR

# M12 FUEL

# M12 FUEL™ 3/8" EXTENDED REACH RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics.
- maintenance and repair professionals

  The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces

# M12 FIR38LR-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
Nit iliciaded	bag supplied	
Article Number	4933471500	
EAN Code	4058546293994	

# **M12 FHIR14** M12 FUEL™ 1/4" HIGH SPEED RATCHET

# M12 FUEL

- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

# M12 FHIR14-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Nit iliciaded	bag supplied
Article Number	4933478171
EAN Code	4058546341046

# **M12 FHIR38**

# M12 FUEL™ 3/8" HIGH SPEED RATCHET



## With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the

M12 FUEL

- professional user 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

# M12 FHIR38-0

No batteries supplied, No charger supplied, No kitbox or	
bag supplied	
4933478172	
4058546341053	

## M12 FIR12

# M12 FUEL

# M12 FUEL™ SUB COMPACT 3/8" RATCHET





M12 FUEL™ SUB COMPACT 1/2" RATCHET

- · With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

M12	FIR1	2-0
-----	------	-----

Kit included	No batteries supplied, No charger supplied, No kitbox or	
Kit iliciuueu	bag supplied	
Article Number	4933459800	
EAN Code	4058546029722	



**M12 FIR38** 

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FIR38-0	M12 FIR38-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933459797	4933459798
EAN Code	4058546029692	4058546029708

# **M12 IR** M12™ SUB COMPACT RATCHET



- Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing provides high durability similar to steel ratchets
- Compact design ideal for tight spaces and small engine bays

	M12 IR-201B 1/4	M12 IR-201B 3/8
Kit included	1 x M12 B2 Battery pack, C12 C	1 x M12 B2 Battery pack, C12 C
	Charger, Tool bag	Charger, Tool bag
Article Number	4933441725	4933441720
EAN Code	4002395002030	4002395002023

# **M12 GG**

# M12™ SUB COMPACT GREASE GUN



- Powerful 12 V motor delivers over 562 bar max
- operating pressure REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability Extreme long run time dispenses up to
- 7 cartridges per charge Strong handle balance and ergonomics only 355 mm long and 3.2 kg

	M12 GG-0	M12 GG-401B
Kit included	No batteries supplied, No charger	1 x M12 B4 Battery pack, C12 C
	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933440435	4933441675
EAN Code	4002395000951	4002395001903

# M12 PCG/600

# M12

M12

M12

# M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

- Dial control with 6 speed settings allows for

	M12 PCG/600A-0	M12 PCG/600A-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441786	4933441670
AN Code	4002395002283	4002395001897

# M<sub>12</sub> PCG/400

# M12

M12

M12

# M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE



REDLINK™ overload protection electronics in tool and battery pack deliver best in class

Up to 1780 N of force

- system durability Optimised performance with all construction
- adhesives and cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/400A-0	M12 PCG/400A-201B
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441780	4933441665
EAN Code	4002395002276	4002395001880

# M12 PCG/310

## M12™ SUB COMPACT CAULK GUN WITH 310 ML **CARTRIDGE HOLDER**



- Up to 1780 N of force
   REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/310C-0	M12 PCG/310C-201B
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit iliciuueu	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933441783	4933441655
EAN Code	4002395002269	4002395001866

# **M12 ATB**

# M12™ AUTOMOTIVE TECHNICIAN BORESCOPE



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in areater detail
- 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector ports and cylinders
- Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

# M12 ATR-OC

	III Z AID 00
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933493136
EAN Code	4058546480073

# M12 FUEL

# M12 FROS2.5 M12 FUE™ 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT



- High performance motor delivers 6,400 to 24,000 sanding strokes per minute for faster material removal
  2.5 mm orbit function for fine finishing and
- premium finish results Variable speed wheel with 8 speed settings
- allows the correct speed to be set for different types of material
- Compact and ergonomic design for fatigue-free working

	M12 FRUS2.5-0	M12 FRUS2.5-502X
Standard equipment	Universal vacuum adaptor, left-hand	Universal vacuum adaptor, left-hand
Standard equipment	vacuum port, right-hand vacuum por	t vacuum port, right-hand vacuum port
Kit included	No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
KIT IIICIUUEU	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933493647	4933493648
EAN Code	4058546485184	4058546485191

# **M12 FROS5**

# M12 FUEL

# M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 5.0 MM ORBIT



- High performance motor delivers 6,400 to 24,000 sanding strokes per minute for faster material removal
- 5.0 mm orbit function for aggressive stock removal and fast sanding of fillers, primers and
- Variable speed wheel with 8 speed settings allows the correct speed to be set for different types of material

m adaptor, left-hand Universal vacuum	
sht hand vacuum nort vacuum nort rial	
jiit-iiaiiu vacuuiii port vacuuiii port, iigi	ht-hand vacuum port
oplied, No charger 2 x M12 HB5 Bat	ttery packs, C12 C
box or bag supplied Charger, HD Box	
4933493651	
4 4058546485221	
	box or bag supplied Charger, HD Box 4933493651

# **M12 BI** M12™ SUB COMPACT INFLATOR



# Compact lightweight design for fast inflation of car, light truck and compact equipment tires

- High efficiency motor & pump Anti-vibration stand with all rubber feet for no
- movement while inflating Auto shut-off technology inflates to users pre-
- selected pressure for highly accurate inflation Illuminated LCD display with a digital pressure
- and fuel gauge that displays remaining charge

M1:	2 B	1-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933464124	
EAN Code	4058546220693	





# M12 SI M12™ SUB COMPACT SOLDERING IRON

M12



- Quick heat up time: the tool is ready to use in 20 - 30 seconds
- 3 locking head positions to work in multiple orientations 0°, 45°, 90° Tool free replaceable tips
- Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

	W12 31-0	W12 31-2010
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Nit iliciauca	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933459760	4933459761
EAN Code	4058546029326	4058546029333

# **M12 FTB** M12 FUEL™ LOW SPEED TYRE BUFFER

# M12 FUEL



- The M12 FUEL<sup>™</sup> low speed tyre buffer has a two-speed mode selector for reaming & buffing applications
- Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

# M12 FTB-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Nit iliciadea	bag supplied
Article Number	4933472215
FAN Code	4058546326111

# M<sub>12</sub> BLROT M12™ BRUSHLESS ROTARY TOOL

M12

# BRUSHLESS



- Compact and balanced in all orientation design allow the user to hold the tool close to the work piece Variable speed from 5000 rpm to 27,500 rpm
- with 12 speed settings allows the user to dial in the correct speed for each application 3.2 mm collet included, compatible with most
- common accessories Soft grip and low vibration allows user to work
- comfortably and for longer periods


# M12 BLROT-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933493591
FAN Code	4058546484620

## C12 RT

Kit included Article Number EAN Code

# M12™ SUB COMPACT ROTARY TOOL



4002395239030

- removal applications

  REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability

  Variable speed (5000 32,000 rpm)
- 3.2 mm collet fits most current accessories in the market
- Spindle lock mechanism for easy accessory changes

	C12 RT-0
	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Т	4933427183

# M<sub>12</sub> FCOT

M12

# M12 FUEL

M12

# M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL



- Fast accurate cutting with up to 20,000 RPM Optimised ergonomic design for easy control
- and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
  A very capable problem solving tool for cutting
- steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

	M12 FCOT-0	M12 FCOT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464618	4933464619
EAN Code	4058546225636	4058546225643

# M12 FBS64

# M12 FUEL

## M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM **CUTTING CAPACITY**



- capacity on the market Compact light weight design, especially for cutting overhead with one hand in existing


· First 12V band saw with 64 mm cutting

- installations and in tight spaces
  Variable speed trigger for quick & easy speed adjustments
- Integrated blade cover protects user from injuries by preventing any access to the blade

	M12 FBS64-0C	M12 FBS64-402C
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C
Nit ilicidaca	supplied, Kitbox	Charger, Kitbox
Article Number	4933478440	4933478441
EAN Code	4058546346317	4058546346324

# **M12 BS**

# M12™ SUB COMPACT BANDSAW



- in tight spaces
  REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability Cuts a multitude of materials: steel, stainless
- steel, copper, plastic, aluminium Cold cutting - spark and burr free

	M12 BS-0	M12 BS-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Kitbox
Article Number	4933431310	4933441805
EAN Code	A0023052A2002	A0023050023AA

# M12 FNB16 M12 FUEL™ 1.6 MM NIBBLER

# M12 FUEL

# M<sub>12</sub> FDGS M12 FUEL™ STRAIGHT DIE GRINDER

# M12 FUEL



- First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm
- With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors
- Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

	M12 FNB16-0X	M12 FNB16-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933479618	4933479619
FAN Code	4058546374129	4058546374136

- The first cordless in-line die grinder that
- delivers more power vs. pneumatic models
  Best-in-class size (262 mm long) to help reach
  in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm Supplied with 6 and 8 mm collets

	M12 FDGS-0	M12 FDGS-422B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471435	4933471436
EAN Code	4058546290634	4058546290641

# M<sub>12</sub> FDGA M12 FUEL™ ANGLED DIE GRINDER





- The first cordless right angle die grinder that delivers more power vs. pneumatic models
   Compact size (only 119 mm long) to help fit
- in tight places, and offers great mobility and
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

	M12 FDGA-0	M12 FDGA-422B
Kit included	No batteries supplied, No charger supplied. No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471438	4933471439
EAN Code	4058546290665	4058546290672

# **M12 BPS**

# M12™ SUB COMPACT POLISHER / SANDER



 Variable 2 speed selection (0-2800 / 0-8300 RPM) for both polishing and sanding applications

M12

- REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
  Large capacity of 76 mm polishing sponge and 50 mm sanding pad size for fast job completion

	M12 BPS-0	M12 BPS-421X
Kit included	No batteries supplied, No charger	1 x M12 B4, 1 x M12 B2 Battery
Article Number	supplied, No kitbox or bag supplied 4933447791	packs, C12 C Charger, HD Box 4933447799
EAN Code	4002395006557	4002395006564

# **M12 FBFL10**

M12 FUEL™ BAND FILE 10 MM

# M12 FUEL

# **M12 FBFL13**

# M12 FUEL™ BAND FILE 13 MM





- Lightest cordless band file on the market, only
   1.0 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

	M12 FBFL10-0	M12 FBFL10-402B
Kit included	No batteries supplied , No charger supplied . No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933480958	4933480959
FAN Code	4058546412432	4058546412449



- Worlds first cordless 12V band file with a capacity of 13mm belt width
- Lightest cordless band file on the market, only
  1.1 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
  2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

	M12 FBFL13-0	M12 FBFL13-402B
Kit included	2 x M12 B4 Battery packs, C12 C	No batteries supplied , No charger
Kit iliciducu	Charger, Tool bag	supplied , No kitbox or bag supplied
Article Number	4933480960	4933480961
EAN Code	4058546412456	4058546412463

# **M12 FSDR75**

# M12 FUEL

# M12 FUEL™ 75 MM RANDOM ORBIT SANDER



- · High performance motor delivers 4,000 to 10,000 sanding strokes per minute with a
- 2.5 mm orbit allows for faster material removal Variable speed trigger with 4 speed settings allows the correct speed to be set for different types of material
- Small, compact and light weight ,only 900 g, allows the users to easily work in tight or hard to reach place

	M12 FSDR75-0B	M12 FSDR75-202B
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C,
Kit iliciuueu	supplied, Hard case	Tool bag
Article Number	4933498232	4933498233
EAN Code	4058546521011	4058546521028



### M<sub>12</sub> FDSS M12 FUEL M12 FUEL™ SUB COMPACT SPOT SANDER



- Compact detail sander with a penta shaped pad allows uncompromised corner accessibility
- Four speed modes allows the correct speed to
- be set for different types of material Low vibration at only 4.3 m/s<sup>2</sup>
- Sponge interface pad included optimises the tool for profiles and contours which increases the precision and removal of material

	M12 FDSS-0B	M12 FDSS-422X
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479680	4933479681
EAN Code	4058546374747	4058546374754

# M<sub>12</sub> BCST M12™ SUB COMPACT CABLE STAPLER



• The new battery powered cable stapler is twice as fast than manual staple installation. It eliminates majority of hand stapling of low voltage cable into wood

M12

M12

 Moveable cable guides ensure proper alignment over cable prior to fastening over a variety of cable sizes

M12	BCST-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Tit moladed	bag supplied
Article Number	4933480488
EAN Code	4058546407735

# **M12 FMT** M12 FUEL™ MULTI-TOOL

# M12 FUEL







- Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods
- Adjustable 10,000 to 20,000 opm allow the user to get the perfect cut whatever the material
- Lowest vibration in its class, 4.56 m/s² driving productivity through performance and safety

	M12 FMT-0	M12 FMT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933472238	4933472239
EAN Code	4058546326340	4058546326357

# **C12 MT** M12™ SUB COMPACT MULTI-TOOL





- Variable speed (5000 20,000 rpm) and 1.5° left/right oscillation movement allows quick materials such as metal, wood and plastic
- completion of professional applications into Will accept competitor accessories

	C12 MT-0	C12 MT-202B	C12 MT-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933427180	4933441710	4933441705
EAN Code	4002395239276	4002395002009	4002395001989

# **M12 BLP**

# M12™ BRUSHLESS PLANER

## M12

# M12 FCS442

# M12 FUEL

# M12 FUEL™ SUB COMPACT CIRCULAR SAW

## **BRUSHLESS**



- M12<sup>™</sup> Brushless Planer with a 2 mm planning depth and 51 mm planning width allows the tool to perform in the most common user applications
- Compact and light weight, comfortable to use in a variety of orientations and allows for one handed usage
- Dual-sided dust port for improved chip ejection to the left or right

	M12 BLP-0X	M12 BLP-402X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box	
Article Number	4933492850	4933492851	
EAN Code	4058546477219	4058546477226	



- Redesigned brushless POWERSTATE™ motor for up to 25% increase in performance when combined with MILWAUKEE® M12™ HIGH OUTPUT™ batteries
- Magnesium shoe reduces weight and maximises durability
- Integrated dust blower keeps cut line clear LED light illuminates the cut line for better
- visibility

	M12 FCS442-0	M12 FCS442-502X
Kit included	No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
KIL IIICIUUEU	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933493488	4933493489
EAN Code	4058546483593	4058546483609

# **M12 CHZ**

# M12 FUEL™ SUB COMPACT HACKZALL™

# M12 FUEL

# **C12 HZ**

# M12™ SUB COMPACT HACKZALL™

## M12



- Counter balance mechanism lowers vibration to 6.5 m/s<sup>2</sup> allowing the operator to work safely for longer periods of time reducing fatigue Sealed gearbox prevents water and debris
- entering the housing Patented FIXTEC™ clamp for fast and easy
- keyless blade change LED light illuminates the cutline in low light conditions

	M12 CHZ-0	M12 CHZ-402C	M12 CHZ-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933446960	4933446950	4933451511
EAN Code	4002395005727	4002395005710	4002395161591
EAN Code	4002395005727	4002395005710	4002395161591



- High performance compact one handed use HACKZALL™, measuring only 280 mm in length, making it ideal for working within
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability Patented FIXTEC™ clamp for fast and easy keyless blade change Low vibration at 10.5 m/s<sup>2</sup>

C12 HZ-0	C12 HZ-202C
No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
supplied, No kitbox or bag supplied	Charger, Kitbox
4933411925	4933441195
4002395236367	4002395001200
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933411925

# M<sub>12</sub> FJS M12 FUEL™ BODYGRIP JIGSAW


# M12 FUEL

# **M12 FCN18GS**

# M12 FUEL

# M12 FUEL™ 18 GA STRAIGHT BRAD NAILER






4.0 Ah battery pack)
Patented FIXTEC™ blade clamp for fast and easy blade change 6-speed settings with auto controlled start

mode allows the tool to start slow and ramp up to full speed when load is detected for smooth and accurate cut starts

4058546482190



4058546482183



- $^{\circ}$  Fires 18 gauge straight nails with a 0  $^{\circ}$  pitch in lengths from 16 mm 38 mm
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine Quick access for tool free jam removals
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Smaller nail hole, the exact size of the nail head leaving a neater finish

	M12 FCN18GS-0X	M12 FCN18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933493354	4933493355
EAN Code	4058546482251	4058546482268

# **M12 BST** M12™ SUB COMPACT STAPLER





- Breakthrough performance limits user fatigue by eliminating the repetitive motion of hand tools
- Ready to Fire Technology eliminates ramp-up
- time between each staple discharge Bump fire and sequential fire operation allows the user to fire quickly and accurately
- 2000 staples fired with one 2.0 Ah battery pack
  Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

	M12 BST-0	M12 BST-202X
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
NIL IIIGIUUEU	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933459634	4933459635
EAN Code	4058546028060	4058546028077



EAN Code

# **C12 PN** M12™ SUB COMPACT PALM NAILER

## M12

# **M12 AUN** M12™ AIR-TIP™ UTILITY NOZZLE





- Professional power effectively drives 100 mm framing nails in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Superior ergonomics user-preferred palm style grip provides outstanding comfort and
- Fits into locations where a hammer cannot be swung

C12	DM	•

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933427182
EAN Code	4002395239238



- The M12<sup>™</sup> powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces
- The universal reception fits to all MILWAUKEE® M12<sup>™</sup> and M18<sup>™</sup> cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

### M12 AUN-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4932479461
EAN Code	4058546372552

# M<sub>12</sub> FVCL M12 FUEL™ WET/ DRY VACUUM



# **M12 HV**

# M12™ SUB COMPACT STICK VAC

M12

M12



- Powerful M12 FUEL™ motor with a maximum air flow of 1275 I/min & 105 mbar provides 18V performance for both wet and dry clean up applications
- With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

### M12 FVCI -0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4933478186
FAN Code	4058546341190



- Excellent suction power for wood, metal and common debris
- Clear viewing window gives the user the ability to see debris build up
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Compact design makes it easy to clean in tight
- M12 HV-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933448390
EAN Code	4002395262908

# M<sub>12</sub> BBL M12™ BLOWER





- Powerful motor can generate up to
   4.81 m³ / min of air volume at 177 km/h for fast
- cleaning of the jobsite Lightweight, compact body clears dirt and
- debris in tight spaces Perfect control of the power with the 2 speed
- adjustable trigger Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working are included

# M12 BBL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or			
Tit moladod	bag supplied			
Article Number	4933472214			
EAN Code	4058546326104			

# **M12 AF** M12™ AIR FAN



- Three speed settings delivering max air speed of 22.53 km/h
- High efficient 150 mm blade diameter
- generates a maximum air volume of 680 m³/h
  The 360° head rotation allow an unlimited
- directional airflow Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks
- and pass through holes

# M12 AF-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478228
EAN Code	4058546344054

# M12 RCDAB+ M12™ RADIO CHARGER DAB+









- Premium speaker and high frequency tweeter provides high sound quality

  DAB+ and AM/FM tuner with the digital
- processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

# M12 RCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NI IIIGIUUEU	bag supplied
Article Number	4933472114
EAN Code	4058546325107

# M<sub>12</sub> SPEJSG<sub>2</sub> M12™ JOBSITE SPEAKER



- Advanced technology Bluetooth<sup>®</sup> job site
- Bluetooth® 5.3 plays music up to 60 m away from your smartphone, computer or tablet
- Balanced & clear sound at all volumes
- Premium speaker with bass port
- Provides audio for small sized areas
- Audio link connects over 200 MILWAUKEE® M18 and M12 speakers

# M12 SPEJSG2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933498433
EAN Code	4058546523022

# ORK GEAR

# SCAN HERE FOR **MORE INFORMATION**





# M12 HJ5 M12™ HEATED JACKET

M12





- Heat on demand sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
   Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
   Easy touch heat controller 3 heat settings: High, Medium, Low
   TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX" mobility additional material under the arms increases range of movement for working continuous and deriver up 
   New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation 
   Improved slim fit design with extended back prevents heat loss and keeps the user warm 
   M12" battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

- Water and wind resistant, provides comfort and durability in harsh environments Big hand & chest pocket, ideal for storing mobile devices

	Black			
Size	Name	Kit included	Article Number	EAN Code
S	M12 HJ BL5-0 (S)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478967	4058546362492
М	M12 HJ BL5-0 (M)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478968	4058546362508
L	M12 HJ BL5-0 (L)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478969	4058546362515
XL	M12 HJ BL5-0 (XL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478970	4058546362522
XXL	M12 HJ BL5-0 (XXL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478971	4058546362539
XXXL	M12 HJ BL5-0 (XXXL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933479362	4058546371562
	Grey			
Size	Name	Kit included	Article Number	EAN Code

	Grey			
Size	Name	Kit included	Article Number	EAN Code
S	M12 HJ GREY5-0 (S)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478972	4058546362546
М	M12 HJ GREY5-0 (M)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478973	4058546362553
L	M12 HJ GREY5-0 (L)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478974	4058546362560
XL	M12 HJ GREY5-0 (XL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478975	4058546362577
XXL	M12 HJ GREY5-0 (XXL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933478976	4058546362584
XXXL	M12 HJ GREY5-0 (XXXL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4933479363	4058546371579



# **M12 HJ CAM06** M12™ HEATED CAMOUFLAGE JACKET

M12



- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets

  Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack

  Easy touch heat controller concealed inside the lapel 3 heat settings: High, Medium, Low

- FREE FLEX<sup>™</sup> mobility additional material under the arms increases range of movement for working overhead water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm M12<sup>™</sup> battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

	M12 HJ CAM06-0 (S)	M12 HJ CAM06-0 (M)	M12 HJ CAM06-0 (L)	M12 HJ CAM06-0 (XL)	M12 HJ CAMO6-0 (XXL)	M12 HJ CAMO6-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or
	bag supplied	bag supplied	bag supplied	bag supplied	bag supplied	bag supplied
Article Number	4933478977	4933478978	4933478979	4933478980	4933478981	4933479364
EAN Code	4058546362591	4058546362607	4058546362614	4058546362621	4058546362638	4058546371586

# M<sub>12</sub> HPJBL<sub>2</sub>

# M12™ HEATED PUFFER JACKET - BLACK





- M12<sup>™</sup> Heated Jacket powered by anM12<sup>™</sup> battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
   Superior run time, up to 11 hours of heat on a single battery charge of an M12<sup>™</sup> REDLITHIUM<sup>™</sup> 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and dears
  Provides comfort and dears
  Provides comfort and dears
  Optimised hidden battery pocket to place M12" battery in front or rear for increased comfort
  Multiple heating zones 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPJBL2-0 (S)	M12 HPJBL2-0 (M)	M12 HPJBL2-0 (L)	M12 HPJBL2-0 (XL)	M12 HPJBL2-0 (XXL)
Kit included	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box
Article Number	4932480071	4932480072	4932480073	4932480074	4932480075
EAN Code	4058546403560	4058546403577	4058546403584	4058546403591	4058546403607

# M12 HPJLBL2

# M12™ HEATED PUFFER JACKET LADIES - BLACK





- M12™ Heated Jacket powered by anM12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- · Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and
- Reinforced high-wear zones protect from abrasion and tears

- Provides comfort and durability in harsh, rainy or windy environments

  Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort

  Multiple heating zones 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
   Machine washable and dryable

	M12 HPJLBL2-0 (S)	M12 HPJLBL2-0 (M)	M12 HPJLBL2-0 (L)	M12 HPJLBL2-0 (XL)	M12 HPJLBL2-0 (XXL)
Kit included	No batteries supplied , No charger	No batteries supplied , No charger	No batteries supplied , No charger	No batteries supplied , No charger	No batteries supplied , No charger
Kit iliciuueu	supplied, No kitbox or bag supplied	supplied , No kitbox or bag supplied			
Article Number	4932480085	4932480086	4932480087	4932480088	4932480089
EAN Code	4058546403706	4058546403713	4058546403720	4058546403737	4058546403744

# M<sub>12</sub> HPVBL<sub>2</sub>

# M12™ HEATED PUFFER VEST





- M12<sup>™</sup> Heated Jacket powered by an M12<sup>™</sup> battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
   Superior run time, up to 11 hours of heat on a single battery charge of an M12<sup>™</sup> REDLITHIUM<sup>™</sup> 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments

  Optimised hidden battery pocket to placeM12™ battery in front or rear for increased comfort

  Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPVBL2-0 (S)	M12 HPVBL2-0 (M)	M12 HPVBL2-0 (L)	M12 HPVBL2-0 (XL)	M12 HPVBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480076	4932480077	4932480078	4932480079	4932480080
FAN Code	4058546403614	4058546403621	4058546403638	4058546403645	4058546403652

# M12 HVGREY1 M12™ HEATED VEST - GREY





- o M12™ Heated TOUGHSHELL™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
  TOUGHSHELL™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
  Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

	M12 HVGREY1-0 (S)	M12 HVGREY1-0 (M)	M12 HVGREY1-0 (L)	M12 HVGREY1-0 (XL)	M12 HVGREY1-0 (XXL)	M12 HVGREY1-0 (XXXL)
Kit included	No batteries supplied, No charger					
KIL IIIGIUUEU	supplied, Gift box					
Article Number	4932480100	4932480101	4932480102	4932480103	4932480104	4932480105
EAN Code	4058546403850	4058546403867	4058546403874	4058546403881	4058546403898	4058546403904

# M12 HH4 M12™ HEATED HOODIE

## M12





- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
   Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Will stall a loady or order or continuous.

  Optimised hidden battery pocket to place M12<sup>rd</sup> battery in front or rear for increased comfort

  In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments
- while generating and holding heat close to the body

  Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

## Black

Size	Name	Kit included	Article Number	EAN Code
S	M12 HHBL4-0 (S)	No batteries supplied, No charger supplied, Gift box	4932480061	4058546403461
М	M12 HHBL4-0 (M)	No batteries supplied, No charger supplied, Gift box	4932480062	4058546403478
L	M12 HHBL4-0 (L)	No batteries supplied, No charger supplied, Gift box	4932480063	4058546403485
XL	M12 HHBL4-0 (XL)	No batteries supplied, No charger supplied, Gift box	4932480064	4058546403492
XXL	M12 HHBL4-0 (XXL)	No batteries supplied, No charger supplied, Gift box	4932480065	4058546403508

	Grey			
Size	Name	Kit included	Article Number	EAN Code
S	M12 HHGREY4-0 (S)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4932480066	4058546403515
М	M12 HHGREY4-0 (M)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4932480067	4058546403522
L	M12 HHGREY4-0 (L)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4932480068	4058546403539
XL	M12 HHGREY4-0 (XL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4932480069	4058546403546
XXL	M12 HHGREY4-0 (XXL)	No batteries supplied, No charger supplied, No kitbox or bag supplied	4932480070	4058546403553



# M12 HHLBL1

# M12™ HEATED LADIES HOODIE - BLACK



- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
   Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
   Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort

- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments
- while generating and holding heat close to the body

  Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas

  Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHLBL1-0 (S)	M12 HHLBL1-0 (M)	M12 HHLBL1-0 (L)	M12 HHLBL1-0 (XL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480090	4932480091	4932480092	4932480093
EAN Code	4058546403751	4058546403768	4058546403775	4058546403782

# 4 HBLB

# USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER



M12



- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM® battery pack

  A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment

  Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time Up to 180 min of heat on low level
- L4 battery holder concealed battery pocket for minimal user interference
- Machine washable

	L4 HBLB-301S	L4 HBLB-301M	L4 HBLB-301L	L4 HBLB-301XL	L4 HBLB-301XXL
Kit included	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied
Article Number	4933478081	4933478082	4933478083	4933478084	4933478085
EAN Code	4058546340148	4058546340155	4058546340162	4058546340179	4058546340186

# LASERS RANGE

# SCAN HERE FOR **MORE INFORMATION**





# M18 RLOHV1200

M18

M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™



- The ultimate tool for grading applications
   Fast, accurate automatic dual grade match up
- to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display
- Adjustable masking to prevent laser interference and laser reflection from windows at iobsite
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

# M18 RI OHV1200-501C

Standard equipment	1x RD1200, detector clamp, 1x remote control
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493204
EAN Code	4058546480752

# M18 RLOH600

M18

M12

M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-





- · The ultimate tool for accurate results when leveling on the jobsite
- Easy to use, one button setup Manual masking shutters to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66
- rated and withstands up to 1.5 m drops ±5° self levelling range for fast and accurate setup

### M18 RI OH600-201C

Standard equipment	1x RD600, detector clamp
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493191
EAN Code	4058546480622

# M<sub>18</sub> RLOHVG<sub>300</sub>

M18

M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY



- Designed for interior and exterior jobs, for long
- distance applications
  Automatic centre find with one press off a
- button, for long range alignment High intensity green laser diode for maximised
- visibility; up to 4x better visibility vs red lasers
- Adjustable masking to prevent laser
- interference and laser reflection from windows Designed for harsh jobsite conditions, IP66
- rated and withstands up to 1.5 m drops

# M18 RLOHVG300-501C

Standard equipment	1x RD300G, detector clamp
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493194
FAN Code	4058546480653

# M<sub>12</sub> CLL<sub>4</sub>P

M12™ CROSS LINE LASER WITH 4 POINTS



- M12<sup>™</sup> green cross line laser with 4 points, provides an all-in-one functionality with horizontal levelling, vertical alignment, plumb point transfer from floor to ceiling and horizontal point transfer
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector Provides all-day run time of 9+ hours with an
- M12 B3 battery pack

	M12 CLL4P-0C	M12 CLL4P-301C
Standard equipment	Track clip, HVIST	Track clip, HVIST
Kit included	No batteries supplied, No charger	1 x M12 B3 Battery pack, C12 C
Kit ilicidued	supplied, Kitbox	Charger, Kitbox
Article Number	4933479202	4933479203
FAN Codo	40E0E4606006E	4050546060070

# M<sub>12</sub> 3PL M12™ GREEN 360° 3 PLANE LASER





- M12<sup>™</sup> green 360° 3 plane laser provides an allin-one functionality with one horizontal line and two vertical lines for fast and easy alignment. leveling, squaring, and transfers allowing you
- to easily layout large spaces with one tool High intensity green laser diode for maximised visibility: up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector

	M12 3PL-0C	M12 3PL-401C	M12 3PLKIT-401P	M12 3PLSKIT-401P
Standard equipment	Trook alia LIN/ICT	Trook alia UN/ICT	HIVIST, LLD50, LM360	, HIVIST, TRP120,
Standard equipment	Track clip, HIVIST	Track clip, HIVIST	TRP120, Track Clip	Track Clip
	No batteries supplied,	1 x M12 B4 Battery	1 x M12 B4 Battery	1 x M12 B4 . C12 C .
Kit included	No charger supplied,	pack, C12 C Charger,	pack, C12 C Charger,	PACKOUT™ box
	Kitbox	Kitbox	PACKOUT <sup>™</sup> box	PAGROUT DOX
Article Number	4933478103	4933478102	4933478960	4933499379
EAN Code	4058546340360	4058546340353	4058546362423	4058546565435



# M<sub>12</sub> CLLP

### M12

# **USB RECHARGEABLE GREEN CROSS LINE LASER WITH**

# M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS



- M12<sup>™</sup> green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 15+ hours with an M12 B3 battery pack M12 CLLP-301C

Track clip, HIVIST

Charger, Kitbox

4058546340339

1 x M12 B3 Battery pack, C12 C

A				and the
8	學	ı	-	ė
9		1	Ų	

.4 CLLP

PLUMB POINTS

- REDLITHIUM™ USB rechargeable green cross line laser with plumb points provides an allin-one functionality with horizontal levelling, vertical alignment and plumb point transfer
- from floor to ceiling

  High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
  High intensity green beams provide a working
- range of 30 m and up to 100 m with a detector

### L4 CLLP-301C

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478099
EAN Code	4058546340322

L4 CLL

Standard equipment

Article Number

**EAN Code** 

# **USB RECHARGEABLE GREEN CROSS LINE LASER**

M12 CLLP-0C


Track clip, HIVIST

supplied, Kitbox

4058546340346

4933478101

No batteries supplied, No charger





- line laser provides an all-in-one functionality with horizontal levelling and vertical alignment High intensity green laser diode for maximised
- visibility; up to 4x better visibility vs red lasers High intensity green beams provide a working
- range of 30 m and up to 100 m with a detector
- The rechargeable and removable REDLITHIUM™ USB 3.0 Ah battery provides all day run time of over 8 hours

14	CLI	-301C	

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478098
EAN Code	4058546340315

# CLL



II &

# **ALKALINE GREEN CROSS LINE LASER**



- Alkaline cross line laser provides an all-in-one functionality with horizontal levelling and
- vertical alignment
  High intensity green beams provide a working
- range of 30 m and up to 50 m with a detector. The 4x AA alkaline batteries provides all day run time of over 8 hours

## CII-C

Standard equipment	Track clip
Kit included	4 x AA Batteries, Kitbox
Article Number	4933478753
EAN Code	4058546360351

# **RD1200 ROTARY LASER DETECTOR 1200 M**



- 1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance applications
- With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector
- Easy-to-read, mm/in back and front backlit display, making it more visible for any application

# RD1200

Kit included	2 x AA Batteries, No kitbox or bag supplied		
Article Number	4932493207		
EAN Code	4058546480783		

# **RD600**

112

112

# **ROTARY LASER DETECTOR 600 M**



- 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications
- Easy-to-read, mm/in back and front backlit
- display for clear visibility IP67 rated and withstands up to 2 m drops
- Adjustable accuracy at five steps from 0.5 mm
- LED and audio indication for the most versatile detector read out

# RD600

Kit included	2 x AA Batteries, No kitbox or bag supplied		
Article Number	4932493197		
EAN Code	4058546480684		

# **RD300G ROTARY LASER DETECTOR 300 M GREEN**



- 300 m detection range in combination with the M18 RLOHVG300 laser, for long distance applications
- The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be controlled from distance
- Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493198
EAN Code	4058546480691

# **LRD100** LINE/ ROTARY LASER DETECTOR

14



- The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWUAKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius
- The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up proces
- Red and green laser diodes detection for most versatile use

# I RD100

	EIID 100
Kit included	1 x AA Battery, No kitbox or bag supplied
Article Number	4932479555
EAN Code	4058546373498

# LLD50 LASER LINE DETECTOR



- The MILWAUKEE® LLD50 laser line detector
- extends laser line functionality up to 50 metres The LEDs on front and back allow easy and accurate detection of the laser beam to
- improve the set-up process
  Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

	LLD50
	1 x AA Battery, No kitbox or bag supplied
	4932478104
-	4058546340377

# LM360

1.

# 360° LASER MOUNT



- The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup Multi-plane rotational adjustment, users can
- easily attach all MILWAUKEE® lasers to the
- A micro vertical adjustment that makes aligning horizontal lines much faster

05
40384

# LASER WALL MOUNT

Kit included Article Number EAN Code



- Vertical micro adjustment for most precise alignment during setup
- Hanghole and material clamp for most versatile setup at walls and ceilings
- Leveling adjustment screw to get laser in self levelling range
- Ruler scale to speed up setup and adjustment
- process Compatible with all MILWAUKEE® rotary lasers and M12™ line lasers in the range

	LWM
Article Number	4932493201
EAN Code	4058546480721

# **HI-VIST**

# HIGH VISIBILITY LASER TARGET PLATE



- The MILWAUKEE® high visibility laser target plate provides fast and visible alignment with a wide magnetic base for floors & ferrous surfaces
- High contrast reflective surface for use with green lasers
- The X design provides responsive centering feedback that guides the line to the centre, making the alignment process faster

	HI-VIST
Article Number	4932478108
EAN Code	4058546340414

# 3.6 M TELESCOPING LASER POLE



- The MILWAUKEE® telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings

  The spring loaded swivel head makes setup
- easy, even at uneven surfaces
- The included quick release clamp opens to 6.3 cm and can be attached to round and square materials

	LMP	
Article Number	4932479205	
EAN Code	4058546369996	

# **WIRELESS LASER ALIGNMENT BASE**



 Precision horizontal motorised control with micro and macro alignment feature

112

- +38 m distance control to cover entire laser
- working range Pivots on point for faster setup when aligning two points
- · Quick sliding attachment for fast and easy
- setup Intuitive pairing and control

W	/1	R	-	c	

Kit included	2 x AA Batteries, Kitbox
Article Number	4932479198
EAN Code	4058546369927

# **TRP300** 3.0 METRE LASER TRIPOD



- Up to 2.95 m extension range for easy setup at most common working heights
- Most versatile setup in all environments with spiked feet and rubber feet
- 1.10 m elevation range to fine adjust the laser
- Shoulder strap for comfortable and hands-free
- shoulder stup for communitable and hands-free transport, when carry the laser <sup>5</sup>/<sub>6</sub>′ standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

	TRP300	
Article Number	4932493200	
EAN Code	4058546480714	

# **TRP180** 1.8 METER LASER TRIPOD



- The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser
- Height can be adjusted easily from 72 cm to 180 cm
- Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation

	TRP180	
Article Number	4932478106	
EAN Code	4058546340391	

# **TRP160**

# 1.6 METRE LASER TRIPOD



- Up to 1.60 m extension range for easy setup at most common working heights
- Aluminium frame and steel feet to use at any jobsite condition
- Reinforced handle design for improved durability
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- ° 5/8″ standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

	TRP160	
Article Number	4932493199	
EAN Code	4058546480707	

# **TRP120**

# 1.2 METER COMPACT LASER TRIPOD



- The MILWAUKEE® compact laser tripod with a 1/4" mounting thread and a flat head design is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 47 cm to
- 29 cm elevating range for fine adjusting the height

	TRP120
Article Number	4932478959
EAN Code	4058546362416

# **SR240**

Article Number EAN Code

# 240 CM STAFF ROD



- Metric elevation scale up to 2.4 m with integrated detector slider for a fast detector
- positioning

   Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Adjustable level vial for a more precise setup

SR240	
4932493202	
4058546480738	

# **ROD500**

# **500 CM GRADE ROD**



- Metric elevation scale up to 5 m for most common heights on jobsite
- Flat top endcap for a solid detector positioning
  Durable aluminium frame to withstand jobsite
- Durable aluminium frame to withstand jobsit condition
- Durable endcaps to prevent frame damage
- Detachable level vial for a more precise setup

	ROD500
Article Number	4932493203
EAN Code	4058546480745

# LDM 100

# 100 M LASER DISTANCE METER

# Easy to use one person point and shoot



- Easy to use one person point and shoo system
- IP54 water & dust protection
- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing to perform single measurements & continuous tracking

# LDM 100

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933459278
FAN Code	4058546002442

# IIA LDM 50

# **50 M LASER DISTANCE METER**



- Easy to use one person point and shoot system
- Very slim housing design with belt clip for easy transport

温

112

- Area/volume/indirect height and patent pending surface measurement
- Min/Max sweep & continuous tracking
- Distance addition & subtraction for layouting
   Indirect height measurements (Pythagoras
- 2-point, 3-point, partial height)

# LDM 50

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447700
EAN Code	4002395006540

# LDM 45 45 M LASER DISTANCE METER



### Easy to use one person point and shoot system

IP54 water & dust protection

- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing

ii a

Enables user to perform single measurements
 & continuous tracking

# 1044

	LDIII 40
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933459277
EAN Code	4058546002435

# LDM 30 30 M LASER DISTANCE METER



# • Easy to use one person point and shoot

system
• IP54 water & dust protection

- Auto shut off and low power indication
- Metric & Imperial units of measurement
- Very slim housing design with belt clip for easy transport
- Two easy to touch measure buttons on the front and side of the housing

# LDM 30

4000 450070
4933459276
4058546002428

# ELECTRICAL

# SCAN HERE FOR MORE INFORMATION



M18

M18

M12





M18

M18

M18



# **M18 HSFC125R**

M18<sup>™</sup> FORCE LOGIC<sup>™</sup> HYDRAULIC 125 MM SAFETY CABLE CUTTER



- FORCE LOGIC™ Safety Cutter allows linemen to cut aluminium, copper and armored cables up to Ø125 mm remotely, removing any physical connection to the tool
- Enhanced remote control lets users start, pause and reverse the cutting blade all from a distanced position of complete safety
- Green LED lights on wireless remote gives positive indication that the cable is cut through blade positioning sensors

## M18 HSFC125R-802C

Standard equipment	Remote control
Kit included	2 x M18 FB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933499331
EAN Code	4058546564957

# M18 HCC125

FORCELOGIC"

M18<sup>™</sup> FORCE LOGIC<sup>™</sup> HYDRAULIC 125 MM CABLE CUTTER

ONE TKEY



- FORCE LOGIC™ Hydraulic Cutter cuts aluminium, copper and armored cables up to Ø125 mm
- Adjustable side handle, in-line tool design and hang hook enable easiest set-up in trenches and vaults
- Quick Lock latch system allows users to easily open and close the latch without any hassle of alignment

### M18 HCC125-801C

Kit included	1 x M18 FB8 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933499333
EAN Code	4058546564971

# M18 HCC75R

M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- will no second will not a New Index • Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection, removing any physical connection to the tool and allowing Linemen to make remote cuts
- Balanced design, handle and hang hook enable easiest set-up in vaults

# M18 HCC75R-502C

Standard equipment	Remote control	
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	
Article Number	4933459271	
EAN Code	4058546002374	

# M18 HCC75

Article Number EAN Code

M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Brushless POWERSTATE™ motor provides
- more power, more run time and longer life

  Versatile top-handle can also be used as a
  stand and provides balanced cut alignment
- In-line design delivers easiest access in trenches and a secure stand during cable cuts

4058546002350

M18 HCC75-0C	M18 HCC75-502C
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, Kitbox	18 FC Charger, Kitbox
4933459268	4933459269

# M18 HCC45

# M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER



- FORCE LOGIC™ hydraulic cable cutter cuts ACSR/ACSS cables up to Ø44 mm in less than 9 seconds with 77.8 kN of force
- Patent pending jaw design enables opening with just two fingers, enhancing alignment while delivering easiest operation with Class 3 gloves

	M18 HCC45-0C	M18 HCC45-522C
Kit included		1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459265	4933459266
EAN Code	4058546002312	4058546002329

# M12 CC M12™ SUB COMPACT CABLE CUTTER

4058546002343



- Professional capacity Ø32 mm powerful jaws cut effortlessly through large cable
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extended run time delivers up to 60 cuts of 4
   x 35 mm² copper per charge
- Compact front end goes straight to the cable in panels or electrical cabinets without long handles looping or ratcheting

# M12 CC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
Kit iliciuueu	bag supplied	
Article Number	4933431600	
EAN Code	4002395242832	

M18 ONEHCC M18

# M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER

# FORCELOGIC"





- FORCE LOGIC™ hydraulic cable cutter cuts cables in less than 3 seconds with 53 kN of force
- Brushless POWERSTATE<sup>™</sup> motor provides
- more power, more run-time and longer life
  Fully balanced tool provides secure control
  during one hand expertion
- during one hand operation • One tool provides cutting solutions for ACSR wire, steel guy wire, fine stranded or standard copper and aluminium cable

# SEE PAGE 134 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 ONEHCC - M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER



	M18 ONEHCC-OC CU/ AL- SET	M18 ONEHCC-201C CU/ AL-SET	M18 ONEHCC-OC ACSR SET	M18 ONEHCC-201C ACSR SET	M18 ONEHCC-OC FSW SET	M18 ONEHCC-201C FSW SET	M18 ONEHCC-OC SWA SET
Standard equipment	Cu/AL jaw	Cu/AL jaw	ACSR jaw	ACSR jaw	FSW jaw	FSW jaw	SWA jaw
Kit included	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No
Nit iliciaded	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox
Article Number	4933464300	4933464301	4933464303	4933464304	4933464308	4933464309	4933464306
EAN Code	4058546222451	4058546222468	4058546222482	4058546222499	4058546222536	4058546222543	4058546222512

M18

# **M18 HKP**

# M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH

FORCELOGIC"



- FORCE LOGIC™ hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force
- The easiest way to punch for fast, accurate, round, and burr free holes
- Highest accuracy due to industry's finest exact alignment system for dies
- Best balanced tool and easiest control due to one hand operation

	M18 HKP-201C	M18 HKP-201CA
Standard equipment	11.1mm (7/16) draw stud, 19mm (3/4) draw stud, quick connector, ball pull, adaptor	11.1mm ( <sup>7</sup> / <sub>16</sub> ) draw stud, 19mm ( <sup>3</sup> / <sub>4</sub> ) draw stud, quick connector, ball pull, adaptor, punches and dies: M16, M20, M25, M32, M40
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451202	4933451204
EAN Code	4002395138906	4002395138920

# M18 FPFT M18 FUEL\* POWERED FISH TAPE





- ∘ The M18 FUEL™ Fish Tape is the world's first professional battery powered cable pulling solution
- POWERSTATE<sup>™</sup> brushless motor that provides the ability to pull a maximum length of 72 m wire
- AUTO-RUN<sup>™</sup> powered feeding and cable pulling is a fast and efficient solution providing higher productivity vs other solutions

	M18 FPFT-0	M18 FPFT-202 36m ST Set	M18 FPFT-202 30m NC Set
	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,
Kit included	charger supplied, No kitbox or	M12-18 FC , No kitbox or bag	M12-18 FC , No kitbox or bag
	bag supplied	supplied	supplied
Article Number	4933471952	4933471953	4933471954
EAN Code	4058546298517	4058546298524	4058546298531

# M18 HUP700 M18" HYDRAULIC UTILITY PUMP

M18

FORCELOGIC"





- FORCE LOGIC<sup>™</sup> hydraulic utility pump powers every single acting 700 bar crimping, cutting or punching head attachment
- Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow rate compared to other pumps
- The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common attachments

# M18 HUP700-121

Kit included	1 x M18 FB12 Battery pack, M12-18 FC Charger, No
	kitbox or bag supplied
Article Number	4933499335
EAN Code	4058546564995

# SEE PAGE 136 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HKP - M18<sup>TM</sup> FORCE LOGIC<sup>TM</sup> HYDRAULIC KNOCKOUT PUNCH





SEE PAGE 135 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 FPFT - M18 FUEL™ POWERED FISH TAPE





# SEE PAGE 136 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HUP700 - M18™ HYDRAULIC UTILITY PUMP





# L4 HSL

Kit included

EAN Code

Article Number

FORCELOGIC"


# **USB RECHARGEABLE HOT STICK LIGHT**



# M18 HCCT109/42

# M18

## M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER



L4 HSL-301

supplied

4933493968

4058546511289

Fast and easy fuse cutouts

toughest conditions and features a high impact aluminium body and IP54 rating for water and dust resistance

1 x L4 B3 Battery pack, USB cable, No kitbox or bag

FORCELOGIC™_	ONETKE
	UNLOCKING THE DIGITAL JOBSET
	10-
7	<b>%</b>
	<u></u>
-	

 Lightest, most balanced tool with ergonomic grip design Red alignment marks on the tool jaws aid accuracy in crimp placement

Crimps connectors up to 400 mm<sup>2</sup> with 109 kN of force

 42 mm jaw opening and 350° head rotation provides easy positioning and access, even for large connectors

### M18 HCCT109/42-522C

Kit included	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC
	Charger, Kitbox
Article Number	4933459273
FAN Code	4058546002398

# M18 ONEHCCT60

# M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE

ONE KEY

# CRIMPER

## M18



∘ FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm<sup>2</sup> in less than 5 seconds with 60 kN of force

Easy die alignment and linear movement ensure most uniform crimp results Improved ergonomics and slim handle

design provide for a comfortable one-handed

	M18 ONEHCCT60-OC	M18 ONEHCCT60-202C
Kit included	No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-18 C
NII IIICiuueu	supplied, Kitbox	Charger, Kitbox
Article Number	4933479683	4933479684
EAN Code	4058546374778	4058546374785

# **M18 HCCT**

### M18

## M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER

# FORCELOGIC"



• FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm<sup>2</sup> in less than 3 seconds with 53 kN of force

Revolutionary jaw holds connector for best alignment of cable and connector

2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw

Best balanced tool and easiest control due to one hand operation

	•		•	^-		~4	•
М1	ö	н	G	GI	-2	บา	G

Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451194
EAN Code	4002395138821

# **M18 HDCT**

# M18

# M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER







- M18<sup>™</sup> FORCE LOGIC<sup>™</sup> HDCT crimps connectors on flexible wire from 10 to 300 mm<sup>2</sup> without changing dies Auto distance control continuously measures
- distance & pressure for uniform crimp appearance across every size of the crimping
- 180° rotating head and easy access latch deliver easy alignment and free-up second hand to hold material

	M18 HDCT-0C	M18 HDCT-202C
Kit included	No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-18 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933471949	4933471950
EAN Code	4058546298487	4058546298494

No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-18 C
supplied, Kitbox	Charger, Kitbox
4933471949	4933471950
4059546209497	1058516208101

# M<sub>18</sub> BSBT M18™ SHEAR BOLT TOOL





- Huge capacity up to a cable size of 1000 mm<sup>2</sup> or connector diameter of 78 mm
- Outstanding power with a max torque of
- Universal compatibility with the industry leading shear bolt lug manufacturers
- IEC-Tested, superior electrical connection integrity of lug and cable thanks to smooth tightening of the screws without an impact mechanism

	M18 BSBT-0X	M18 BSBT-202X
	9x Impact rated 1/2" sockets (10/17 mm	9x Impact rated 1/2" sockets (10/17 mm
Standard equipment	socket, 13/19 mm socket long, 5/6/8 mm	socket, 13/19 mm socket long, 5/6/8 mm
Standard equipment	Hex socket, 6/8 mm Hex socket long), 2x	Hex socket, 6/8 mm Hex socket long), 2x
	fork attachment (33-52 mm, 58-69 mm)	fork attachment (33-52 mm, 58-69 mm)
Kit included	No batteries supplied, No charger supplied,	2 x M18 B2 Battery packs, M12-18 FC
KII IIICIUUEU	HD Box	Charger, HD Box
Article Number	4933493288	4933493289
EAN Code	4058546481599	4058546481605

# SEE PAGES 132 - 133 OR SCAN TO VIEW OUR CRIMPER DIES

# M18 BLTRC M18™ BRUSHLESS THREADED ROD CUTTER

M18

# BRUSHLESS



 $^{\rm o}$  M18  $^{\rm m}$  brushless threaded rod cutter delivers a fast and effortless solution for cutting threaded rods

Integrated brushless motor provides the user the power to cut through M6, M8, M10 and M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

	M18 BLTRC-0X	M18 BLTRC-522X
Standard equipment	M6, M8, M10, M12 cutting dies	M6, M8, M10, M12 cutting dies
Kit included	No batteries supplied, No charger	1 x M18 B5, 1 x M18 B2 Battery
Kit iliciuueu	supplied, HD Box	packs, M12-18 C Charger, HD Box
Article Number	4933471150	4933471151
EAN Code	4058546287788	4058546287795

# FORK METER FOR ELECTRICIANS

### II ය 2212-20

# **AUTO VOLTAGE / CONTINUITY TESTER**



Provides measurements down to decimals and

温

2

黑

温

- displays them on an easy-to-read backlit LCD Automatically determines the need for voltage or continuity tests and display all
- measurements with proper resolution Compatible with accessories for carrying or
- mounting LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient test results

224	•	20

	2212-20
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447776
EAN Code	4002395006526

### 2205-40 Kit included 2 x AA Batteries, Tool bag Article Number 4933416972 EAN Code 4002395238026

and grip

# 2216-40

# LIGHT COMMERCIAL MULTIMETER



TRMS always guarantees accurate readings
 CAT III 600 V for increased safety

TRMS always guarantees accurate readings

High contrast, easy to read display provides clearer readings Built-in non-contact voltage detector

CAT III 1000 V/CAT IV 600 V for increased

Rugged over-moulding for increased durability

Built-in LED work light – lights the work area
 Side mounted dial for one-handed use

- Rugged over-moulding increases durability and user grip
- Side mounted dial for one-handed use
- Feature set tailored to electrician for intuitive
- Auto range to mV
- Supplied with electrical test lead set and 2 x

# 2216-40

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933427309
EAN Code	4002395240128

# 2217-40 **DIGITAL MULTIMETER**

2



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings Cat III 600 V for increased safety

- Side mounted dial for one-handed use
   Feature set tailored to electrician for intuitive
- Lo-Z. always guaranteed accurate readings
- Versatile contact temperature measurement
   Slide rail for accessory mount

## 2217-40

Kit included	2 x AA Batteries, Tool bag
Article Number	4933416976
EAN Code	4002395238064

# 2235-40 LIGHT COMMERCIAL CLAMP METER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
   Built-in LED work light lights the work area
   Side mounted dial for one-handed use
   Thin jaw profile for easier wire measurement in
- panels or in bundles
- Supplied with electrical test lead set and 2 x

# 2235-40

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933427315
EAN Code	4002395240135

### 112 2267-40

# 10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from
- 10 m away
   Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

# 2267-40

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
FAN Code	4002395282159

# 2200-40 **VOLTAGE DETECTOR**



- Wide 50 1000 AC voltage rangeCAT IV 1000 V for highest safety rating
- Tip for checking outlets Green light indicates tool is on
- Loud beeper indicates voltage
  Blinking red light indicates voltage
- On/Off button
- Pocket clip for easy storage

# 2200-40

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4932352561
EAN Code	4002395372195

# 2225-20

112

# NON CONTACT VOLTAGE DETECTOR WITH LASER THERMOMETER



- Wide measurement range from 12 -1000V, AC
- CAT IV 1000 V safety rating
- Infrared laser thermometer with -30°C 250°C
- Highly visible red indicator LED shows presence of voltage
  Additional audible indicator supports voltage
- detection through beeping sound
  Green light indicates tool is turned on

# 2225-20

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4932498859
EAN Code	4058546527280

# PLUMBING

# SCAN HERE FOR **MORE INFORMATION**





# M<sub>18</sub> ONEBLHPT

# M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™

M18





- Compact brushless motor in FORCE LOGIC™ press tools delivers up to 10 % faster connections and 20 % more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces

  Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app or ONE-KEY™ browser version
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- Auto-Cycle ensures a full press cycle is completed with every press connection

	M18 ONEBLHPT-OC	M18 ONEBLHPT-302C	M18 ONEBLHPT-302C TH-SET	M18 ONEBLHPT-302C V-SET	M18 ONEBLHPT-302C U-SET	M18 ONEBLHPT-302C M-SET	M18 ONEBLHPT-302C Geberit Mapress Set
Standard equipment			3 x TH-profile jaws (16/20/3	23 x V-profile jaws (15/22/28	3 x U-profile jaws (16/20/25	3 x M-profile jaws (15/22/28	3 x Geberit Licensed Ma-
Standard equipment -		-	mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,
Kit iliciuueu	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933478305	4933478306	4933478307	4933478308	4933478309	4933478310	4933480904
EAN Code	4058546344825	4058546344832	4058546344986	4058546344993	4058546345006	4058546345013	4058546411893

# M18 BLHPT

# M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL

M18

# FORCELOGIC<sup>®</sup>

- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more runtime
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces Most compact in-line design with 13% less weight for easy operation
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check
- Packet p-tool communication, press operation over the state of prevent incomplete pressing in case of ensures enough charge to complete each press

  FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- · Universal jaw reception to fit most common jaws available on the market
- On board fuel gauge and LED light

	M18 BLHPT-0C	M18 BLHPT-202C	M18 BLHPT-202C M-SET	M18 BLHPT-202C V-SET	M18 BLHPT-202C TH-SET	M18 BLHPT-202C U-SET	M18 BLHPT-202C Geberit Mapress Set
Standard equipment			3 x M-profile jaws (15/22/2	8 3 x V-profile jaws (15/22/28	3 x TH-profile jaws (16/20/3	323 x U-profile jaws (16/20/25	3 x Geberit Licensed Ma-
Standard equipment			mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,
Kit iliciuded	charger supplied, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
Article Number	4933478248	4933451132	4933451133	4933451134	4933451135	4933451136	4933480903
EAN Code	4058546344252	4002395138012	4002395138029	4002395138036	4002395138043	4002395138050	4058546411886

# M18 BLHPTXL

# M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL

M18

# **FORCE**LOGIC

- ∘ New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe
- One hand operated tool for over head applications and working in narrow spaces

  Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Auto-cycle ensures a full press cycle is completed with every press connection
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- On board fuel gauge and LED light

	M18 BLHPTXL-OC	M18 BLHPTXL-502C
Kit included	No batteries supplied, No charger supplied, PACKOUT™ box	2 x M18 B5 Battery packs, M12-18 C Charger, PACKOUT™ box
Article Number	4933479440	4933479441
EAN Code	4058546372347	4058546372354

M<sub>12</sub> ONEHPT M12

# M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL WITH ONE-KEY™

FORCELOGIC"



- <sup>,</sup> Small, lightweight press tool: weighs only 1.8 kg for greater user comfort Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app
- 180° rotating head provides maximum flexibility for work in confined spaces
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Patented one hand operation allows to work in restricted areas
  - Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: pre-press battery check ensures press operation doesn't start to prevent incomplete pressing in case of low charged
- d-step and precise battery status indicator
   FORCE LOGIC<sup>™</sup> long life reliability: No press cycle limitation within the 3 year maintenance interval

	M12 ONEHPT-OC	M12 ONEHPT-202C	M12 ONEHPT-202C M-Set	M12 ONEHPT-202C V-Set	M12 ONEHPT-202C V-Set 2	M12 ONEHPT-202C TH-Set	M12 ONEHPT-202C U-Set	M12 ONEHPT-202C Geberit Mapress Set
Standard equipment	-	-		3 x V-profile press jaws (15, 22, 28 mm)	3 x V-profile press jaws (14, 16, 22 mm)	3 x TH-profile press jaws (16, 20, 26 mm)	3 x U-profile press jaws (16, 20, 25 mm)	3 x Geberit Licensed Mapress jaws (15, 22, 28 mm)
Kit included	No batteries supplied, No	2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	s,2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs,
NII IIIGiuucu	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933481031	4933481032	4933481033	4933481034	4933481035	4933481036	4933481037	4933481038
EAN Code	4058546413163	4058546413170	4058546413187	4058546413194	4058546413200	4058546413217	4058546413224	4058546413231

# SEE PAGES 112 - 115 OR SCAN TO VIEW OUR M12™ AND M18™ PRESS JAWS





# **MXF PTR2**

# MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY"



- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and

	MXF PTR2-0	MXF PTR2-601
Ctandard aguinment	1/2"-3/4" BSPT HS die set, 1"-2" BSPT	1/2"-3/4" BSPT HS die set, 1"-2" BSPT
Standard equipment	HS die set	HS die set
Kit included	No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF C
Kit iliciuded	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933498324	4933492100
EAN Code	4058546521936	4058546414672

# **M18 FPT2**

ONE KEY

# M18 FUEL

# M18 FUEL™ PIPE THREADER 2"WITH ONE-KEY™



- World's first 18V 2" pipe threader on the market that is fully universal with competitive die
- heads. It threads pipes from 1/8" up to 2" Unique to MILWAUKEE®, pipe threader with AUTO-STOP™ kickback control, senses binding and shuts tool off to provide the user with more safety

	M18 FPT2-0C	M18 FPT2-121C
Standard equipment	1x support arm	1x support arm
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 FB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933478596	4933499200
EAN Code	4058546347895	4058546563646

# SEE PAGE 105 OR SCAN TO VIEW OUR PIPE THREADER DIES



MX



# M18 FPT114

ONE KEY

# 

# M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™



- Wide threading capacity from 1/8" up to 1 1/4"
   Unique to MILWAUKEE®, pipe threader with
- AUTOSTOP™ kickback control, senses binding and shuts tool off to provide the user with more safety
- Low weight and compact size allows convenient usage on installed pipes in
- Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4"

	M18 FPT114-0C	M18 FPT114-802C	M18 FPT114-802CA
Included heads		,	4x BSPT alloy heads (1/2" /
included neads		-	3/4" / 1" / 11/4")
Ctandard aguinment	1x support arm	1x support arm	1x support arm, 4x BSPT
Standard equipment	ix support aiii	ix support aiii	alloy heads (1/2"/3/4"/1"/11/4")
Kit included	No batteries supplied, No	2 x M18 FB8 Battery packs,	2 x M18 FB8 Battery packs,
	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933480220	4933499198	4933499199
EAN Code	4058546405052	4058546563622	4058546563639

# SEE PAGE 106 OR SCAN TO VIEW OUR PIPE THREADER HEADS





# **MPS** MILWAUKEE® PIPE STAND



- Worlds first pipe stand, that is flat foldable, which allows for easier transportation and
- more efficient storage Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

MPS
-----

Article Number	4933472022
EAN Code	4058546324186

# SEE PAGE 140 OR SCAN TO VIEW OUR ACCESSORIES FOR MPS - MILWAUKEE® PIPE STAND





# **M12 PCSS54** M12™ RAPTORXL™ PIPE CUTTER STAINLESS STEEL

 The MILWAUKEE® RAPTORXL™ is able to cut installed pipe in stainless steel, c-steel and

M12

M12

M12

- High performance 330 rpm motor cuts 54 mm
- stainless steel pipe in less than 30 seconds Up to 45 cuts with one M12™ 4.0 Ah battery pack
- Auto locking cut mechanism cuts installed pipe with as little as 43 mm clearance

	M12 PCSS54-0	M12 PCSS54-402C
Ctandard aguinment	1x spare blade, 1x retaining clip,	1x spare blade, 1x retaining clip,
Standard equipment	1x oil tube	1x oil tube
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C
Kit iliciuded	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933498374	4933498605
EAN Code	4058546522438	4058546524746



C<sub>12</sub> PPC M12™ SUB COMPACT PEX CUTTER

M12

# M<sub>12</sub> PCSS M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL



- The MILWAUKEE® RAPTOR™ is the worlds first 12V pipe cutter that is able to cut installed pipe
- in stainless steel, c-steel and copper High performance 380 rpm motor cuts 28 mm
- stainless steel pipe in less than 13 seconds
  Up to 150 cuts in 15 mm stainless steel with
  one M12™ 2.0 Ah battery pack
  Auto locking cut mechanism cuts installed pipe
- with as little as 40 mm clearance

	M12 PCSS-0	M12 PCSS-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933479241	4933479242
EAN Code	4058546370350	4058546370367



- Massive cutting pressure of 175 kg/cm²
   REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Powerful mechanism cuts up to 50 mm PVC pipe in 3 seconds
- Heavy Duty full metal gearbox and gears for
- superior durability and maximum torque Variable speed trigger for complete cut out control

# C12 PPC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciaaea	bag supplied
Article Number	4933416550
EAN Code	4002395237203

# **C12 PC** M12™ SUB COMPACT COPPER PIPE CUTTER



- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Auto locking cut mechanism cuts installed
- copper tubing with as little as 40 mm clearance Auto adjusting jaws automatically adjust to pipe size

# C12 PC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933411920
EAN Code	4002395236374

# SEE PAGE 134 OR SCAN TO VIEW **OUR SYSTEM ATTACHMENTS** FOR PIPE CUTTERS





# **M18 STSO**

# M18™ FORCE LOGIC™ STRUT SHEAR



- Cleanest and safest way to cut strut profiles Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut
  - Compatible with commonly available strut
  - manufacturers in the specified dimensions
    Shears pre- and hot dipped galvanised strut until 3.0 mm wall thickness
  - All day run time of over 200 cuts on a single M18<sup>™</sup> 5.0 Ah battery
  - Cuts 41x41 mm strut in under 5 seconds

## M18 STSO-0B

Kit included	No batteries supplied, No charger supplied, Tool bag
Article Number	4933492097
EAN Code	4058546414641



# M<sub>18</sub> BLSWP

# M18™ HYDROPASS™ BRUSHLESS STICK WATER PUMP

# BRUSHLESS



∘ HYDROPASS™ unique filter system prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered

M18

- Effortlessly pump up to 5,670 litres per hour Submersible up to 107 cm allows users to easily pump deep puddles of water with a maximum head height of 5.1 metres
- IPX4 battery compartment protects all M18™

	M18 BLSWP-0	M18 BLSWP-801
Kit included	No batteries supplied, No charger	1 x M18 FB8 Battery, M12-18 FC
Kit ilicidded	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933498559	4933498560
EAN Code	4058546524289	4058546524296

# SEE PAGE 135 OR SCAN TO VIEW **OUR SYSTEM ATTACHMENTS** FOR STRUT SHEAR



M18



# **M18 BTP** M18™ COMPACT TRANSFER PUMP



M12



- . 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 l of transferred water with one M18™ 5.0 Ah
- battery charge

  REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping

# M18 BTP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933471494
FAN Code	4058546293932

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471494
EAN Code	4058546293932

# M<sub>12</sub> BSWP

# M12™ HYDROPASS™ BRUSHED STICK WATER PUMP



- HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered

  Pumps more then 2000 l/hour and up to
- 1000 l on 1x M12<sup>™</sup> 6.0 Ah battery, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications

	M12 BSWP-0	M12 BSWP-601
Min in all ordered	No batteries supplied, No charger	1 x M12 B6 Battery pack, C12 C
Kit included	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933479639	4933479640
EAN Code	1059516271221	4059546274241



# 2267-40 10:1 INFRARED TEMP-GUN™

• 10:1 distance to spot ratio, a 1 m spot from

2



- 10 m away
  Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster
- Raised overmolding protects lens and screen from direct impact

2267-40
---------

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
EAN Code	4002395282159

#### **M18 FVP5**

#### M18 FUEL™ VACUUM PUMP 5 CFM

#### M18 FUEL



- Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18™HIGH OUTPUT™ 8.0 Ah battery Delivers corded performance
- · Instant power allows to vacuum a system without generators or temporary power
- 1/2", 3/8" and 1/4" ports and an additional 5/16" adaptor enables to easily fit different hose sizes
- Check valve protects vacuum when pump is not running

	M18 FVP5-0	M18 FVP5-801
Standard equipment	500 ml oil bottle, 5/16" adaptor	500 ml oil bottle, 5/16" adaptor
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 FB8 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933492853	4933499248
EAN Code	4058546477240	4058546564124

#### M18 ONEBLPXPL

#### M18

#### M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E **HYDRAULIC PIPE EXPANDING TOOL**







- $\circ$  The ONE-KEY  $^{\scriptscriptstyle{\text{TM}}}$  FORCE LOGIC  $^{\scriptscriptstyle{\text{TM}}}$  hydraulic expander is the world's first cordless expander for UPONOR™ Q&E PE-Xa pipe sizes up to
- Brushless POWERSTATE™ motor delivers outstanding run time and quick expansions
- Expands dimensions DN40, DN50, DN63 and DN75 of 6 and 10 bar pipes

M18	ONEBL	PXPL	-502C
-----	-------	------	-------

Kit included	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933464299
EAN Code	4058546222444



#### **M18 FPXP**

#### M18 FUEL

#### M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™
- expansion heads up to 50 mm Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and one for 40 mm and above

	M18 FPXP-0C	M18 FPXP-H06502C	M18 FPXP-H10502C
Included heads	-	6 bar Heads 32/40/50 mm	10 bar Heads 32/40/50 mm
Kit included	No batteries supplied, No	2 x M18 B5 Battery packs,	2 x M18 B5 Battery packs,
KIT INCIUGEG	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933479436	4933479438	4933479437
EAN Code	4058546372309	4058546372323	4058546372316

#### HD18 PXP

#### M18™ UPONOR™ Q&E EXPANSION TOOL





- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, onehanded expansion
  • REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Quick cam mechanism single pull continuous action installs Q&E up to 4x faster
   Steel goest and integrated magnetium frame.

8 PXP-H06202C	HD18 PXP-H10202C
Sieel geal	s and integrated magnesium frame

HD18 PXP-H06202G	HD18 PXP-H10202G
16/20/25/32 mm	16/20/25/32 mm
2 x M18 B2 Battery packs, M12-18 C	2 x M18 B2 Battery packs, M12-18 C
Charger, Kitbox	Charger, Kitbox
4933441771	4933441774
4002395001835	4002395001842
	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox 4933441771

#### M<sub>12</sub> FPXP

#### M12 FUEL

# M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION



- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, onehanded expansion
- Quick cam mechanism single pull, continuous
- action installs Q&E up to 7 seconds faster RAPID SEAL™ heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Dual acting trigger allows expansions from any grip position

	M12 FPXP-0C	M12 FPXP-I10202C	M12 FPXP-I06202C
Included heads	_	10 Bar heads 16 / 20 /	6 Bar heads 16 / 20 /
included fleads	-	25 mm	25 mm
Kit included	No batteries supplied, No	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
KIL IIICIUUEU	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933472018	4933472020	4933472021
EAN Code	4058546324148	4058546324162	4058546324179

#### C<sub>12</sub> PXP

#### M12

#### M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, onehanded expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- · Quick cam mechanism single pull, continuous action installs Q&E up to 4x faster
- Steel gears and integrated frame

	C12 PXP-I06202C	C12 PXP-I10202C	C12 PXP-N202C
Included heads	16/ 20/ 25 mm	16/ 20/ 25 mm	15/18/22 mm
Kit included	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
Kit included	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933441715	4933441730	4933441740
EAN Code	4002395002016	4002395002047	4002395002061

# SEE PAGE 137 OR SCAN TO VIEW THE FULL RANGE OF EXPANDER HEADS





# RAIN CLEANING AND

#### SCAN HERE FOR **MORE INFORMATION**





MX

#### **MXF LSDP**

#### MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ'



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

#### MXF I SDP-301

Ctandard aguisment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m
Standard equipment	inner core cable, 1 x 9 pc head attachment kit
Mit in about a d	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox
Kit included	or bag supplied
Article Number	4933471851
FAN Code	4058546297503

#### M18 FUEL M18 FFSDC13 M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM



- World's first free standing drum machine on a 18V battery, with electronic footpedal and
- integrated drum brake that electronically slows drum super-fast for more control and safety

  M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

#### M18 FFSDC13-0

Standard equipment	1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459708
EAN Code	4058546028800

#### M18 FUEL M<sub>18</sub> FFSDC<sub>10</sub> M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM



• World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety

M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

#### M18 FFSDC10-0

Standard equipment	1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool No batteries supplied, No charger supplied, No kitbox or bao supplied	
Kit included		
Article Number	4933459707	
EAN Code	4058546028794	

#### M<sub>18</sub> FDCPF<sub>10</sub> M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM



World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm. 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

	M18 FDCPF10-0C	M18 FDCPF10-201C
	1 x 10 mm x 10.6 m cable	1 x 10 mm x 10.6 m cable
Standard equipment	(48532675), retreiver bulb, removal	(48532675), 5 pc cutter set
	pin	(48532685), removal pin
Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 FC
Kit iliciuueu	supplied, Closed bucket	Charger, Closed bucket
Article Number	4933459684	4933459685
EAN Code	4058546028565	4058546028572

#### **M18 FFSDC16** M18 FUEL M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM



- o World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
  M18 FUEL™ SWITCH PACK™ tool-free sectional
- drum connection system allows users to quickly interchange between cable sizes 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

	M18 FFSDC16-0	M18 FFSDC16-502
Standard equipment		- 1 x backpack assembly, 2 x drum as- 1 sembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933459709	4933459710
EAN Code	4058546028817	4058546028824

#### SCAN TO VIEW THE **AUTO FEED SYSTEM ATTACHMENTS**





#### M<sub>18</sub> FDCPF8

#### M18 FUEL

#### M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM



• World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

#### M18 FDCPF8-0C

Standard equipment	8 mm x 10.6 m cable (48532673)
Kit included	No batteries supplied, No charger supplied, Closed
Kit iliciuueu	bucket
Article Number	4933459683
EAN Code	4058546028558

#### **M12 BDC8**

M12

# M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC8-0C	M12 BDC8-202C
Standard equipment	8 mm x 7.6 m inner core bulb head	8 mm x 7.6 m inner core bulb head
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit iliciuueu	supplied, Bucket	Charger, Bucket
Article Number	4933451632	4933451633
EAN Code	4002395140992	4002395141609

#### **M12 BDC6**

#### M12

## M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC6-0C	M12 BDC6-202C
Standard equipment	6 mm x 7.6 m inner core bulb head	6 mm x 7.6 m inner core bulb head
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit ilicidued	supplied, Bucket	Charger, Bucket
Article Number	4933451634	4933451635
EAN Code	4002395141616	4002395141623

#### SEE PAGE 110 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR DRAIN CLEANERS

SEE PAGE 111 OR SCAN

UR SYSTEM ENTS FOR





#### M<sub>18</sub> FCSSM

#### M18 FUEL

#### M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE

M18 FCSSM-0

4933478408

4058546345990



Kit included

Article Number

- World's first compact sectional sewer machine on a 18V battery that uses 16 mm and 22 mm sectional spirals from both MILWAUKEE® and other manufacturers, eliminating all electrocution hazards users encounter today with their corded tools
- Extremely light weight, 14 kg including M18™ 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

M18 FCSSM-121

supplied

4933499308

4058546564728

1 x M18 FB12 Battery pack, M12-

18 FC Charger, No kitbox or bag

_	TO VIEW O
•	<b>ATTACHME</b>
	<b>SECTIONA</b>
	-





**EWER MACHINE** 

No batteries supplied, No charger

supplied, No kitbox or bag supplied

# M18 HSFSM M18 FUEL M18" HIGH SPEED FLEXIBLE SHAFT MACHINE



- Clears clogs in 32 mm (1 ¹/4") 110 mm (4") pipes up to 23 m down the line
   Infinite variable speed from 600 2200 RPM
- Infinite variable speed from 600 2200 RPM for more control in the line and best wall to wall clean
- Integrated mechanical clutch protecting the cable when binding up
- Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market

	M18 HSFSM-0	M18 HSFSM-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933480721	4933499309
EAN Code	4058546410063	4058546564735



# DRAIN CLEANING AND INSPECTION

# STEP 1 CHOOSE YOUR DESIRED REEL

#### M18 SIC60SC HDR

#### M18™ SEWER INSPECTION CAMERA REEL 60 M, 60 MM CAMERA HEAD

M18™ SEWER INSPECTION CAMERA REEL 60 M, 25 MM CAMERA HEAD



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the iobsite
- The new 25 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions
- 60 m long, 10 mm mid stiff push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends Fully enclosed reels for better mess
- containment
- Rubber stand for putting reel on back
- Extendable handle for easier transportation

M1Q	CIC	าวกะ	ЦŊ	D_N

Article Number	4933493955
EAN Code	4058546511159

The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the iobsite

The new 34 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions

- 60 m long, 12 mm stiff push rod for easier reach of longer runs but still flexible enough to run through 75 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Built-in sonde for easy locating: 512 Hz, 640 Hz, 33 kHz to be used with all common

M18 SIC60 HDI	

Article Number	4933493954	
EAN Code	4058546511142	

#### M<sub>18</sub> SIC<sub>36</sub> HDR

#### M18

#### M18™ SEWER INSPECTION CAMERA REEL 36 M, 25 MM **HDR CAMERA HEAD**



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 25 mm HDR (High Dynamic Range) camera guarantees better images in low light
- 36 m long, 9.5 mm mid stiff push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Built-in sonde for easy locating: 512 Hz,640 Hz. 33 kHz to be used with all common locators
  Built-in line trace for locating the push rod
- Back pack straps for easier transportation

#### M18 SIC36 HDR-0

Article Number	4933493953	
EAN Code	4058546511135	
<u> </u>		

#### M<sub>18</sub> SIC<sub>30</sub> HDR

**M18 SIC60 HDR** 

#### M18™ SEWER INSPECTION CAMERA REEL 30 M, 25 MM **HDR CAMERA HEAD**



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 25 mm HDR (High Dynamic Range) camera quarantees better images in low light
- Pitch sensing camera heads provide pipe pitch reading on-screen indicator
  Built-in sonde for easy locating: 512 Hz,640
- Hz, 33 kHz to be used with all common
- Built-in line trace for locating the push rod
- Fully enclosed reels for better mess containment

#### M18 SIC30 HDR-0

Article Number	4933493952
EAN Code	4058546511128

#### M12 SICO20

#### M12

# M12™ SEWER INSPECTION CAMERA 20 M WITH ONE-





- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the job
- The new 16 mm HD camera guarantees the highest maneuverability in small pipe diameters with best-in-class images 20 m long, 7.5 mm ultra flexible push rod to run
- through several 32 mm 90° bends Integrated Smart-Hub With a USBport for data
- Wi-Fi functionality enables the sewer inspection camera to transfer data via USB-A USB-C and over the air

#### M12 SICO20-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIT IIICIUUEU	bag supplied
Article Number	4933498231
EAN Code	4058546521004

#### M12 SICO26

M12

M18

## M12™ SEWER INSPECTION CAMERA 26 M WITH ONE-





- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the job
- The new 20mmself-leveling HD camera centers itself automatically and guarantees top-class
- 26 m long, 9.5 mm high flexible push rod to run through several 40 mm 90° bends
- Integrated Smart-Hub with a USBport for data
- Wi-Fi functionality enables the sewer inspection camera to transfer data via USB-A, USB-C and over the air

#### M12 SIC026-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933498230	
EAN Code	4058546520991	

#### SCAN HERE FOR **MORE INFORMATION**



# STEP 2 SMART HUB (FOR M18™ REELS ONLY)

#### M<sub>18</sub> SISH

#### M18™ SEWER INSPECTION SMART HUB



## ONETKEY



- Easily interchangeable between reels with one push on the button
- Integrated WI-FI for connection with MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App
- Share customised reports
- Multiple screen viewing and recording
   ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- 500 GB SSD-drive store multiple jobs and
- extract when needed USB 3.0 and USB-C ports

#### M18 SISH-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
NIL IIIGIUUGU	bag supplied	
Article Number	4933471415	
EAN Code	4058546290436	



# STEP 3 CHOOSE YOUR VIEWING DEVICE

#### **M18 SIM**

#### M18™ SEWER INSPECTION MONITOR



#### **M12 SIM** M12™ SEWER INSPECTION MONITOR

## M12





- Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing
- Sun readable screen for best viewing of
- inspection
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

#### M18 SIM-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933471414
EAN Code	4058546290429



- The M12<sup>™</sup>SIM can be connected to the M12<sup>™</sup>andM18<sup>™</sup> reels via Wifi or used as an endoscope camera with the camera cable Attachments
- Possibility to transfer files via USB-A, USB-C,
- microSD card and conveniently over the air The 5.5" LCD touchscreen provides sharp and clear images and allows the user to see

#### M12 SIM-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933493592	
EAN Code	4058546484637	



#### M12™ & M18™ **SYSTEMS ARE COMPATIBLE WITH EACH OTHER**

M12<sup>™</sup> & M18<sup>™</sup> reels both work with M12<sup>™</sup> & M18<sup>™</sup> monitors or the MILWAUKEE® Pipeline Inspection App





## STEP 4 SAVE YOUR RECORDINGS









# M12 PL M12™ PLUMBING LOCATOR

M12

M12



- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12" 2.0 Ah battery, no alkaline batteries that need frequent changing
- 4.3" colour LCD screen with backlit buttons for better visibility

	M12 PL-0C	M12 PL-201C
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit iliciuueu	supplied, Kitbox	Charger, Kitbox
Article Number	4933471995	4933478615
EAN Code	4058546298944	4058546348083



#### M12 360IC12

#### M12" 360° INSPECTION CAMERA 1.2 M 2ND GEN



M12 360IC32

- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- greater detail

  270° rotating screen provides the user fluid image control in every position of use
- image control in every position of use

  1.2 metre cable balances flexibility and rigidity
- for both drain line and behind wall inspections
  Included 32 GB micro SD card allows to record and store images and videos

12-0C	M12 360IC12-201C	
ries	4x Accessories	_

• 4.3" LCD screen delivers sharp and clear

images and allows users to see objects in

greater detail
• 270° rotating screen provides the user fluid

image control in every position of use 3 metre cable balances flexibility and rigidity

for both drain line and behind wall inspections

Included 32 GB micro SD card allows to record

	W12 3001012-00	W12 3001612-2016
Standard equipment	4x Accessories	4x Accessories
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933480739	4933480740
EAN Code	4058546410247	4058546410254

M12™ 360° INSPECTION CAMERA 3 M 2ND GEN

#### M12

#### **ALKALINE INSPECTION CAMERA 2ND GEN**



• 4.3" LCD screen delivers sharp and clear images and allows users to see objects in

1111 4

- greater detail

  1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- 5 modes of brightness provide best in class
- illumination without shadow or glare
   720p camera resolution provides outstanding
- 720p camera resolution provides outstanding image quality

M12	360IC32-	OC

and store images and videos

Standard equipment	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933480741
FAN Code	4058546410261

#### AIC2

Standard equipment	4x Accessories	
Kit included	4 x AA Batteries, Kitbox	
Article Number	4933480738	
EAN Code	4058546410230	



SEE PAGE
140 OR SCAN
TO VIEW OUR
SYSTEM
ATTACHMENTS
FOR
INSPECTION
CAMERAS



#### SCAN HERE FOR **MORE INFORMATION**









#### M18 F2LM46

#### M18 FUEL

#### M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN **MOWER 46 CM**



- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class
- quality of cut
  Compact deck design for more maneuverability
- in tight access areas 3-in-1 grass management system to mulch,bag, or rear side discharge

	M18 F2LM46-0	M18 F2LM46-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M18 DBSC Charger, No kitbox or bag supplied
Article Number	4933492010	4933499215
EAN Code	4058546413774	4058546563790

#### M18 F2LM53

#### M18 FUEL

#### M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM



- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut Instant start in tall grass, outstanding peak
- power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency

	M18 F2LM53-0	M18 F2LM53-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M18 DBSC Charger, No kitbox or bag supplied
Article Number	4933479584	4933499213
EAN Code	4058546373788	4058546563776

#### M<sub>18</sub> BLLT

#### M18™ BRUSHLESS GRASS TRIMMER

#### M18

#### M<sub>18</sub> FBCU M18 FUEL™ BRUSH CUTTER

#### M18 FUEL





- The M18<sup>™</sup> brushless grass trimmer has the power to clear thick brush and reaches full
- throttle in under 1 second Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or
- Adjustable cutting swath of 35 cm 40 cm

EAN Code



- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for
- instantaneous power and ultimate control Supplied with a trimmer head for a 35 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design to take on more demanding applications

4058546563752

	M18 FBCU-0	M18 FBCU-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4022402207	4022400211

4058546416645

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933472218	
EAN Code	4058546326142	

M18 BLLT-0

#### M18 FUEL **M18 F2BCU** M18 FUEL™ DUAL BATTERY BRUSH CUTTER



EAN Code

- Powerful and robust brush cutter designed to clear high and dense grass, weeds and thick brush
- M18 FUEL™Technology allows the tool to maintain speed in the most demanding applications without bogging down
- Instantaneous throttle response for ultimate control and increased productivity

	M18 F2BCU-0	M18 F2BCU-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M18 DBSC Charger, No kitbox or bag supplied
Article Number	4933480859	4933480860
FAN Code	4058546411442	4058546411459

#### SEE PAGES 130 - 131 OR SCAN TO VIEW OUR OUTDOOR POWER EQUIPMENT ACCESSORIES RANGE





#### M18 FEDG M18 FUEL™ EDGER

#### M18 FUEL

#### **M18 FHET75G2**

M18 FUEL™ HEDGE TRIMMER 75 CM

#### M18 FUEL



- · Delivers the power and torque to tackle demanding applications
- 20 cm blade and easy adjustable wheel allowing the user to select the appropriate height for the application
- Professional open guard design to avoid clogging, with sight line included for easy blade location
- Debris flap protects the user from dirt, rocks and grass

M18	FFD	G_0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIL IIICIUUEU	bag supplied
Article Number	4933493556
EAN Code	4058546484279



- 75 cm double sharpened & dual actuating blades for clean cuts and removal of thicker
- material 32 mm blade gap with the power to cut up to 25 mm hardwood branches
- 5-position rotating handle provides increased
- control in different blade orientations Clipping sweep kitted with the tool allowing to remove clippings during the application

	M18 FHET75G2-0	M18 FHET75G2-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933498387	4933498388
EAN Code	4058546522568	4058546522575

#### **M18 FHET60G2**

#### M18 FUEL™ HEDGE TRIMMER 60 CM

#### M18 FUEL



- o 60 cm double sharpened & dual actuating blades for clean cuts and removal of thicker material
- 32 mm blade gap with the power to cut up to 25 mm hardwood branches 5-position rotating handle provides increased
- control in different blade orientations
- Clipping sweep kitted with the tool allowing to remove clippings during the application

	M18 FHET60G2-0	M18 FHET60G2-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933498384	4933498385
EAN Code	4058546522537	4058546522544

#### **M18 FHETE27**

Ā

K

#### M18 FUEL M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 267 CM



- Overall tool length of 267 cm allowing for long extended reach applications
- 60 cm double sharpened & dual actuating blades for clean cuts
- 25 mm blade gap with the power to cut up to 22 mm branches
- 13 operating positions offer a 270-degree rotating blade set providing increased access in hard-to-reach areas

	M18 FHETE27-0	M18 FHETE27-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC , No kitbox or bag supplied
Article Number	4933492910	4933492911
EAN Code	4058546477813	4058546477820

#### **M18 FHETE22**

#### M18 FUEL

#### M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 216 CM



- Overall tool length of 216 cm allowing for maneuverable overhead applications
- 60 cm double sharpened & dual actuating blades for clean cuts
- 25 mm blade gap with the power to cut up to
- 22 mm branches 13 operating positions offer a 270-degree
- rotating blade set providing increased access in hard-to-reach areas

	M18 FHETE22-0	M18 FHETE22-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933498515	4933498516
FAN Code	4059546522949	4059546522955

#### **M12 FHT20**

#### M12 FUEL™ HEDGE TRIMMER 20 CM





- · 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions

	M12 FHT20-0	M12 FHT20-402
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, No kitbox or bag supplied
Article Number	4933479675	4933479676
EAN Code	4058546374693	4058546374709

#### M<sub>18</sub> FCHS

#### M18 FUEL

#### M18 FUEL™ CHAINSAW WITH 40 CM BAR



- The M18 FUEL<sup>™</sup> chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws FUEL™ technology allows the saw to maintain
- speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHS-0	M18 FCHS-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933464723	4933499217
EAN Code	4058546226688	4058546563813

#### **M18 FCHS35**

#### M18 FUEL™ CHAINSAW WITH 35 CM BAR



Delivers the power to outperform on the most

M18 FUEL

- demanding applications vs. petrol chainsaws Maintains speed in tough applications without bogging down
  • The HIGH OUTPUT™ system of tools elevates
- the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT and FORGE™ batteries

	M18 FCHS35-0	M18 FCHS35-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479678	4933499223
EAN Code	4058546374723	4058546563875

#### M<sub>18</sub> FCHSC

#### M18 FUEL

#### M18 FUEL™ CHAINSAW WITH 30 CM BAR



- · Delivers the power to outperform on the most demanding chainsaw applications vs. petrol
- chainsaws

  FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol

	M18 FCHSC-0	M18 FCHSC-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB12 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471441	4933499219
EAN Code	4058546290696	4058546563837

#### M18 F2CHS50

#### M18 FUEL

#### M18 FUEL™ DUAL BATTERY CHAINSAW 50 CM



- Outstanding speed of cut in hardwood compared to 60 cc petrol chainsaws
- Peak torque levels of 9.5 Nm maintains the chain speed through tough application and prevents bog downs
- 50 cm cutting system and a peak power of 5.8 HP to tackle felling and bucking applications
- High visibility felling sights to ensure precision and accuracy

	M18 F2CHS50-0	M18 F2CHS50-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933480120	4933480121
EAN Code	4058546404055	4058546404062

#### **M18 FTHCHS35**

#### M18 FUEL

#### M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR



- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy
- loads without bogging down FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity

	M18 FTHCHS35-0	M18 FTHCHS35-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479588	4933499222
EAN Code	4058546373825	4058546563868

#### M18 FTHCHS30

#### M18 FUEL

#### M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR



- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- · High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down FUEL™ technology to reach full throttle in under
- 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity

	M18 FTHCHS30-0	M18 FTHCHS30-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479586	4933499221
EAN Code	4058546373801	4058546563851

#### M18 FHS20

#### M18 FUEL

#### M18 FUEL™ HATCHET™ PRUNING SAW 20 CM



 M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood

	M18 FHS20-0	M18 FHS20-552
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480117	4933480118
EAN Code	4058546404024	4058546404031

#### **M12 FHS**

#### M12 FUEL

#### M12 FUEL™ HATCHET™ PRUNING SAW 15 CM



- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals

	M12 FHS-0	M12 FHS-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933472211	4933472212
EAN Code	4058546326074	4058546326081

#### M<sub>12</sub> BLPRS

BRUSHLESS

#### M12™ BRUSHLESS PRUNING SHEARS

#### M12

#### Power to cut branches up to 32 mm

- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

	M12 BLPRS-0	M12 BLPRS-202
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit iliciuueu	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933480114	4933480115
EAN Code	4058546403997	4058546404000

#### M18 FBLG3 M18 FUEL™ BLOWER

#### M18 FUEL



- Up to 14.2 m³/min of air volume at 193 km/h
- Consistent blowing force of 12.2 N throughout the entire battery discharge
- Reaches full throttle in under 1 second
- Ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications and optimum run time

	M18 FBLG3-0	M18 FBLG3-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933493301	4933499233
EAN Code	4058546481728	4058546563974

#### **M18 F2BPB**

#### M18 FUEL

#### M18 FUEL™ DUAL BATTERY BACKPACK BLOWER



- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery
- discharge 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris

	M18 F2BPB-0	M18 F2BPB-124
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	4 x M18 FB12 Battery packs, M18 MPC6 Charger, No kitbox or bag supplied
Article Number	4933493212	4933499231
EAN Code	4058546480837	4058546563950

#### **M18 F2BL**

#### M18 FUEL™ DUAL BATTERY BLOWER





- Up to 17 m3/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications

	M18 F2BL-0	M18 F2BL-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M18 DBSC Charger, No kitbox or bag supplied
Article Number	4933479987	4933499229
EAN Code	4058546377816	4058546563936

#### **M18 FTPS30**

## M18 FUEL

#### M18 FUEL™ TELESCOPIC POLE SAW 30 CM



- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm
- cutting length for fast results
  Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm

	M18 FTPS30-0	M18 FTPS30-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 FB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933480868	4933499227
EAN Code	4058546411534	4058546563912

#### M<sub>18</sub> BLTS

#### M18™ BRUSHLESS TELESCOPIC SHEAR

#### BRUSHLESS

Ā



Power to cut up to 4.4 cm softwood branches

M18

- Telescopic function with an easy-to-use collar allows to expand from 2.1 up to 3 metres for versatile applications
- Up to 2000 cuts in 2.5 cm softwood branches with an M18 HB5.5 HIGH OUTPUT™ battery nack
- Outer shaft jacket for increased control & optimum grip

	M18 BLTS-0	M18 BLTS-551
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB5.5 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933480865	4933480866
EAN Code	4058546411503	4058546411510

#### M<sub>12</sub> BHCS<sub>3</sub>L

#### M12™ HANDHELD CHEMICAL SPRAYER 3.7 L



- · Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers

	M12 BHCS3L-0	M12 BHCS3L-201
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, No kitbox or bag supplied
Article Number	4933480781	4933480782
EAN Code	4058546410667	4058546410674

#### **M18 BBPFP2**

#### M18™ BACK PACK FLUID PUMP GEN2



- New design for improved user comfort and durability
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™
- Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership

M18 BBPFP2-0	M18 BBPFP2-301
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB3 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
4933498961	4933498962
4058546528300	4058546528317
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933498961

#### M<sub>18</sub> BBPFP<sub>2</sub>-WST

#### M18™ SWITCH TANK™ 15L WATER SUPPLY



#### M18 BBPFP2-WST

Article Number	4933498965
EAN Code	4058546528348

M18


M12


#### Fully compatible with SWITCH TANK™ G2

- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank

#### M<sub>18</sub> BBPFP2-CST

#### M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER





M18

Semi-transparent tank with measuring scale to



Article Number	4933498964
EAN Code	4058546528331

#### **M18 FOPH2**

#### M18 FUEL

#### M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™



- 30% increase in power and thermal performance: unlocks unmatched capabilities for superior performance

  3-speed settings with variable speed trigger
- best suited for numerous applications Versatile outdoor power equipment system, powered by a single power head
  Delivers the capability to swap between
- multiple attachments to complete a wide range of applications

	M18 FUPH2-0	M18 F0PH2-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 FB8 Battery packs, M12- 18 FC , No kitbox or bag supplied
Article Number	4933492662	4933492664
EAN Code	4058546414122	4058546414146

#### M<sub>18</sub> FOPHLTKIT<sub>2</sub>

## M18 FUEL

M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT



- $\circ$  30% increase in power and thermal performance: unlocks unmatched capabilities for superior performance

  3-speed settings with variable speed trigger
- best suited for numerous applications
  Versatile outdoor power equipment system,
- powered by a single power head
  Delivers the capability to swap between multiple attachments to complete a wide range of applications

#### M18 FOPHLTKIT2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciaucu	bag supplied
Article Number	4933492663
EAN Code	4058546414139

#### **M18 FOPH2 ATTACHMENTS**



	Name	Description	Article Number	EAN Code
	Hume	Dooripaon	Al dolo Hullipoi	Erit Oddo
1.	M18 FOPH-LTA	QUIK-LOK™ grass trimmer attachment	4932464955	4058546229009
2.	M18 FOPH-HTA	QUIK-LOK <sup>™</sup> hedge trimmer attachment	4932464959	4058546229047
3.	M18 FOPH-CSA	QUIK-LOK™ chainsaw attachment	4932464957	4058546229023
4.	M18 FOPH-EA	QUIK-LOK™ edger attachment	4932464958	4058546229030
5.	M18 FOPH-EXA	QUIK-LOK™ extension attachment	4932464960	4058546229054
6.	M18 FOPH-BCA	QUIK-LOK <sup>™</sup> brush cutter attachment	4932479986	4058546377809
7.	M18 FOPH-RBA	QUIK-LOK <sup>™</sup> rubber broom attachment	4932479984	4058546377786
8.	M18 FOPH-BBA	QUIK-LOK™ bristle brush attachment	4932479985	4058546377793
9.	M18 FOPH-SHTA	QUIK-LOK <sup>™</sup> short hedge trimmer attachment	4932492666	4058546475376
10.	M18 FOPH-CA	QUIK-LOK <sup>™</sup> cultivator attachment	4932492667	4058546475383
11.	M18 FOPH-BA	QUIK-LOK <sup>™</sup> blower attachment	4932492668	4058546475390
12.	M18 FOPH-RA	QUIK-LOK™ reciprocator attachment	4932492669	4058546475406



RUN TIME DATA

APPLICATION	PRODUCT NAME	BATTERY					
M18		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
HEDGE TRIMMERS							
NO LOAD RUN-TIME AT FULL THROTTLE (SIMULATES LIGHT TRIMMING APPLICATION)	M18 FHET60 / M18 FHET45	52 min	56 min	70 min	105 min	140 min	211 min
TRIMMING - HIGH MODE	M18 FOPH-HTA	26 min	35 min	44 min	52 min	70 min	105 min
NO LOAD RUN TIME AT FULL THROTTLE (SIMULATES LIGHT TRIMMING APPLICATION)	M18 FOPH-SHTA	22 min	30 min	37 min	45 min	60 min	90 min
BRUSH CUTTERS							
TRIMMING - HIGH MODE *MEASURED UNDER NO LOAD SPEED, SIMULATES LIGHT GRASS TRIMMING APPLICATION	will the specific	12 min	13 min	16 min	24 min	33 min	49 min
TRIMMING - LOW MODE  "MEASURED UNDER NO LOAD SPEED, SIMULATES LIGHT GRASS TRIMMING APPLICATION	M18 FBCU	22 min	23 min	29 min	44 min	58 min	88 min
TRIMMING - HIGH MODE  NO LOAD RUN-TIME WITH THE BLADE AT FULL  THROTTLE (SIMULATES LIGHT BRUSH TRIMMING)	M18 FOPH-BCA	23 min	30 min	38 min	46 min	61 min	91 min
GRASS TRIMMERS							
TOUR WAY A WAY MADE	M18 BLLT	13 min	17 min	22 min	26 min	35 min	53 min
TRIMMING - HIGH MODE  *MEASURED UNDER NO LOAD SPEED,	M18 FOPH-LTA	12 min	16 min	20 min	24 min	33 min	50 min
SIMULATES LIGHT GRASS TRIMMING APPLICATION	M18 FOPH-RA	11 min	15 min	18 min	22 min	30 min	45 min
TRIMMING -LOW MODE *MEASURED UNDER NO LOAD SPEED,	M18 BLLT	26 min	35 min	43 min	54 min	70 min	105 min
SIMULATES LIGHT GRASS TRIMMING APPLICATION	M18 FOPH-LTA	22 min	29 min	36 min	44 min	59 min	88 min
NO LOAD RUN-TIME AT FULL THROTTLE (SIMULATES LIGHT EDGING APPLICATION)	M18 FOPH-EA	40 min	53 min	66 min	79 min	106 min	160 min
BLOWERS							
TOUGH BLOWING - HIGH MODE	<b>x</b>				15 min	20 min	30 min
MID BLOWING - MID MODE	M18 F2BPB (WITH 4 X M18 BATTERIES)		PTIMISED I GH OUTPU		22 min	30 min	45 min
LOW BLOWING - LOW MODE					30 min	40 min	60 min
TOUGH BLOWING - HIGH MODE	M18 F2BL	OF	TIMISED I	FOR	13 min	18 min	26 min
MID BLOWING - MID MODE	(WITH 2 X M18 BATTERIES)	н	GH OUTPU	JT™	33 min	44 min	66 min
TOUGH BLOWING - HIGH MODE	M18 FBLG3	5 min	6 min	8 min	10 min	13 min	19 min
•	M18 FOPH-BA	4 min	6 min	7 min	9 min	12 min	18 min
CHAINSAWS							
	M18 FCHSC	38 cuts	50 cuts	63 cuts	75 cuts	100 cuts	150 cuts
	M18 FCHS35	38 cuts	50 cuts	63 cuts	75 cuts	100 cuts	150 cuts
LOG CUTTING	M18 FCHS	38 cuts	50 cuts	63 cuts	75 cuts	100 cuts	150 cuts
CUTS IN 10CM CEDAR	M18 FTHCHS30	56 cuts	75 cuts	93 cuts	112 cuts	150 cuts	225 cuts
	M18 FTHCHS35	56 cuts	75 cuts	93 cuts	112 cuts	150 cuts	225 cuts
	M18 FHS20	90 cuts	120 cuts	150 cuts	180 cuts	240 cuts	360 cuts
FORGE					M18 FB6	M18 FB8	M18 FB12
LOG CUTTING CUTS IN 40CM HARDWOOD	M18 F2CHS50 (WITH 2 X M18 BATTERIES)	OF	TIMISED I FORGE™	FOR	12 cuts	16 cuts	24 cuts

# RUN TIME DATA

APPLICATION		PRODUCT NAME	BATTERY					
M18			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
POLE SAWS								
LOG CUTTING CUTS IN 15CM CEDAR	1	M18 FTPS30	17 cuts	23 cuts	29 cuts	35 cuts	46 cuts	70 cuts
PRUNING CUTS IN 7,5CM OAK	X	M18 FOPH-CSA	62 cuts	82 cuts	103 cuts	123 cuts	166 cuts	247 cuts
BRUSHES								
HIGH MODE *MEASURED UNDER LOAD MOVING WOOD		M18 FOPH-BBA	11 min	14 min	18 min	22 min	29 min	43 min
CHIPS AND DIRT AT FULL THROTTLE		M18 FOPH-RBA	9 min	12 min	15 min	18 min	25 min	37 min
LAWN MOWERS								
GRASS CUTTING	MALM	M18 F2LM53 (WITH 2 X M18 BATTERIES)	OF	TIMISED F	FOR	1000 m²	1300 m²	2000 m²
*REMOVING 2.5 CM OF GRASS AT 4.8 KM/H	WI (W) W	M18 F2LM46 (WITH 2 X M18 BATTERIES)	HI	GH OUTPU	I <b>T</b> ™	1200 m²	1600 m²	2400 m²
SHEARS								
BRANCH CUTTING CUTS IN 2.5CM SOFTWOOD	X	M18 BLTS	1000 cuts	1300 cuts	1650 cuts	2000 cuts	2650 cuts	4000 cuts
SPRAYERS								
SPRAYING *NUMBER OF TANKS ON SPEED ONE WHICH IS EQUIVALENT TO LIGHT SPRAYING	1	M18 BPFP-CST	9 tanks	12 tanks	15 tanks	18 tanks	24 tanks	36 tanks
CULTIVATORS								
CULTIVATE - HIGH MODE MEASURED UNDER LOAD TO CULTIVATE SOIL	\$	M18 FOPH-CA	5 min	7 min	9 min	11 min	15 min	22 min

APPLICATION		PRODUCT NAME	BATTERY					
M12			M12 B2	M12 B3	M12 B4	M12 B6	M12 HB2.5	M12 HB5
HATCHET SAWS								
LOG CUTTING CUTS IN 5CM OAK	1	M12 FHS	60 cuts	90 cuts	120 cuts	180 cuts	86 cuts	172 cuts
HEDGE TRIMMERS								
LIGHT TRIMMING *NO LOAD RUN TIME AT FULL THROTTLE (SIMULATES LIGHT TRIMMING APPLICATION)	1/2°	M12 FHT	25 min	37 min	50 min	75 min	36 min	72 min
SPRAYERS								
SPRAYING *FIRST MODE - SPOT SPRAYING	1	M12 BHCS3L	300 litres	450 litres	600 litres	900 litres	431 litres	862 litres
SHEARS								
BRANCH CUTTING CUTS IN 1,25 CM SOFTWOOD	X	M12 BLPRS	1000 cuts	1500 cuts	2000 cuts	3000 cuts	1400 cuts	2800 cuts

# SCAN TO VIEW OUR OPE RANGE



\*Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application.



# MXF TL MX FUEL™ TOWER LIGHT

TRUEVEW

√ ONE TKEY.



#### TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to

#### 20,000 lumens in DC mode for both task and Has the ability to manoeuvre the light heads in

multiple orientations, allowing the user to direct light to wherever it's needed

|--|

Kit included	1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

#### **MXF TLIC** MX FUEL™ COMPACT SITE LIGHT





- TRUEVIEW™ high definition light output with up to 15,000 lumens in AC and DC mode for both task and area lighting Has the ability to manoeuvre the light head,
- allowing the user to direct light to wherever
- Low weight of 17 kg without battery allows for easy transportation across wet and uneven job site terrains with minimum effort

	MXF ILIC-0	MXF ILIC-601
Kit included	No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF FC
Kit ilicidded	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933498075	4933498072
EAN Code	4058546512354	4058546512323

#### M<sub>18</sub> ONESLDP

#### M18

#### M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER

## TRUEVEW



- Optimise brightness and run time by adjusting the light output from 0 - 9000 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KÉY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools.

  ONE-KEY™ also features a remote locking functionality

#### M18 ONESLDP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit included	bag supplied
Article Number	4933459160
EAN Code	4002395287154

#### M<sub>18</sub> ONESLSP

TRUEVEW

M18™ ONE-KEY™ LED COMPACT SITE LIGHT

M18



- ONE-KEY™ tool customisation allows user ONE KEY. to control brightness and set light settings
  - ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking
  - Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens

#### M18 ONESLSP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459155
EAN Code	4002395287109

#### M<sub>18</sub> TAL M18™ TRADESMAN AREA LIGHT

#### M18

M18

#### M18 ONERSAL

#### M18™ ONE-KEY™ LED REMOTE STAND LIGHT





- TRUEVIEW<sup>™</sup> high definition lighting with 2,200 lumens of light output in Area mode and
- 1,000 lumens in Flood mode
  Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting
- Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle

#### M18 TAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464134
EAN Code	4058546220792



Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens

M18

M18

- ONE-KEY<sup>™</sup> tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY<sup>™</sup> tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

#### M18 ONERSAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459431
EAN Code	4059546010029

#### M<sub>18</sub> HOSALC

#### M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER



- 6000 lumens TRUEVIEW™ of High Definition Output
- Up to 10 hours of run time on M18 REDLITHIUM™ 8.0 Ah battery pack
- 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect workplace illumination
- Integrated M18™ charger and 2.1 AMP USB output for USB device charging

M18 HOSALC-0
--------------

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478116
EAN Code	4058546340490

#### **M18 SAL2** M18™ LED STAND LIGHT

**TRUE**VEW<sup>TM</sup>

• TRUEVIEW™ high definition lighting

- Twelve high performance LEDs provides up to 2800 lumens on high light output Impact resistant adjustable head with highly
- durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport

	M18 SAL2-0	M18 SAL2-502B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C , Tool bag
Article Number	4933492486	4933492903
EAN Code	4058546418533	4058546477745

#### M<sub>12</sub> SAL M12™ STAND LIGHT

#### M12

#### M<sub>18</sub> POALC

#### M18™ PACKOUT™ AREA LIGHT CHARGER

M18

M18

# **TRUE**VEW<sup>™</sup>



- TRUEVIEW™ high definition lighting
  12 high performance LEDs provide
- 1400 lumens on high light output Impact resistant adjustable head with highly
- durable polycarbonate lens to withstand drops
- Head can be rotated 210° vertically and pivoted 270° horizontally to have the best perfect workplace illumination

#### M12 SAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NI IIIciuueu	bag supplied
Article Number	4933464823
EAN Code	4058546227685

#### TRUEVEW



- Three independent pivoting light heads provide 3000 lumens of TRUVIEW™ High Definition PACKOUT Output
  - All three pivot light heads combined provide up to 12 hours of run time on a M18<sup>™</sup> REDLITHIUM<sup>™</sup> 5.0 Ah battery pack
  - IP54: water and dust resistant

#### M18 POALC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478120
EAN Code	4058546340537

#### M<sub>12</sub> POAL

#### M12™ PACKOUT™ AREA LIGHT 1400 LUMENS

#### M12



- 1400 Lumens of TRUEVIEW<sup>™</sup> high definition
- IP 54: water and dust resistant
- 3 modes to manage output and run time 300° of horizontal rotation and 180° of vertical rotation for complete light head adjustability
- Storage compartment for devices and small

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933480473
EAN Code	4058546407582

M<sub>18</sub> HOAL

M18™ HIGH OUTPUT AREA LIGHT

#### TRUEVEW



- 4000 lumens TRUEVIEW™ of High Definition
- Output
  Up to 12 hours of run time on M18
- REDLITHIUM ™ 5.0 Ah battery pack
- ∘ 120° rotatable light head and integrated key holes for horizontal and vertical hanging Impact resistant design and durable roll cage to protect the light from rough jobsite conditions

#### M18 HOAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478118
EAN Code	4058546340513

# M18™ LED AREA LIGHT

#### M18

#### **M12 AL** M12™ LED AREA LIGHT

TRUEVEW

M12

#### **TRUE**VEW<sup>™</sup>

Kit included Article Number

EAN Code



- TRUEVIEW™ high definition lighting
   Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights
- Compact roll cage design provides superior durability
- Convenient built-in handle ability to hang vertically or horizontally

No batteries supplied, No charger supplied, Blister



- TRUEVIEW™ high definition lighting
   Five high performance LEDs provide
- 1000 lumens of light output replacing 250 W halogen lights
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces

#### M12 AL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4933451394
EAN Code	4002395158621

#### **M18 PAL2**

#### M18™ PIVOTING AREA LIGHT

#### M18

#### **M12 PAL** M12 ™ PIVOT AREA LIGHT

M12

#### **TRUE**VEW<sup>™</sup>



- $^{\circ}$  TRUEVIEW  $^{\!\scriptscriptstyle{\text{\tiny{M}}}}$  high definition lighting with up to 2,000 lumens
- Up to 24 hours of run time on M18™ 5.0 Ah battery pack
- of 3 modes to manage output and run time Magnetic mounting and up to 7.5 cm clamp
- opening 359° of horizontal rotation and 160° of vertical rotation for complete light head adjustability

#### M18 PAI 2-0

M18 AL-0

4932430392

4002395380534

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933493547
EAN Code	4058546484187

#### TRUEVEW



- TRUEVIEW™ high definition lighting with up to 700 lumens
- Up to 24 hours of run time on M12™ 4.0 Ah battery pack
- With powerful magnets as well as a rotating light head design with 110° rotation in each
- direction to provide multiple beam options Highly durable and impact resistant design to withstand drops up to 3 m

#### M12 PAL-0

Kit included	No batteries supplied, No charger supplied, Blister
Kit iliciuueu	packaging
Article Number	4933478226
EAN Code	4058546344030

#### **M18 ABL** M18™ AREA BOOM LIGHT

#### M18

#### M<sub>18</sub> ALIS M18™ SERVICE AREA LIGHT

#### M18

#### TRUEVEW



- $\circ$  TRUEVIEW  $^{\!\scriptscriptstyle\mathsf{TM}}$  high definition lighting with up to
- Up to 12 hours of run time on M18 B5 battery Designed for the on-the-go needs of
- maintenance and service trades of large vehicles 890° of horizontal rotation and 900° of vertical
- rotation for complete light head adjustability  ${\bf 3}$  modes to manage output

#### M18 ABL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933498147
EAN Code	4058546513078

#### TRUEVEW



- TRUEVIEW™ high definition lighting with up to
- Up to 110 hours of run time on M18™ 5.0 Ah
- battery pack USB-A (15 W) & USB-C (27 W) small device charging
- Integrated rafter hook
   Horizontal and vertical lighting head mobility
- Most compact light on the M18<sup>™</sup> platform

#### M18 ALIS-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933498148
EAN Code	4058546513085

#### M<sub>18</sub> MDTL

#### M18™ MULTI-DIRECTIONAL TASK LIGHT

#### M18

#### M<sub>18</sub> SLED M18™ LED SEARCH LIGHT

M18

#### TRUEVEW



- ∘ TRUEVIEW<sup>™</sup> high definition lighting with up to
- 3 individual light heads for task or area lighting 9 total output modes to manage output or run time
- Magnetic base, integrated hook, and screw holes for optimal surface mounting
- 270° horizontal rotation and 270° vertical articulation
- Integrated handles for easy carrying

#### M18 MDTL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4933498149
EAN Code	4058546513092

#### TRUEVEW



- TRUEVIEW<sup>™</sup> high definition lighting
   Pivoting head provides 1250 lumens with up to 650 m beam distance
- 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in workspace
- Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...

#### M18 SLED-0

bag supplied
4933459159
4002395287147

#### M<sub>12</sub> SLED M12™ LED SPOT LIGHT

#### M12

#### **M18 IL** M18™ LED INSPECTION LIGHT

M18

#### TRUEVEW



- TRUEVIEW<sup>™</sup> high definition lighting Up to 35% longer beam distance than competition - 650 m intense and highly focused beam of light with 750 lumens
- Especially useful for long range identification utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

#### M12 SLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4933451261
EAN Code	4002395170159



- TRUEVIEW<sup>™</sup> high definition lighting
- Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low setting
- Pivoting 45° forward & backward head allows for 180° coverage
- 2 adjustable metal hooks for hanging in vertical and horizontal position
- Thanks to its compact design it operates in locations other lights cannot

#### M18 IL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430564
FAN Code	4002305382255

#### M12 SL M12™ LED STICK LIGHT



#### M12 UCL M12™ UNDERCARRIAGE LIGHT

M12



- TRUEVIEW<sup>™</sup> high definition lighting
   Powerful three LED design provides
- 220 lumens
- Adjustable metal hook allows for light to be hung in multiple orientations when being used Compact design - operates in locations other
- lights cannot
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

#### M12 SI -0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430178
EAN Code	4002395378395

#### TRUEVEW



- $^{\circ}$  TRUEVIEW  $^{\scriptscriptstyle\mathsf{TM}}$  high definition lighting with up to 1,200 Lumens
- Up to 15 hours of run time on M12<sup>™</sup> 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and
- 180° vertically to ensure full undercarriage illumination coverage

#### M12 UCI -0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478868
EAN Code	4058546361501

#### M<sub>12</sub> CML M12™ COLOUR MATCHING LIGHT



#### **M12 UHL** M12™ LED UNDERHOOD LIGHT

M12

# TRUEVEW



- High definition lighting with up to 1000 lumens 98+ colour rendering index for use to identify
- accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant

#### M12 CML-401

Kit included bag supplied	1 x M12 B4 Battery pack, C12 C Charger, No kitbox or bag supplied						
Article Number 4933479366							
EAN Code 4058546371609							

#### TRUEVEW



- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours
- Two light output settings with 1350 and 600 lumens to maximise run time and to
- optimise lighting output  $\mathrm{M}12^{\mathrm{m}}$  4.0 Ah battery provides 4 hours of run time in high and 8 hours of run time in low setting

#### M12 UHL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciaaea	bag supplied
Article Number	4933459432
EAN Code	4058546010935

#### M18 I I M18™ LED LANTERN LIGHT

TRUEVEW



#### TRUEVIEW<sup>™</sup> high definition lighting

- 180° 360° adjustable beam versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance outstanding light output 700 lumens, designed to illuminate large areas
- High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

#### M18 LL-0

Kit included	No batteries supplied, No charger supplied, Blister
Kit iliciaaca	packaging
Article Number	4932430563
EAN Code	4002395382248

#### M12 LL M12™ LED LANTERN LIGHT

M12



- TRUEVIEW<sup>™</sup> high definition lighting
- 180° 360° adjustable beam versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance outstanding light output 400+ lumens, designed to illuminate large areas
- High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices

#### M12 LL-0

Kit included	No batteries supplied, No charger supplied, Blister
Kit included	packaging
Article Number	4932430562
EAN Code	4002395382231



#### M<sub>18</sub> TLED M18™ LED TORCH

M18

#### M<sub>12</sub> TLED M12™ LED TORCH

M12

#### **TRUE**VEW<sup>TM</sup>



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18<sup>™</sup> LED electronics deliver 2x longer run time on a single charge with less heat than
- conventional removable light bulbs
   Sealed aluminium head is designed for impactand weather-resistant durability 135° rotating head allows the user to easily
- direct the light beam at the desired work area Integrated hook for hands-free use

#### M18 TLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430361
EAN Code	4002395380220

#### **TRUE**VEW<sup>TM</sup>



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
   M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact-and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use

#### M12 TLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430360
EAN Code	4002395380213

#### **PERSONAL LIGHTS**

#### **REDLITHIUM™ USB**



		Lumen	Max. run time (h)	IP protection class	Features	Kit included	Article Number	EAN Code
	L4 FL-301	445/ -/ 100/ -	2.5/ -/ 12.5/ -	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479763	4058546375577
10	L4 PWL-301	400/ -/ 100/ 500	3.5/ -/ 11.75/ 3.5	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479765	4058546375591
	L4 FFL-301	550/ 250/ 100/ -	2.5/ 6/ 13.25/ -	IP54	Magnet, Carabiner	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479766	4058546375607
(D)	L4 HL-VIS-301	600/ 400/ 200/ 25/ 400	2.5/ 4.5/ 8.5/ 22/ 4.5	IP53	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479768	4058546375621
	L4 HLRP-301	600/ 350/ 125/ 25	3/ 7.5/ 13/ 28	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479767	4058546375614
	L4 TMLED-301	1100/ 600/ 100/ -	1.5/ 4/ 12/ -	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479769	4058546375638
	L4 FMLED-301	800/ -/ 100/ -	2.5/ -/ 10/-	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479770	4058546375645
	L4 SL550-301	550/ 250 ; 250/ 100	2/ 4.5/ 2/ 5	IP52	Magnet, Hook	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933478869	4058546361518
	L4 NL400-301	400/ 250	2.5/ 8	IP50	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479898	4058546376925
	L4 BOLTHL-301	600/ 400/ 150/ 25	4/ 8/ 14/ 32	IP54	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479902	4058546376963
	L4 HL2-301	600/ 100/ 400/ 100/ 400	5/ 20/ 9/ 14/ 9	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479963	4058546377571
	L4 FL2000-301	2000/ 1300/ 800/ 100	4/ 8/ 24	IP66	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479637	4058546374310
	L4 HSL-301	350	2.5/ 10	IP54	-	1 x L4 B3 Battery pack, USB cable, No kitbox or bag supplied	4933493968	4058546511289

#### **INTERNAL RECHARGEABLE**

#### RECHARGEABLE

	Lumen	Max. run time (h)	run time (h) IP protection class Features		Kit included	Article Number	EAN Code
IR FFL 500		4/ 8/ 12	IP54	Carabiner, Magnet	Integrated battery, USB cable, No kitbox or bag supplied	4933493528	4058546483999
IR HL450	450/ 100/ 250/ 50/ 250	2.5/ 8/ 4/ 14/ 4	IP54	Magnet, Hard hat clips, BOLT™ Low-profile headlamp mount	Integrated battery, USB cable, Blister packaging	4933478587	4058546347802
IR FL500	500 / 100 / 10/ -	3.5 / 16/ 40/ -	IP67	Clip	Integrated battery, USB cable, Blister packaging	4933478586	4058546347796
IR PL250	250/ -/ 50/ -	1.5/ - / 8 / -	IP67	Bite zone, Clip	Integrated battery, USB cable, Blister packaging	4933478705	4058546348984

#### **ALKALINE**



		Lumen	Max. run time (h)	IP protection class	Features	Kit included	Article Number	EAN Code
	IPL-LED	100	3	IP67	Clip, Bite zone	2 x AAA Batteries, Blister packaging	4933459440	4058546011017
1	ML-LED	325/ -/ 25/ -	5/ -/ 18/ -	IP67	Clip	3 x AAA Batteries, Blister packaging	4933464825	4058546227708
	FL-LED	300/ -/ 100/ -	5/ -/ 16/ -	IP54	Magnet, Clip	2 x AA Batteries, Blister packaging	4933464824	4058546227692
	HL-SF	450/ 350/ 150/ 25/ 350	2/ 4/ 10/ 26/ 4	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471388	4058546290160
	ISHL-LED	310/ 235/ 155/ 25/ 155	4/ 6/ 10/ 40/ 8	IP64	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, No kitbox or bag supplied	4933478112	4058546340452
	HL2-LED	350/ 150/ 25/ -	4/ 8.5/ 28/ -	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471286	4058546289140





#### **BATTERIES**







		Description	Charge time M18 PC6/ MPC6 AC charger	Charge time M18 DBSC/ MDBSC AC charger	Charge time M12-18 FC charger	Charge time M12-18 C charger	Charge time M12-18 AC charger	Charge time M1418C6 charger	Charge time M18 DFC charger	Charge time C12 C charger	Charge time M12 TC2 charger	Charge time M12 C4 charger	Charge time L4 C charger	Article number	EAN Code
- To .	M18 FB12	M18™ FORGE™ 12.0 Ah battery	130 min	45 min	130 min	250 min	285 min	270 min	130 min	-	-	-	-	4932492651	4058546414016
-	M18 FB8	M18 <sup>™</sup> FORGE <sup>™</sup> 8.0 Ah battery	87 min	45 min	87 min	167 min	190 min	190 min	87 min	-	-	-	-	4932492131	4058546414986
Manage de la constant	M18 FB6	M18 <sup>™</sup> FORGE <sup>™</sup> 6.0 Ah battery	60 min	25 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932492533	4058546419004
	M18 HB5.5	M18™ HIGH OUTPUT™ 5.5 Ah battery	60 min	35 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932464712	4058546226572
	M18 HB3	M18™ HIGH OUTPUT™ 3.0 Ah battery	36 min	36 min	36 min	65 min	75 min	70 min	36 min	-	-	-	-	4932471069	4058546286972
5-14	M18 B5	M18™ 5.0 Ah battery	59 min	59 min	59 min	100 min	100 min	100 min	59 min	-	-	-	-	4932430483	4002395381449
	M18 B5-CR	M18™ 5.0 Ah battery	59 min	59 min	59 min	100 min	100 min	100 min	59 min	-	-	-	-	4932479265	4058546370596
47.00	M18 B4	M18™ 4.0 Ah battery	52 min	52 min	52 min	80 min	80 min	80 min	52 min	-	-	-	-	4932430063	4002395377244
	M18 B2	M18™ 2.0 Ah battery	26 min	26 min	26 min	40 min	40 min	40 min	26 min	-	-	-	-	4932430062	4002395377237
	M12 HB5	M12™ 5.0 Ah HIGH OUTPUT™ battery pack	-	-	75 min	110 min	110 min	-	-	110 min	300 min	110 min	-	4932480165	4058546404505
	M12 HB2.5	M12™ 2.5 Ah HIGH OUTPUT™ battery pack	-	-	40 min	55 min	55 min	-	-	55 min	150 min	55 min	-	4932480164	4058546404499
Bet W.	M12 B6	M12™ 6.0 Ah battery	-	-	95 min	130 min	165 min	-	-	130 min	347 min	130 min	-	4932451395	4002395158638
44.98	M12 B4	M12™ 4.0 Ah battery	-	-	52 min	80 min	115 min	-	-	80 min	240 min	80 min	-	4932430065	4002395377268
	M12 B3	M12™ 3.0 Ah battery	-	-	50 min	70 min	90 min	-	-	70 min	174 min	70 min	-	4932451388	4002395157969
Ď	M12 B2	M12™ 2.0 Ah battery	-	-	26 min	40 min	55 min	-	-	40 min	120 min	40 min	-	4932430064	4002395377251
all	L4 B3	3.0 Ah REDLITHIUM™ USB battery	-	-	-	-	-	-	-	-	-	-	120 min	4933478311	4058546345020

#### **CHARGERS**









		Description	Charging ports	Charge type	Power source	Carry handle	Wall mountable	Article Number	EAN Code
	M18 MPC6	M18™ mobile PACKOUT™ six bay rapid charger	6 x M18™	Simultaneous	AC			4932498551	4058546524203
	M18 PC6	M18™ PACKOUT™ six bay rapid charger	6 x M18™; 1 x USB	Simultaneous	AC, USB		•	4932480162	4058546404475
	M18 MDBSC	M18 <sup>™</sup> mobile dual bay super charger	2 x M18™	Simultaneous	AC	-	•	4932498557	4058546524265
	M18 DBSC	M18™ dual bay super charger	2 x M18™	Simultaneous	AC	-	V	4932492531	4058546418984
	M12-18 FC	M12 <sup>™</sup> - M18 <sup>™</sup> fast charger	1 x M12 <sup>™</sup> , 1 x M18 <sup>™</sup>	Sequential	AC	-	V	4932451079	4002395810581
	M12-18 C	M12 <sup>™</sup> - M18 <sup>™</sup> charger	1 x M12 <sup>™</sup> , 1 x M18 <sup>™</sup>	Sequential	AC	-	V	4932352959	4002395376179
	M12-18 AC	M12 <sup>™</sup> -M18 <sup>™</sup> car charger	1 x M12 <sup>™</sup> , 1 x M18 <sup>™</sup>	Sequential	DC	-	V	4932459205	4002395287208
	M18 DFC	M18 <sup>™</sup> dual bay rapid charger	2 x M18™	Simultaneous	AC	-	V	4932472073	4058546324698
	M1418 C6	M14 <sup>™</sup> - M18 <sup>™</sup> multibay charger	6 x M14 <sup>™</sup> or 6 x M18 <sup>™</sup>	Sequential	AC	V	V	4932430086	4002395377473
	C12 C	M12 <sup>™</sup> charger	1 x M12™	Single	AC	-	V	4932352000	4002395366606
W.	M12 TC2-0	M12 <sup>™</sup> compact charger and power source 2	1 x M12™	Single	AC, USB	-	2	4932492908	4058546477790
	M12 C4	M12 <sup>™</sup> 4 bay charger	4 x M12™	Sequential	AC	-	•	4932430554	4002395382156



# CONSTRUCTION



## **BREAKERS**

		Tool reception	Power input (W)	Blow energy (EPTA)(	J) No load speed (rpm)	Full load hammer action (bpm)	Full load speed (soft hammer) (rpm)
1.	K 2628 H	K-Hex	2400	64	-	1200	-
2.	K 1530 H	K-Hex	2100	39		1560	
3.	K 1528 H	K-Hex	2100	39		1560	
4.	K 1000 S	SDS-Max	1750=	26		1400 - 1950	
5.	K 950 S	SDS-Max	1700	20	125 - 250	975 - 1950	125 - 250
6.	K 900 K	K-Hex	1600	20 -		975 - 1950	
6.	K 900 S	SDS-Max	1600	20	-	975 - 1950	-
	HAC0850	SDS-Max	1470	11.0		1600 - 2900	210 - 385
8.	K 750 S	SDS-Max	1550	11.9	300	2740	240
9.	K 545 S	SDS-Max	1300	8.5	450	2840	350
10.	K 540 S	SDS-Max	1100	7.5	450	3000	430
11.	K 500 S	SDS-Max	1300	8.5	-	2840	2200
12.	PCE 3/K	SDS-Plus	720	3.6	-	0 - 3650	-

# **COMBI HAMMERS**



		Tool reception	Power input (W)	Blow energy (EPTA)(J	Full load hammer action (bpm)	Full load speed (rpm)	Max. drilling concrete (mm)
1.	PLH 32 XE	SDS-Plus + Reduced shank 13 mm	900	3.8	0 - 4500	0 - 800	32
2.	PLH 28 E	SDS-Plus	800	4.1	0 - 4000	0 - 1000	28
2.	PLH 28 XE	SDS-Plus + Reduced shank 13 mm	800	4.1	0 - 4000	0 - 1000	28
3.	PH 30 POWER X	SDS-Plus + Reduced shank 13 mm	1030	3.6	0 - 3800	0 - 850	30
4.	PH 28	SDS-Plus	820	3.4	0 - 4000	0 - 900	28
4.	PH 28 X	SDS-Plus + Reduced shank 13 mm	820	3.4	0 - 4000	0 - 900	28
	PH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26
5.	PH 26 TX	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26
6.	PFH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26
7.	PFH 26	SDS-Plus	725	2.4	0 - 4500	0 - 1250	26







Max. drilling solid bit (mm)		Max. drilling core bit (mm)	Vibration drilling (m/s²)	Vibration chiseling (m/s²)	Weight (kg)	Supplied in	Article Number	EAN Code
-	-	-	-	6.2	25.7	No kitbox or bag supplied	4933471685	4058546295844
-	-	-	-	8.4	16.8	Plastic case	4933464117	4058546220624
-	-	-	-	8.8	17.2	Plastic case	4933464118	4058546220631
-	-	-	-	6.7	12.7	Plastic case	4933464120	4058546220655
50	80	150	12.5	11	11.8	Kitbox	4933375710	4002395232031
				11	11.0	Kitbox	4933375650	4002395231614
-	-	-	-	11	11.0	Kitbox	4933375720	4002395232048
	65	150		11	9.7	Kitbox	4933498603	4058546524722
50	80	150	9.5	9.1	8.2	Kitbox	4933398600	4002395235193
45	65	100	13	9	6.7	Kitbox	4933398200	4002395234073
40	65	105	16.8	16.7	6.3	Kitbox	4933418100	4002395238422
				11.5	6.3	Kitbox	4933398220	4002395234059
				11	3.7	Kitbox	4933384300	4002395232215


Max. drilling steel (mm)	Max. drilling wood (mm)	) Vibration drilling (m/s²)	Vibration chiseling (m/s²)	FIXTECTM	Weight (kg)	Supplied in	Article Number	EAN Code
16	40	22	20	Yes	3.6	Kitbox	4933400069	4002395233342
13	40	10.6	6.8	No	3.4	Kitbox	4933446790	4002395005482
13	40	10.6	6.8	Yes	3.6	Kitbox	4933446800	4002395005499
13	40	22	14	Yes	2.9	Kitbox	4933396420	4002395234967
13	30	22	16	No	2.7	Kitbox	4933396396	4002395234936
13	30	22	16	Yes	2.9	Kitbox	4933396392	4002395234943
13	30	13.6	11.9	No	2.4	Kitbox	4933464580	4058546225254
13	30	13.6	11.9	Yes	2.6	Kitbox	4933464579	4058546225247
13	30	13.6	11.9	No	2.4	Kitbox	4933464581	4058546225261
13	30	13.5	-	No	2.4	Kitbox	4933428230	4002395239832



## **ROTARY DRILLS AND DRIVERS**















Max. drilling steel (mm)	Max. drilling wood (mm)	Max. static stalling torque (Nm)	Weight (kg)	Supplied in	Article Number	EAN Code
16	50	57	4.2	No kitbox or bag supplied	4933380507	4002395227280
16	40	60	3.0	Kitbox	4933419595	4002395238651
13	40	56	2.9	Kitbox	4933419570	4002395238613
13	30	15	1.9	No kitbox or bag supplied	4933431955	4002395243914
13	40	59	2.0	Kitbox	4933409206	4002395235339
13	30	21	1.8	Kitbox	4933409200	4002395235322
13	38	94	2.0	No kitbox or bag supplied	030250	4002395229642
13	38	94	2.0	Kitbox	4933428550	4002395241576
13	40	59	2.1	Kitbox	4933409194	4002395235346

# AGV 15 DEC 1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



	AGV 15-125 XC DEC-SET
Article Number	4933448025
EAN Code	4002395006816

#### AGV 15 DEG 1550 W ANGLE GRINDER WITH DUST MANAGEMENT



	AGV 15-125 XC DEG-SET	AGV 15-125 XE DEG-SET
Article Number	4933448035	4933448830
EAN Code	4002395006830	4002395263424

#### AGV 12 DEG 1200 W ANGLE GRINDER WITH DUST MANAGEMENT



	AGV 12-125 X DEG-SE1
Article Number	4933448030
EAN Code	4002395006823

#### AGV 12 DEC 1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



 AGV 12-125 X DEC-SET

 Article Number
 4933448020

 EAN Code
 4002395006809

#### WCS 45 1900 W 150 MM (45 MM DOC) WALL CHASER



 WCS 45

 Article Number
 4933383350

 EAN Code
 4002395229086

#### WCE 30 1500 W 125 MM (30 MM DOC) WALL CHASER



	WCE 30	
Article Number	4933383855	
EAN Code	4002395228980	_



# METAL WORKING

# ANGLE GRINDERS



		Power input (W)	No load speed (rpm)	Disc diameter (mr	n)Weight (kg)	Switch type	Brake	Anti-kickback protection
1.	AGVM 26-230 GEX	2600	6600	230	5.8	Trigger lock-on switch	No	Yes
1.	AGVM 26-230 GEX DMS	2600	6600	230	5.8	Deadman switch	No	Yes
2.	AGV 26-230 GE	2600	6600	230	5.5	Trigger lock-on switch	No	No
2.	AGV 26-230 GE DM	S 2600	6600	230	5.5	Deadman switch	No	No
3.	AGVM 24-230 GEX	2400	6600	230	5.8	Trigger lock-on switch	No	Yes
3.	AGVM 24-230 GEX DMS	2400	6600	230	5.8	Deadman switch	No	Yes
4.	AGVKB 24-230 EKX	2400	6500	230	5.9	Trigger lock-on switch	Yes	Yes
5.	AGVK 24-230 EK	2400	6600	230	5.4	Trigger lock-on switch	No	Yes
5.	AGVK 24-230 EK DMS	2400	6600	230	5.4	Deadman switch	No	Yes
6.	AGV 24-230 GE	2400	6600	230	5.5	Trigger lock-on switch	No	No
7.	AG 24-230 E	2400	6600	230	5.3	Trigger lock-on switch	No	No
7.	AG 24-230 E DMS	2400	6600	230	5.3	Deadman switch	No	No
8.	AGV 22-180 E	2200	8500	180	5.3	Trigger lock-on switch	No	No
8.	AGV 22-230 E	2200	6600	230	5.4	Trigger lock-on switch	No	No
8.	AGV 22-230 DMS	2200	6600	230	5.4	Deadman switch	No	No
9.	AG 22-180 DMS	2200	8500	180	5.1	Deadman switch	No	No
9.	AG 22-230 DMS	2200	6600	230	5.2	Deadman switch	No	No
10.	AGV 17-125 XE	1750	2600 - 11,000	125	2.8	Trigger lock-on switch	No	Yes
10.	AGV 17-125 XC	1750	11,000	125	2.8	Trigger lock-on switch	No	Yes
10.	AGV 17-125 XC DM	S1750	11,000	125	2.8	Deadman switch	No	Yes
10.	AGV 17-150 XC DM	S1750	9500	150	3.0	Deadman switch	No	Yes
10.	AGV 17-180 XC DM	S1750	7600	180	3.1	Deadman switch	No	Yes
11.	AGV 17-125 INOX	1750	2000 - 7600	125	2.8	Trigger lock-on switch	No	Yes
12.	AGV 15-125 XC	1550	11,000	125	2.6	Slide lock-on switch	ı No	Yes
12.	AGV 15-125 XE	1550	2800 - 11,000	125	2.6	Slide lock-on switch	ı No	Yes
12.	AGV 15-150 XC	1550	9000	150	2.6	Slide lock-on switch	ı No	Yes
13.	AGV 13-125 XE	1250	2,800 - 11,500	125	2.4	Slide lock-on switch	ı No	Yes
14.	AGV 13-125 XSPDE		12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes
14.	AGV 13-125 XSPDE KIT	B 1250	12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes
15.	AGV 13-125 XSPDE	1250	12,000	125	2.5	Paddle (Deadman) switch	No	Yes
16.	AG 13-125 XSPD	1250	12,000	125	2.3	Paddle (Deadman) switch	No	No
17.	AGV 12-125 X	1200	11,000	125	2.4	Slide lock-on switch	ı No	Yes
18.	AGV 10-125 EK	1000	11,000	125	2.2	Slide lock-on switch	ı No	No
19.	AG 10-115 EK	1000	11,000	115	2.1	Slide lock-on switch	ı No	No
19.	AG 10-125 EK	1000	11,000	125	2.1	Slide lock-on switch	ı No	No
20.	AG 800-125 EK	800	11,500	125	2.0	Slide lock-on switch	1 No	No
21.	AG 800-115 E	800	11,500	115	2.0	Slide lock-on switch	1 No	No
21.	AG 800-125 E	800	11,500	125	2.0	Slide lock-on switch	1 No	No
21.	AG 800-115 E D-SE	T800	11,500	115	2.0	Slide lock-on switch	1 No	No
			For further to	echnical specification	ns including noise an	d vibration data inleas	e visit our website: w	ww.milwaukeetool.eu

# SCAN HERE FOR MORE INFORMATION



FIXTEC™	AVS Anti-Vibration System	AVS side handle	Rotatable main handle	Autobalancer system	Line lock out function	Supplied in	Article Number	EAN Code
Yes	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402365	4002395234271
Yes	Yes	-	Yes	Yes	No	No kitbox or bag supplied	4933402495	4002395234394
No	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402360	4002395234257
No	Yes	-	Yes	Yes	No	No kitbox or bag supplied	4933402490	4002395234356
Yes	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402340	4002395234240
Yes	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402475	4002395234370
Yes	Yes	Yes	Yes	No	Yes	No kitbox or bag supplied	4933471464	4058546293635
No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451413	4002395161683
No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451414	4002395161690
No	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402330	4002395234226
No	No		No	No	Yes	No kitbox or bag supplied	4933402325	4002395234219
No	No		No	No	No	No kitbox or bag supplied	4933402450	4002395234325
No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431820	4002395243839
No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431850	4002395243860
No	Yes	Yes	No	No	No	No kitbox or bag supplied	4933431860	4002395243877
No	No	No	No No	No	No No	No kitbox or bag supplied	4933431830	4002395243846
No	No	No	No	No	No No	No kitbox or bag supplied	4933433630	4002395244423
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432230	4002395243983
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933449850	4002395247295
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933455140	4002395247905
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432250	4002395243990
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432270	4002395244003
Yes	No			No	Yes	No kitbox or bag supplied	4933449870	4002395247912
Yes	No			No	Yes	No kitbox or bag supplied	4933428120	4002395239641
Yes	No			No	Yes	No kitbox or bag supplied	4933428127	4002395239658
		Voe						
Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933433250	4002395244164
Yes	Yes	Yes			Yes	No kitbox or bag supplied	4933451218	4002395260850
Yes	No	Yes			Yes	No kitbox or bag supplied	4933464998	4058546229436
Yes	No	Yes			Yes	Kitbox	4933471194	4058546288228
Yes	No	Yes			Yes	No kitbox or bag supplied	4933451578	4002395140794
Yes	No				No	No kitbox or bag supplied	4933451577	4002395140787
Yes	No	Yes			Yes	No kitbox or bag supplied	4933428085	4002395239597
No	No				Yes	No kitbox or bag supplied	4933451222	4002395260898
No	No				Yes	No kitbox or bag supplied	4933451219	4002395260867
No	No				Yes	No kitbox or bag supplied	4933451220	4002395260874
No	No				Yes	No kitbox or bag supplied	4933451213	4002395260805
No	No				Yes	No kitbox or bag supplied	4933451210	4002395260171
No	No				Yes	No kitbox or bag supplied	4933451211	4002395260188

#### **AGS 15-125 C**

1500 W GRINDER/SANDER



	AGS 15-125 C
attala Novadana	4000407400

Article Number 4933407480 EAN Code 4002395236015

AS 12 E 1200 W SANDER WITH ELECTRONIC VARIABLE SPEED



١c	1	2	Е	

Article Number	4933383940
EAN Code	4002395229390

#### **AP 14-2 200 E**

1450 W POLISHER



#### AP 14-2 200 E AP 14-2 200 E KIT

tandard equipment	Side handle, flexible backing pad	Side pad, spor ing 8
	pad	ing

handle, flexible backing soft & hard polishing onge, lambswool pad, sand-& finishing compound, cloth

4933493427 Article Number 4933432800 4002395001156 4058546482985

#### **AP 12 E**

1200 W POLISHER WITH **ELECTRONIC VARIABLE SPEED** 



Λ	D	12	Е

Article Number	4933383925
EAN Code	4002305220406

#### DGL 34

SINGLE HIGH SPEED 2-HANDED **DIE GRINDER** 



DCI	24

	Dul or	
Article Number	4933385110	
EAN Code	4002395230020	

#### **DGL 30 E**

VARIABLE SPEED 2-HANDED DIE **GRINDER** 



DGL	30	Ε

Article Number	4933385120
EAN Code	4002395230037

**DG 30 E** 

**VARIABLE SPEED SINGLE HANDED DIE GRINDER** 



nc	20	_	

Article Number	4933385100
EAN Code	4002395230013

#### **DG 7 E**

LOW SPEED DIE GRINDER



2	-	-	

Article Number	4933391200
EAN Code	4002395231928

#### **MCS 66**

DRY CUT METAL CIRCULAR SAW



MCS 66
--------

Article Number	4933440615
EAN Code	4002395000432

#### **BS 125**

DEEP CUT BAND SAW



BS 125

Article Number	4933448245
EAN Code	4002395262830

#### **CHS 355**

2300 W CHOPSAW



**CHS 355** 

Article Number	4933411760
EAN Code	4002395236220

#### **DE 10 RX**

630 W SINGLE HIGH SPEED ROTARY DRILL



DE 10 RX

Article Number	4933409211
EAN Code	4002395235353

#### **MDE 41**

**MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET** 



MDE 41

Article Number	4933451015
ALLICIE INUITIDEI	4303401010
EAN Code	4002395136681

#### **MDP 41**

MAGNETIC DRIILING PRESS WITH **PERMANENT MAGNET** 



MDP 41

Article Number	4933451014
EAN Code	4002395136674

#### SCAN HERE FOR MORE INFORMATION






# WOODWORKING

# SCAN HERE FOR MORE INFORMATION



# **SAWZALL**<sup>™</sup>




		Power input (W)	No load stroke rate (spm)	Stroke length (mm	) Weight (kg)	Supplied in	Article Number	EAN Code
	SSPE 1500 X	1500	0 - 2800	32	4.5	Kitbox	4933428900	4002395241699
2.	SSPE 1300 RX	1300	0 - 3000	32	4.2	Kitbox	4933440590	4002395001095
3.	SSPE 1300 SX	1300	0 - 2800	32	3.9	Kitbox	4933428520	4002395241545
4.	SSD 1100 X	1100	0 - 2900	28	3.2	Kitbox	4933416710	4002395237623

# **JIGSAWS**



		Power input (W)	No load stroke rate (spm)	Max. cutting capacity wood/ steel/ aluminium (mm)	Mitre capacity (°)	Stroke lengt (mm)	<sup>h</sup> Weight (kg)	Supplied in	Article Number	EAN Code
	FSPE 110 X	710	500 - 3000	120/ 10/ 30	45	26	2.5	Kitbox	4933357990	4002395229185
2.	JSPE 135 TX	750	800 - 3000	135/ 10/ 30	45	26	2.5	Kitbox	4933381230	4002395232529

# **CIRCULAR SAWS**



		Power input (W)	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 90° (mm)	Bore size (mm)	Weight (kg)	Supplied in Article Number EAN Code		
1.	CS 85 SB	2200	4500	235	50	67	85	30	6.6	No kitbox or bag supplied	4933451117	4002395137411
2.	CS 85 CBE	2200	4500	235	60	67	85	30	7.7	Kitbox	4933451116	4002395137404
3.	SCS 65 Q	1900	5800	190	0 - 45	52	65	30	5.5	Kitbox	638051	4002395229529
4.	CS 60	1600	5800	184	0 - 56	49	61	30	4.8	No kitbox or bag supplied	4933419225	4002395238361



# **SANDERS**



		Power input (V	V) No load speed (rpm)	Oscillation rate (opm)	Oscillation diameter (mm)	Sanding pad size (mm)	Weight (kg)	Supplied in	Article Number	EAN Code
	BS 100 LE	1150	230 - 400			100 x 160	5.3	No kitbox or bag supplied	4933385150	4002395229222
2.	ROS 125 E	300	7000 - 12,000	14,000 - 26,000	2.4	125	1.7	Tool bag	4933433180	4002395244010
3.	SPS 140	260	14,700	28,000	1.6	113 x 105	1.6	No kitbox or bag supplied	4933447015	4002395005826





# **DUST EXTRACTORS**



			Power input (W)	Air volume (I/min)	Filter type	Max. vacuum (mbar)	Capacity (I)	Hose diameter (mm)	Hose length (m)	Weight (kg)	Supplied in	Article Number	EAN Code
		AS 42 MAC	1200	4500	PTFE	250	42	38	4	17.5	No kitbox or bag supplied	4933459418	4058546010799
	2.	AS 30 MAC	1200	4500	PTFE	250	30	38	4	14.5	No kitbox or bag supplied	4933459415	4058546010768
	3.	AS 30 LAC	1200	4500	PTFE	250	30	36	4	14.5	No kitbox or bag supplied	4933459411	4058546010720
)	4.	AS 2-250 ELCP	1000	3600	PET	210	25	32	3.5	10.4	No kitbox or bag supplied	4933447480	4002395006274
	5.	AS 2-250EM	1200	3720	PTFE	245	25	32	4	8.0	No kitbox or bag supplied	4933493593	4058546484644
	6.	AS 2-250EH	1200	3720	PTFE	245	25	32	4	8	No kitbox or bag supplied	4933493595	4058546484668



 RCS

 Article number
 4932478965

 EAN code
 4058546362478



# RCO REMOTE SOCKET CONTROLLER RCO Article Number 4932479620 EAN Code 4058546374143

# MILWAUKEE® IS THE SOLUTIONS PROVIDER

# **ACCESSORIES**



# HAND TOOLS





OVER

3000

SOLUTIONS



OVER

1400

SOLUTIONS

# STORAGE



PPE





OVER

180

SOLUTIONS



OVER

1000

SOLUTIONS




# SYSTEM ATTACHMENTS

#### **SYSTEM ATTACHMENTS - VIBRATORS**

#### SYSTEM ATTACHMENTS - CONCRETE VIBRATOR WHIPS

		Description	Slabs MXF CVBP	Slabs MXF CVBC	Footings MXF CVBP	Footings MXF CVBC	Columns MXF CVBP	Columns MXF CVBC	Walls MXF CVBP	Walls MXF CVBC	Article Number	EAN Code
a.	MXF CVS-2 m	Vibrator shaft 2 m	<b>///</b>	٠	<i>\\\</i>	V	×	×	×	×	4932478611	4058546348045
b.	MXF CVS-3 m	Vibrator shaft 3 m	VVV	`	<i>///</i>	<i>,</i>	~	V	~	~	4932479612	4058546374068
C.	MXF CVS-4 m	Vibrator shaft 4 m	~	~	V	v	<i>、、、</i>	vv	VVV	VVV	4932478610	4058546348038
d.	MXF CVS-6.4 m	Vibrator shaft 6.4 m	×	<i>\\</i>	×	VVV	×	vvv	×	<b>///</b>	4932479613	4058546374075



#### **SYSTEM ATTACHMENTS - CONCRETE VIBRATOR HEADS**

		Description	Diameter (mm)	Article Number	EAN Code
a.	MXF CVH-25 mm	Vibrator head 25 mm	25	4932479839	4058546376338
b.	MXF CVH-38 mm	Vibrator head 38 mm	38	4932478612	4058546348052
C.	MXF CVH-50 mm	Vibrator head 50 mm	50	4932478613	4058546348069
d.	MXF CVH-63 mm	Vibrator head 63 mm	63	4932479840	4058546376345



#### **SYSTEM ATTACHMENTS - HIGH SPEED CONCRETE VIBRATOR**

- To choose the perfect head diameter you must consider the needed radius of influence as well as
- the distance between the rebar 
  MILWAUKEE® provides a range of different sizes to give you the perfect solution for every

		Description	Diameter (mm)	Length (m)	Article Number	EAN Code
a.	MXF CVSHF-2/44	Vibrator shaft 2 m/ 44 mm	44	2	4932498135	4058546512958
b.	MXF CVSHF-5/44	Vibrator shaft 5 m/ 44 mm	44	5	4932498136	4058546512965
c.	MXF CVSHF-10/44	Vibrator shaft 10 m/ 44 mm	44	10	4932498137	4058546512972
d.	MXF CVSHF-2/57	Vibrator shaft 2 m/ 57 mm	57	2	4932498917	4058546527860
e.	MXF CVSHF-5/57	Vibrator shaft 5 m/ 57 mm	57	5	4932498138	4058546512989
f.	MXF CVSHF-10/57	Vibrator shaft 10 m/ 57 mm	57	10	4932498139	4058546512996



application

#### **SYSTEM ATTACHMENTS - PLATE COMPACTOR**

		Description	Features	Article Number	EAN Code
a.	MXF PC50 PP	Paver pad for MX FUEL™ plate compactor	Installation tool mounts directly onto the compactor for quick and easy access     Dual direction compaction on bricks, pavers, and patio stones     For use with the MX FUEL™ Plate Compactor (MXF PC50)	4932493273	4058546481445
b.	MXF PC50 WK	Wheel kit for MX FUEL™ plate compactor	Wheel kit for easy maneuverability     For use with the MX FUEL™ Plate Compactor (MXF PC50)	4932493274	4058546481452
C.	MXF PC50 WT	Water tank for MX FUEL™ plate compactor	13 litre water tank with quick-release attachment     Adjustable flow rate dial for easy control and optimised water flow     For use with the MX FUEL™ Plate Compactor (MXF PC50)	4932498924	4058546527938



#### **SYSTEM ATTACHMENTS - SCREED**

- Our screed blades have an extra rigid, double triangle design to transmit consistent vibrations Our screed blades have an extra rigid, double triangle design to transmit consistent vibrations across the length of the bar, with minimal variability
   Constructed from lightweight magnesium to reduce the weight of the screed
   The screed blade utilises a clamp design with no holes through the bar, allowing you to quickly attach the blade at any point on the machine
   Blade lengths from 1.22 m up to 4.87 m
   Compatible with the MX FUEL™ Screed

		Description	Length (m)	Weight (kg)	Article Number	EAN Code
a.	MXF PSB-1.22m	Screed blade for MX FUEL™ screed (MXF PSC) - 1.22 m	1.22	3.6	4932479776	4058546375706
b.	MXF PSB-1.83m	Screed blade for MX FUEL™ screed (MXF PSC) - 1.83 m	1.83	5.5	4932479777	4058546375713
C.	MXF PSB-2.44m	Screed blade for MX FUEL™ screed (MXF PSC) - 2.44 m	2.44	7.3	4932479778	4058546375720
d.	MXF PSB-3.00m	Screed blade for MX FUEL™ screed (MXF PSC) - 3.0 m	3.00	9.1	4932479779	4058546375737
e.	MXF PSB-3.65m	Screed blade for MX FUEL™ screed (MXF PSC) - 3.65 m	3.65	10.9	4932479780	4058546375744
f.	MXF PSB-4.25m	Screed blade for MX FUEL™ screed (MXF PSC) - 4.25 m	4.25	12.8	4932479781	4058546375751
g.	MXF PSB-4.87m Screed blade for MX FUEL™ screed (MXF PSC) - 4.87 m		4.87	14.6	4932479782	4058546375768
h.	MXF PSCA	MX FUEL™ screed bar adapter to L-shape	-	-	4932499258	4058546564223

# (a) **b** 0 (1) (e) (f) == 9

#### **SYSTEM ATTACHMENTS - TROWEL**

		Description	Fits Milwaukee trowel	Article Number	EAN Code
a.	MXF WBT60P	Pan for MX FUEL™ 600 mm walk behind edging trowel	MXF WBT60	4932498919	4058546527884
b.	MXF WBT60CB	4 pc blade set for MX FUEL™ 600 mm walk behind edging trowel	MXF WBT60	4932498918	4058546527877
C.	MXF WBT90P	Pan for MX FUEL™ 900 mm walk behind power trowel	MXF WBT90	4932498921	4058546527907
d.	MXF WBT90CB	4pc blade set for MX FUEL™ 900 mm walk behind power trowel	MXF WBT90	4932498920	4058546527891
e.	MXF WBT90FIB	4 pc finish blade set for MX FUEL™ 900 mm walk behind power trowel	MXF WBT90	4932498923	4058546527921
f.	MXF WBT90FLB	4 pc float blades for MX FUEL™ 900 mm walk behind power trowel	MXF WBT90	4932498922	4058546527914





#### **SYSTEM ATTACHMENTS - PIPE THREADER**

		Description	Features	Article Number	EAN Code	a	<b>A</b>	
a.	Reamer cone for MX FUEL™ pipe threading machine 2" with ONE-KEY™	Reamer cone for MX FUEL™ pipe threading machine 2" with ONE-KEY™	Replacement cone for the MX FUEL™ pipe threading machine 2" with ONE-KEY™     Durable metal construction     Removes inner pipe burs     Easy replacement process	49165105	045242833634			
b.	Pipe cutter wheel for MX FUEL™ pipe threading machine 2" with ONE-KEY™	Pipe cutter wheel for MX FUEL™ pipe threading machine 2" with ONE-KEY™	Black oxide coated For use in black iron pipe, rigid metal conduit, galvanized steel, and stainless steel SSSi2Mn steel One pack contains 4x cutter wheels	48361401	045242745920	ъ	00 00	
C.	Threading jaw inserts for	Threading jaw inserts for PVC coated pipes	Standard threading jaws for steel pipes     Special threading jaws for PVC coated pipes     Jaw inserts are sold in packages of 6 for	49165102	045242771288	©	66	0
d.	MXF PTR2	Threading jaw inserts for pipes	replacement of all inserts in the front and backside	49165104	045242833627		00	
e.	Pipe theader adapter kit for Ridgid 11-R	Pipe theader adapter kit for Ridgid	∘ Adapter kit for M18 FPT2, pipe threader ∘ Small adapter for sizes ¹/₅" up to 1-¹/₄" ∘ Large adapter for 1-¹/₂" up to 2"	4932478838	4058546361204	(e)	6	
f.	Pipe theader adapter kit for REMS	Pipe theader adapter kit for REMS	Adapter kit for M18 FPT2, pipe threader Small adapter for sizes '/s" up to 1-1/4" Large adapter for 1-1/2" up to 2"	4932478839	4058546361211	•	6	
g.	Pipe theader adapter kit for Rothenberger	Pipe theader adapter kit for Rothenberger	Adapter kit for M18 FPT2, pipe threader     Small adapter for sizes 1/8" up to 1-1/4"     Large adapter for 1-1/2" up to 2"	4932478840	4058546361228	9	9	o <b>-</b> -
h.	Pipe threader oil	Mineral threading oil, 5 litre		4932493462	4058546483333	h	-	<b>W</b>
i.		Synthetic threading oil, 5 litre	threads  Mineral Based oil not for use on drink water lines	4932493463	4058546483340		55.E	80+

#### **SYSTEM ATTACHMENTS - PIPE THREADER DIES**

- High performance threader dies ensure perfect threads and long lasting performance in combination with the MILWAUKEE® threaders
- Dies are available in two types of thread geometries: BSPT (British Standard Pipe Taper) and NPT (National Taper Pipe)


  Dies are available in two diferent grades: Alloy dies for long lasting performance on black and galvanised pipes and HS dies for best performance on stainless steel pipes

  One set contains 4 single cutting dies that are needed to equip one die head

		Туре	Thread size (inch)	Fits Milwaukee pipe threader	Article Number	EAN Code
	FPTD 1/2" NPT HS	NPT HS	1/2	M18 FPT114,M18 FPT2	48361107	045242608713
	FPTD 3/4" NPT HS	NPT HS	3/4	M18 FPT114,M18 FPT2	48361108	045242608720
	FPTD 1" NPT HS	NPT HS	1	M18 FPT114,M18 FPT2	48361109	045242608737
a.	FPTD 11/4" NPT HS	NPT HS	1 - 1/4	M18 FPT114,M18 FPT2	48361110	045242608744
	FPTD 11/2" NPT HS	NPT HS	1 - 1/2	M18 FPT114,M18 FPT2	48361111	045242608751
	FPTD 2" NPT HS	NPT HS	2	M18 FPT114,M18 FPT2	48361112	045242608768
	FPTD 1/2" BSPT Alloy	BSPT Alloy	1/2	M18 FPT114,M18 FPT2	4932480227	4058546405120
	FPTD 3/4" BSPT Alloy	BSPT Alloy	3/4	M18 FPT114,M18 FPT2	4932480228	4058546405137
b.	FPTD 1" BSPT Alloy	BSPT Alloy	1	M18 FPT114,M18 FPT2	4932480229	4058546405144
D.	FPTD 11/4" BSPT Alloy	BSPT Alloy	1 - 1/4	M18 FPT114,M18 FPT2	4932480230	4058546405151
	FPTD 11/2" BSPT Alloy	BSPT Alloy	1 - 1/2	M18 FPT114,M18 FPT2	4932480231	4058546405168
	FPTD 2" BSPT Alloy	BSPT Alloy	2	M18 FPT114,M18 FPT2	4932480232	4058546405175
	FPTD 1/2" BSPT HS	BSPT HS	1/2	M18 FPT114,M18 FPT2	4932480233	4058546405182
	FPTD 3/4" BSPT HS	BSPT HS	3/4	M18 FPT114,M18 FPT2	4932480234	4058546405199
	FPTD 1" BSPT HS	BSPT HS	1 M18 FPT114,M18		4932480235	4058546405205
C.	FPTD 11/4" BSPT HS	BSPT HS	1 - 1/4	M18 FPT114,M18 FPT2	4932480236	4058546405212
	FPTD 11/2" BSPT HS	BSPT HS	1 - 1/2	M18 FPT114,M18 FPT2	4932480237	4058546405229
	FPTD 2" BSPT HS	BSPT HS	2	M18 FPT114,M18 FPT2	4932480238	4058546405236
	PTR2D 1/2" - 3/4" NPT HSS	NPT HSS	1/2 - 3/4	MXF PTR2	48361205	045242745876
d.	PTR2D 1" - 2" NPT HSS	NPT HSS	1 - 2	MXF PTR2	48361206	045242745906
	PTR2D 1/2" - 3/4" BSPT Alloy	BSPT Alloy	1/2 - 3/4	MXF PTR2	4932492924	4058546477950
e.	PTR2D 1" - 2" BSPT Alloy	BSPT Alloy	1 -2	MXF PTR2	4932492925	4058546477967
,	PTR2D 1/2" - 3/4" BSPT HS	BSPT HS	1/2 - 3/4	MXF PTR2	4932492926	4058546477974
f.	PTR2D 1" - 2" BSPT HS	BSPT HS	1 - 2	MXF PTR2	4932492927	4058546477981
	PTR2D 1/2" - 3/4" BSPT HSS	BSPT HSS	1/2 - 3/4	MXF PTR2	4932492928	4058546477998
g.	PTR2D 1" - 2" BSPT HSS	BSPT HSS	1 - 2	MXF PTR2	4932492929	4058546478001









#### **SYSTEM ATTACHMENTS - PIPE THREADER DIE HEADS**

- ° Up to 50% lighter than competitive die heads ° Available sizes from ¹/₂" up to 2" ° Die heads always include a set of BSPT alloy dies

		Description	Fits Milwaukee pipe threader	Thread size (inch)	Туре	Article Number	EAN Code
	FPT2H 1/2" BSPT Alloy	FPT2H ½ BSPT Alloy	M18 FPT2	1/2	BSPT Alloy	4932480239	4058546405243
	FPT2H 3/4" BSPT Alloy	FPT2H 3/4" BSPT Alloy	M18 FPT2	3/4	BSPT Alloy	4932480240	4058546405250
	FPT2H 1" BSPT Alloy	FPT2H 1" BSPT Alloy	M18 FPT2	1	BSPT Alloy	4932480241	4058546405267
a.	FPT2H 1-1/4" BSPT Alloy	FPT2H 11/4" BSPT Alloy	M18 FPT2	11/4	BSPT Alloy	4932480242	4058546405274
	FPT2H 1-1/2" BSPT Alloy	FPT2H 11/2" BSPT Alloy	M18 FPT2	11/2	BSPT Alloy	4932480243	4058546405281
	FPT2H 2" BSPT Alloy	FPT2H 2" BSPT Alloy	M18 FPT2	2	BSPT Alloy	4932480244	4058546405298
	FPT114H 1/2" BSPT Alloy	FPT2H 1/2" BSPT Alloy	M18 FPT114	1/2	BSPT Alloy	4932480245	4058546405304
	FPT114H 3/4" BSPT Alloy	FPT2H 1/2" BSPT Alloy	M18 FPT114	3/4	BSPT Alloy	4932480246	4058546405311
b.	FPT114H 1" BSPT Alloy	FPT2H 1/2" BSPT Alloy	M18 FPT114	1	BSPT Alloy	4932480247	4058546405328
	FPT114H 1-1/4" BSPT Alloy	FPT2H 1/2" BSPT Alloy	M18 FPT114	11/4	BSPT Alloy	4932480248	4058546405335
C.	FPT2HK BSPT Alloy	FPT2HK BSPT alloy PACKOUT™ head kit (6pc)	M18 FPT2	<sup>1</sup> / <sub>2</sub> ", <sup>3</sup> / <sub>4</sub> ", 1", 1 <sup>1</sup> / <sub>4</sub> ", 1 <sup>1</sup> / <sub>2</sub> ", 2"	BSPT Alloy	4932480249	4058546405342
d.	FPT114HK BSPT Alloy	FPT114HK BSPT alloy PACKOUT™ head kit (4pc)	M18 FPT114	1/2″, 3/4″, 1″, 11/4″	BSPT Alloy	4932480250	4058546405359
	PTR2 DH NPT	NPT die head for MX FUEL™ pipe threading machine 2"	MXF PTR2	1/2"-2"	NPT	49165100	045242771264
e.	PTR2 DH BSPT	BSPT die head for MX FUEL™ pipe threading machine 2"	MXF PTR2	1/2"-2"	BSPT	49165103	045242810109












#### **SYSTEM ATTACHMENTS - MAGNETIC DRILL STANDS**



# SYSTEM ATTACHMENTS - WET DIAMOND DRILLING

	Description	Fits DD3-152	Fits DCM2-250C & DCM2-350C	Fits MXF DCD150	Fits MXF DCD350	Article Number	EAN Code	(a)
a	Fixing kit	v	v	v	v	4932399731	4002395363827	40
	1 3/6" open ended spanner. For holding the motor output spindle while removing a core bit		~			49964705	045242222766	•
	32 mm ended spanner. For holding the motor output spindle while removing a core bit.	~				4931428009	4002395844791	0
	41 mm open ended spanner. For removing the core bit from the motor spindle.	V	~		~	4931428010	4002395844807	©
b	Fixtec release. Suitable for all diamond motors with $1^1\!\! N_s$ spindle reception. Prevents the core bit from locking itself too tight onto the machine spindle. The core bits can then be released and removed with minimum effort		V			4932352053	4002395367108	•
	1 1/4" female to 1/2" female adaptor: To enable the connection of <50 mm diamond core bits on a 1 1/4 machine spindle thread	v	V		v	4932352627	4002395372850	(9)
C	1 1/4" female / male extention rod, length 300 mm	v	~	v	~	4932399724	4002395363759	Milwankee
	1 1/4" female / male extention rod, length 500 mm	~	~	v	~	4932399725	4002395363766	
d	Telescopic extention. Extension pole used to fix drill rig to the ground instead of anchor bolts. Maximum load of 500 kg and adjustable extension height from 1.8-2.9 m		V	V		4932399732	4002395363834	•
e	Vacuum pump VP6	_	_	_	_	4932352094	4002395367474	
f	Vacuum plate. Replacement rubber seal 4931428665	_				4932352676	4002395373345	© <b>S</b>
g	WT 10 watertank	~	V	V	~	4932399726	4002395363773	
h	Water collection ring: For use with drill rig DR 152 T.	For use with max. Ø	152 mm core bits			4932352677	4002395373352	
	Replacement rubber ring for DR 152 T					4932352678	4002395373369	<b>b</b>
	Water collection ring: max. Ø 180 mm			~		4932399727	4002395363780	
	Replacement rubber ring for DR 250 TV			~		4932399729	4002395363803	•
	Water collection ring: For use with drill rig DR 350 T.	For use with max. Ø	300 mm core bits			4932399728	4002395363797	
	Replacement rubber ring for DR 350 T					4932399730	4002395363810	•
j	Spacer block T = 50 mm. Needs to be mouted between drill rig and motor cores > 250 mm and max. 350 mm. Included in drill rig DR 350 T		v			4932399736	4002395363872	€
k	Quick connection motor mounting plate. Included in both drill rigs DR 250 TV and DR 350 T		~			4932399733	4002395363841	
	Water collection ring: For universal use with diamond drilling tools. For use with max. Ø 152 mm core bits	~	~	~	~	4932478073	4058546340063	



# **SYSTEM ATTACHMENTS - DRAIN CLEANERS**

	Description	Fits drain cleaners M12BDC6, M12 BDC8	Fits drain cleaners M18 FDCPF8, M18 FDCPF10	Fits drain cleaners M18 FFSDC16, M18 FFSDC13, M18 FFSDC10	Fits drain cleaners MXF LSDP	Article Number	EAN Code	
Open wind spiral SD	16 mm x 15.2 m open wind coupling end			v		48532775	045242513109	0
	6 mm x 7.6 m inner core bulb head	V				48532573	045242471270	
	8 mm x 7.6 m inner core drop head	V				48532572	045242364206	0
	6 mm x 7.6 m inner core drop head	v				48532574	045242471287	
	6 mm x 10.6 m inner core bulb head		v			48532671	045242482740	
	6 mm x 15.2 m inner core bulb head		V			48532672	045242482757	_
	8 mm x 7.6 m inner core bulb head	V				48532571	045242364213	$\bigcap$
Tight wind spiral HH	8 mm x 10.6 m inner core bulb head		v			48532673	045242482764	
	8 mm x 15.2 m inner core bulb head		v			48532674	045242482771	
	10 mm x 10.6 m inner core coupling end		v			48532675	045242482788	
	8 mm x 7.6 m inner core bulb head drum	V				48532581	045242480586	
	8 mm x 7.6 m inner core drop head drum	V				48532582	045242480593	1179
	6 mm x 7.6 m inner core bulb head drum	V				48532583	045242480609	(f) (see 10)
	6 mm x 7.6 m inner core drop head drum	v				48532584	045242480616	
	8 mm x 23 m inner core bulb head			V		48532772	045242513079	
	10 mm x 15.2 m inner core coupling end			V		48532773	045242513086	
	· -			v		48532774	045242513000	
	13 mm x 15.2 m inner core coupling end			<u> </u>	v			
	16 mm x 7.6 m inner core coupling end					4932471701	4058546296001	
Tight wind spiral SD	16 mm x 15.2 m inner core coupling end				V	4932471702	4058546296018	
	20 mm x 7.6 m inner core coupling end				<i>v</i>	4932471703	4058546296025	
	20 mm x 15.2 m inner core coupling end				V	4932471704	4058546296032	
	16 mm anchor cable coupling end				V	4932471707	4058546296063	
	16 mm x 60 cm leader cable coupling end				~	4932471708	4058546296070	
	20 mm x 600 mm leader cable coupling end				~	4932471709	4058546296087	
Bulb auger HH	Small bulb auger for 10, 13, 16 mm cables		~	V		48532681	045242503803	
C-cutter HH	Small C cutter for 10, 13, 16 mm cables		~	V		48532684	045242503834	-
C-cutter SD	Medium C cutter for 10, 13, 16 mm cables		~	V		48532789	045242006137	)
Chain knocker SD	75 mm chain knocker for 16, 20 mm cables				~	48532837	4058546323448	
Chain knocker SD	100 mm chain knocker for 16, 20 mm cables				V	48532838	4058546323455	-
Drop head HH	Small drop head for 10, 13, 16 mm cables		V	V		48532682	045242503810	Did.
Drop head SD	Medium drop head for 10, 13, 16 mm cables		V	V		48532787	045242006113	-um,
Furnal auran CD	Funnel auger for 16, 20 mm cables				V	48532831	4058546323387	
Funnel auger SD	Medium funnel auger for 10, 13, 16 mm cables		V	V		48532786	045242006106	= manual /
Head kit HH	Small 5 pc head kit for 10, 13, 16 mm cables		V	V		48532685	045242503841	97160
	Medium 5 pc head kit for 10, 13, 16 mm cables		V	V		48532790	045242006144	
Head kit SD	9 pc head kit 16, 20 mm cables				v	48532840	4058546296131	place Add LTD
	Small opening tool for 16, 20 mm cables				~	48532835	4058546323424	•
Opening tool SD	Medium opening tool for 16, 20 mm cables				V	48532836	4058546323431	- 8
	75 mm root cutter for 16, 20 mm cables				v	48532832	4058546323394	-
Root cutter SD	100 mm root cutter for 16, 20 mm cables				v	48532833	4058546323400	
Hoot cutter 3D	150 mm root cutter for 16, 20 mm cables				v	48532834	4058546323417	
Spade bit HH	Small spade bit for 10, 13, 16 mm cables		V	V		48532683	045242503827	
Spade bit HH Spade bit SD	Medium spade bit for 10, 13, 16 mm cables		v	V		48532683	045242503827	1020
Straight auger SD	Straight auger for 16, 20 mm cables				v	48532830	4058546323370	===wwwww/
ou augus augus au						10002000	1000010020010	
SWITCH PACK <sup>TM</sup> autofeed	SWITCH PACK™ auto feed for M18 FFSDC series			V		4932471993	4058546298920	
SWITCH PACK™ guidehose	Guide hose for SWITCH PACK™ auto feed			V		4932471994	4058546298937	
SWITCH PACK <sup>TM</sup> base plate autofeed	Base plate for SWITCH PACK™ auto feed			V		4932478225	4058546344023	•
SWITCH PACK™ drum	SWITCH PACK™ drum for M18 FFSDC series			V		4932464277	4058546222222	
MX drum guide hose	Guide hose for MXFLSDP				v	4932478110	4058546340421	$\Box$
Pin key	Pin key for all cables		V	V	V	4932471717	4058546296162	<u> </u>
	.,	l	l	L	L			$\sim$

# SYSTEM ATTACHMENTS - SECTIONAL SEWER MACHINES

	Description	Fits sewer machine M18 FCSSM	Fits sewer machine M18 FSSM	Article Number	EAN Code	
	16 mm x 2.3 m open wind coupling end	V		4932478413	4058546346041	
	16 mm x 2.3 m open wind inner core coupling	~		4932478414	4058546346058	
	22 mm x 4.5 m open wind inner core coupling end	~	V	4932478415	4058546346065	
Open wind spiral SM	22 mm x 4.5 m open wind coupling end	~	~	4932471712	4058546296117	
	22 mm x 4.5 m open wind coupling end kit	V	V	4932471713	4058546296124	
	32 mm x 4.5 m open wind coupling end		~	4932471710	4058546296094	
	32 mm x 4.5 m open wind heavy duty coupling end		~	4932471711	4058546296100	
December of CM	Drop head bulb 16 mm cables	~		48533811	4058546346133	and a septime
Drop head SM	Drop head straight 16 mm cables	~		48533812	4058546346126	THE RESIDENCE OF THE PARTY OF T
	Funnel auger for 16 mm cables	~		48533813	4058546346140	
	Small funnel auger for 22 mm cables	V	V	48533828	4058546346089	/Mass
Funnel auger SM	Medium funnel auger for 22 mm cables	V	V	48533831	4058546323479	untermental de l
	Funnel auger for 32 mm cables		V	48534831	4058546323561	
	Extra small opening tool for 16 mm cables	v		48533814	4058546346157	
	Small opening tool for 16 mm cables	v		48533815	4058546346164	
	Small opening tool for 22 mm cables	V	v	48533827	4058546346096	
Opening tool SM	Small opening tool for 22 mm cables	v	v	48533835	4058546323516	(5)
	Medium opening tool for 22 mm cables	V	V	48533836	4058546323523	164
	Small opening tool for 32 mm cables		~	48534835	4058546323608	
	Medium opening tool for 32 mm cables		V	48534836	4058546323615	
	Spring cleaner for 16 mm cables	V		48533816	4058546346171	
Spring cleaner SM	Spring cleaner for 22 mm cables	V	V	48533826	4058546346102	
	50 mm root cutter for 22 mm cables	V	V	48533825	4058546346119	
	75 mm root cutter for 22 mm cables	V	V	48533832	4058546323486	
	100 mm root cutter for 22 mm cables	v	v	48533833	4058546323493	
Root cutter SM	150 mm root cutter for 22 mm cables	V	V	48533834	4058546323509	
	75mm root cutter for 32 mm cables		v	48534832	4058546323578	- 1
	100 mm root cutter for 32 mm cables		v	48534833	4058546323585	
	150 mm root cutter for 32 mm cables		v	48534834	4058546323592	
	Small straight auger for 22 mm cables	V	V	48533829	4058546346072	
Straight auger SM	Medium straight auger for 22 mm cables	V	V	48533830	4058546323462	and the second
_ <u> </u>	Straight auger for 32 mm cables		V	48534830	4058546323554	
	75 mm chain knocker for 22 mm spirals	V	V	48533837	4058546323530	
	100 mm chain knocker 22 mm cables	V	V	48533838	4058546323547	
Chain knocker SM	75 mm chain knocker for 32 mm spirals		V	48534837	4058546323622	
	100 mm chain knocker 32 mm cables		V	48534838	4058546323639	4 4
	9pc head kit for 22 mm cables	v	v	48533840	4058546296148	
Head kit SM	9pc head kit for 32 mm cables		·	48534839	4058546296155	SHARE THE
Small guide hose	Small guide hose for FCSSM	V		4932478410	4058546346010	
Medium guide hose	Medium guide hose for FCSSM	<i>'</i>		4932478409	4058546346003	$\mathcal{O}_{-}$
Large guide hose	Large guide hose for FSSM		<i>V</i>	4932471720	4058546296193	
	Cable drum for 16mm spirals	<i>'</i>		4932478412	4058546346034	
Cable drum	Cable drum for 22mm spirals  Cable drum for 32mm spirals	<i>'</i>	<i>v</i>	4932478411 4932471719	4058546346027 4058546296186	
Dr. J						
Pin key	Pin key for all cables	·	V	4932471717	4058546296162	



# SYSTEM ATTACHMENTS - PRESS JAWS

	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	12	M12	J12-M12	-	4932430243	4002395379040
			M12 HPT, M12 ONEHPT	15	M12	J12-M15	-	4932430245	4002395379064
			M12 HPT, M12 ONEHPT	18	M12	J12-M18	-	4932430247	4002395379088
a.			M12 HPT, M12 ONEHPT	22	M12	J12-M22	-	4932430249	4002395379101
			M12 HPT, M12 ONEHPT	28	M12	J12-M28	-	4932430251	4002395379125
			M12 HPT, M12 ONEHPT	35	M12	J12-M35	-	4932430253	4002395379149
			M18 HPT, M18 BLHPT	12	M18	J18-M12	-	4932430244	4002395379057
		Geberit: Mapress	M18 HPT, M18 BLHPT	15	M18	J18-M15	-	4932430246	4002395379071
		VSH: X-Press	M18 HPT, M18 BLHPT	18	M18	J18-M18	-	4932430248	4002395379095
	l <sub>M</sub>	Eurotubi Raccorderie Metallique	M18 HPT, M18 BLHPT	22	M18	J18-M22	-	4932430250	4002395379118
b.	IVI	Rubinetterie Bresciane	M18 HPT, M18 BLHPT	28	M18	J18-M28	-	4932430252	4002395379132
		Sanha: Nirosan	M12 HPT	35	M18	J18-M35	-	4932430254	4002395379156
		Pegler Yorkshire	M18 HPT, M18 BLHPT	42	M18	RJ18-M42	RJA-1	4932430255	4002395379163
			M18 HPT, M18 BLHPT	54	M18	RJ18-M54	RJA-1	4932430256	4002395379170
			M18 HPT, M18 BLHPT	-	-	RJA-1	-	4932430307	4002395379682
			M18 BLHPTXL	76.1	M18	RJ18XL-M76,1	RJAXL-1	4932479458	4058546372521
			M18 BLHPTXL	88.9	M18	RJ18XL-M88,9	RJAXL-1	4932479459	4058546372538
c.			M18 BLHPTXL	108	M18	RJ18XL-M108	RJAXL-1 & RJAXL-2	4932479460	4058546372545
			M18 BLHPTXL	-	M18	RJAXL-1	-	4932479451	4058546372453
			M18 BLHPTXL	-	M18	RJAXL-2	-	4932479452	4058546372460







	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	12	M12	J12-V12	-	4932430260	4002395379217
			M12 HPT, M12 ONEHPT	14	M12	J12-V14	-	4932451660	4002395273423
			M12 HPT, M12 ONEHPT	15	M12	J12-V15	-	4932430262	4002395379231
_			M12 HPT, M12 ONEHPT	16	M12	J12-V16	-	4932451661	400239527343
a.			M12 HPT, M12 ONEHPT	18	M12	J12-V18	-	4932430264	400239537925
			M12 HPT, M12 ONEHPT	22	M12	J12-V22	-	4932430266	400239537927
			M12 HPT, M12 ONEHPT	28	M12	J12-V28	-	4932430268	400239537929
			M12 HPT, M12 ONEHPT	35	M12	J12-V35	-	4932430270	400239537931
			M18 HPT, M18 BLHPT	12	M18	J18-V12	-	4932430261	400239537922
			M18 HPT, M18 BLHPT	14	M18	J18-V14	-	4932471086	405854628714
		Viega	M18 HPT, M18 BLHPT	15	M18	J18-V15	-	4932430263	400239537924
	٧	Comap   IBP	M18 HPT, M18 BLHPT	16	M18	J18-V16	-	4932471087	405854628715
		Sanha: Nirosan	M18 HPT, M18 BLHPT	18	M18	J18-V18	-	4932430265	400239537926
			M18 HPT, M18 BLHPT	22	M18	J18-V22	-	4932430267	400239537928
			M18 HPT, M18 BLHPT	28	M18	J18-V28	-	4932430269	400239537930
b.			M18 HPT, M18 BLHPT	35	M18	J18-V35	-	4932430271	400239537932
			M18 HPT, M18 BLHPT	42	M18	RJ18-V42	RJA-1	4932430272	400239537933
			M18 HPT, M18 BLHPT	54	M18	RJ18-V54	RJA-1	4932430273	400239537934
			M18 HPT, M18 BLHPT	-	M18	RJA-1	-	4932430307	400239537968
			M18 BLHPT, M18 ONEBLHPT	76.1	M18	RJ18-V76.1	RJAV-2	4932479455	405854637249
			M18 BLHPT, M18 ONEBLHPT	88.9	M18	RJ18-V88.9	RJAV-2	4932479456	405854637250
			M18 BLHPT, M18 ONEBLHPT	108	M18	RJ18-V108	RJAV-2	4932479457	405854637251
			M18 BLHPT, M18 ONEBLHPT	-	M18	RJAV-2	-	4932479604	405854637398



**b** 



	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	14	M12	J12-U14	-	4932430291	400239537952
			M12 HPT, M12 ONEHPT	16	M12	J12-U16	-	4932430293	4002395379545
			M12 HPT, M12 ONEHPT	18	M12	J12-U18	-	4932430295	400239537956
a.			M12 HPT, M12 ONEHPT	20	M12	J12-U20	-	4932430297	400239537958
		ALB Uponor: Unipipe, Airpipe Kan: Kan-therm	M12 HPT, M12 ONEHPT	25	M12	J12-U25	-	4932430299	4002395379606
			M12 HPT, M12 ONEHPT	32	M12	J12-U32	-	4932430301	400239537962
			M12 HPT, M12 ONEHPT	40	M12	J12-U40	-	4932430303	400239537964
		Wavin: Press-Systeme Frankische: Alpex F50	M18 HPT, M18 BLHPT	14	M18	J18-U14	-	4932430292	400239537953
	U	Profi	M18 HPT, M18 BLHPT	16	M18	J18-U16	-	4932430294	400239537955
		DW Verbundrohr Multitubo	M18 HPT, M18 BLHPT	18	M18	J18-U18	-	4932430296	400239537957
		IBP:>B <flex< td=""><td>M18 HPT, M18 BLHPT</td><td>20</td><td>M18</td><td>J18-U20</td><td>-</td><td>4932430298</td><td>400239537959</td></flex<>	M18 HPT, M18 BLHPT	20	M18	J18-U20	-	4932430298	400239537959
h		KE Kelit: Kelit Kelox	M18 HPT, M18 BLHPT	25	M18	J18-U25	-	4932430300	400239537961
b.	Jupiter: Heizsystem	Jupiter: Heizsystem	M18 HPT, M18 BLHPT	32	M18	J18-U32	-	4932430302	400239537963
			M18 HPT, M18 BLHPT	40	M18	RJ18-U40	RJA-1	4932430304	400239537965
			M18 HPT, M18 BLHPT	50	M18	RJ18-U50	RJA-1	4932430305	400239537966
			M18 HPT, M18 BLHPT	63	M18	RJ18-U63	RJA-1	4932430306	400239537967
	İ		M18 HPT M18 BI HPT	_	M18	R.IΔ-1	_	4932430307	400239537968





## WWW.MILWAUKEETOOL.EU @ MILWAUKEETOOLEU

	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	16	M12	J12-G16	-	4932464217	4058546221621
			M12 HPT, M12 ONEHPT	20	M12	J12-G20	-	4932464218	4058546221638
a.			M12 HPT, M12 ONEHPT	26	M12	J12-G26	-	4932464219	4058546221645
			M12 HPT, M12 ONEHPT	32	M12	J12-G32	-	4932464220	4058546221652
			M12 HPT, M12 ONEHPT	40	M12	J12-G40	-	4932464221	4058546221669
	G	Geberit: Mepla & Mepla Therm	M18 HPT, M18 BLHPT	16	M18	J18-G16	-	4932464544	4058546224899
		11101111	M18 HPT, M18 BLHPT	20	M18	J18-G20	-	4932464545	4058546224905
b.			M18 HPT, M18 BLHPT	26	M18	J18-G26	-	4932464546	4058546224912
D.			M18 HPT, M18 BLHPT	32	M18	J18-G32	-	4932464547	4058546224929
		M18 HPT, M18 BLHPT	40	M18	J18-G40	-	4932464548	4058546224936	
			M18 HPT, M18 BLHPT	50	M18	J18-G50	-	4932464549	4058546224943





	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	14	M12	J12-TH14	-	4932430274	4002395379354
			M12 HPT, M12 ONEHPT	16	M12	J12-TH16	-	4932430276	4002395379378
			M12 HPT, M12 ONEHPT	18	M12	J12-TH18	-	4932430278	4002395379392
١.			M12 HPT, M12 ONEHPT	20	M12	J12-TH20	-	4932430280	4002395379415
a.			M12 HPT, M12 ONEHPT	25	M12	J12-TH25	-	4932430282	4002395379439
			M12 HPT, M12 ONEHPT	26	M12	J12-TH26	-	4932430283	4002395379446
		ALB	M12 HPT, M12 ONEHPT	32	M12	J12-TH32	-	4932430285	4002395379460
		Comap	M12 HPT, M12 ONEHPT	40	M12	J12-TH40	-	4932430287	4002395379484
		Frankische	M18 HPT, M18 BLHPT	14	M18	J18-TH14	-	4932430275	4002395379361
	TH	Henco (nur TH14 - TH25 )	M18 HPT, M18 BLHPT	16	M18	J18-TH16	-	4932430277	4002395379385
		IPA	M18 HPT, M18 BLHPT	18	M18	J18-TH18	-	4932430279	4002395379408
		Sanha	M18 BLHPT, M18 HPT	20	M18	J18-TH20	-	4932430281	4002395379422
		Tiemme	M18 HPT, M18 BLHPT	25	M18	J18-TH25	-	4932430355	4002395380169
b.			M18 HPT, M18 BLHPT	26	M18	J18-TH26	-	4932430284	4002395379453
			M18 HPT, M18 BLHPT	32	M18	J18-TH32	-	4932430286	4002395379477
			M18 BLHPT, M18 HPT	40	M18	RJ18-TH40	RJA-1	4932430288	4002395379491
			M18 HPT, M18 BLHPT	50	M18	RJ18-TH50	RJA-1	4932430289	4002395379507
			M18 HPT, M18 BLHPT	63	M18	RJ18-TH63	RJA-1	4932430290	4002395379514
			M18 HPT, M18 BLHPT	-	M18	RJA-1	-	4932430307	4002395379682





	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	1/2"	M18	J18-MP <sup>1</sup> / <sub>2</sub> "	-	4932479442	4058546372361
			M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	3/4"	M18	J18-MP <sup>3</sup> / <sub>4</sub> "	-	4932479443	4058546372378
			M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	1″	M18	J18-MP1"	-	4932479444	4058546372385
a.	a.		M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	1 1/4"	M18	RJ18-MP1 1/4"	RJA-1	4932479445	4058546372392
	MP	Viega: Mega Press	M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	1 1/2"	M18	RJ18-MP1 1/2"	RJA-1	4932479446	4058546372408
			M18 BLHPT, M18 ONE- BLHPT, M18 BLHPTXL	2"	M18	RJ18-MP2"	RJA-1	4932479447	4058546372415
			M18 BLHPTXL	2 1/2"	M18	RJ18XL-MP2 1/2"	RJAXL-1	4932479448	4058546372422
١.			M18 BLHPTXL	3″	M18	RJ18XL-MP3"	RJAXL-1	4932479449	4058546372439
b.			M18 BLHPTXL	4"	M18	RJ18XL-MP4"	RJAXL-1	4932479450	4058546372446
			M18 BLHPTXL	-	M18	RJAXL-1	-	4932479451	4058546372453





	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
a.			M12 HPT, M12 ONEHPT	16-40	M12	J12-FF 16-40 Geberit	-	4932480981	4058546412661
b.	FF	Geberit FlowFit	M18 BLHPT, M18 ONEBLHPT	16-40	M18	J18-FF 16-40 Geberit	-	4932480982	4058546412678
D.			M18 BLHPT, M18 ONEBLHPT	50-75	M18	J18-FF 50-75 Geberit	-	4932480983	4058546412685







# SYSTEM ATTACHMENTS - PRESS JAWS

	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	12	M12	J12-M12 Geberit	-	4932480879	4058546411640
			M12 HPT, M12 ONEHPT	15	M12	J12-M15 Geberit	-	4932480880	4058546411657
			M12 HPT, M12 ONEHPT	18	M12	J12-M18 Geberit	-	4932480881	4058546411664
a.			M12 HPT, M12 ONEHPT	22	M12	J12-M22 Geberit	-	4932480882	4058546411671
			M12 HPT, M12 ONEHPT	28	M12	J12-M28 Geberit	-	4932480883	4058546411688
			M12 HPT, M12 ONEHPT	35	M12	J12-M35 Geberit	-	4932480884	4058546411695
			M18 BLHPT, M18 ONEBLHPT	12	M18	J18-M12 Geberit	-	4932480885	4058546411701
	M	Geberit: Mapress	M18 BLHPT, M18 ONEBLHPT	15	M18	J18-M15 Geberit	-	4932480886	4058546411718
b.			M18 BLHPT, M18 ONEBLHPT	18	M18	J18-M18 Geberit	-	4932480887	4058546411725
J.			M18 BLHPT, M18 ONEBLHPT	22	M18	J18-M22 Geberit	-	4932480888	4058546411732
			M18 BLHPT, M18 ONEBLHPT	28	M18	J18-M28 Geberit	-	4932480889	4058546411749
			M18 BLHPT, M18 ONEBLHPT	35	M18	J18-M35 Geberit	-	4932480890	4058546411756



**b** 



	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	16	M12	J12-G16 Geberit	-	4932480891	4058546411763
			M12 HPT, M12 ONEHPT	20	M12	J12-G20 Geberit	-	4932480892	4058546411770
a.			M12 HPT, M12 ONEHPT	26	M12	J12-G26 Geberit	-	4932480893	4058546411787
			M12 HPT, M12 ONEHPT	32	M12	J12-G32 Geberit	-	4932480894	4058546411794
			M12 HPT, M12 ONEHPT	40	M12	J12-G40 Geberit	-	4932480895	4058546411800
			M18 BLHPT, M18 ONEBLHPT	16	M18	J18-G16 Geberit	-	4932480896	4058546411817
			M18 BLHPT, M18 ONEBLHPT	20	M18	J18-G20 Geberit	-	4932480897	4058546411824
	G	Geberit: Mepla & Mepla Therm	M18 BLHPT, M18 ONEBLHPT	26	M18	J18-G26 Geberit	-	4932480898	4058546411831
b.			M18 BLHPT, M18 ONEBLHPT	32	M18	J18-G32 Geberit	-	4932480899	4058546411848
U.			M18 BLHPT, M18 ONEBLHPT	40	M18	J18-G40 Geberit	-	4932480900	4058546411855
			M18 BLHPT, M18 ONEBLHPT	50	M18	J18-G50 Geberit	-	4932480901	4058546411862
			M18 BLHPT, M18 HPT	63	M18	RJ18-G63 Geberit	-	4932480966	4058546412517
			M18 BLHPT, M18 HPT	75	M18	RJ18-G75 Geberit	-	4932480967	4058546412524
			M18 BLHPT, M18 HPT	-	M18	RJA Geberit	-	4932480968	4058546412531



**b** 



	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT	1/4"	M12	J12-BMP ¼"	-	4932493155	4058546480264
			M12 HPT, M12 ONEHPT	3/8"	M12	J12-BMP 3/8"	-	4932493156	4058546480271
		M12 HPT, M12 ONEHPT	1/2"	M12	J12-BMP ½"	-	4932493157	4058546480288	
			M12 HPT, M12 ONEHPT	5%"	M12	J12-BMP %"	-	4932493158	405854648029
a.			M12 HPT, M12 ONEHPT	3/4"	M12	J12-BMP 3/4"	-	4932493159	405854648030
			M12 HPT, M12 ONEHPT	7/8"	M12	J12-BMP 7/8"	-	4932493160	4058546480318
			M12 HPT, M12 ONEHPT	1"	M12	J12-BMP 1"	-	4932493161	405854648032
			M12 HPT, M12 ONEHPT	1 1/8"	M12	J12-BMP 1 1/8"	-	4932493162	4058546480332
		MP Conex & Bänninger >B< MaxiPro	M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	1/4"	M18	J18-BMP 1/4"	-	4932493163	405854648034
	ВМР		M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	3/8"	M18	J18-BMP 3/8"	-	4932493164	4058546480356
			M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT	1/2"	M18	J18-BMP ½"	-	4932493165	4058546480363
			M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	5%"	M18	J18-BMP %"	-	4932493166	4058546480370
b.			M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	3/4"	M18	J18-BMP 3/4"	-	4932493167	405854648038
			M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	7/8″	M18	J18-BMP 7/8"	-	4932493168	4058546480394
			M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	1"	M18	J18-BMP 1"	-	4932493169	4058546480400
			M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	1 1/8″	M18	J18-BMP 1 1/8"	-	4932493170	4058546480417







## **PIVOTING RING JAWS**

	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
			M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	15	M12/M18	PRJ12/18-M15	PRJA-M12/ PRJA-M18	4932500083	4058546572471
		Geberit: Mapress VSH: X-Press Eurotubi	M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	18	M12/M18	PRJ12/18-M18	PRJA-M12/ PRJA-M18	4932500084	4058546572488
a.	м	Raccorderie Metallique Rubinetterie Bresciane	M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	22	M12/M18	PRJ12/18-M22	PRJA-M12/ PRJA-M18	4932500085	4058546572495
		Sanha: Nirosan Pegler Yorkshire	M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	28	M12/M18	PRJ12/18-M28	PRJA-M12/ PRJA-M18	4932500086	4058546572501
			M12 ONEHPT, M12 HPT, M18 BLHPT, M18 ONEBLHPT	35	M12/M18	PRJ12/18-M35	PRJA-M12/ PRJA-M18	4932500087	4058546572518
			M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	15	M12/M18	PRJ12/18-V15	PRJA-M12/ PRJA-M18	4932500088	4058546572525
			M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	18	M12/M18	PRJ12/18-V18	PRJA-M12/ PRJA-M18	4932500089	4058546572532
b.	v	Viega Comap IBP Sanha: Nirosan	M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	22	M12/M18	PRJ12/18-V22	PRJA-M12/ PRJA-M18	4932500090	4058546572549
			M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	28	M12/M18	PRJ12/18-V28	PRJA-M12/ PRJA-M18	4932500091	4058546572556
			M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT	35	M12/M18	PRJ12/18-V35	PRJA-M12/ PRJA-M18	4932500092	4058546572563





## **PRESS JAW ACR STREAMLINE**

	Jaw profile	Fits to following pipe system suppliers	Fits Milwaukee Press tool	Nominal size	Tool suitability	Description	Requires	Article Number	EAN Code
	ACR		M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	1/2″	M18	J18-ACR 1/2"	1	4932500103	4058546572679
	ACR		M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	1/4"	M18	J18-ACR 1/4"	-	4932500101	4058546572655
	ACR		M18 ONEBLHPT, M18 BLHPTXL, M18 BLHPT	3/4″	M18	J18-ACR 3/4"	-	4932500105	4058546572693
	ACR	Sanha Streamline ACR	M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT	3/8"	M18	J18-ACR 3/8"	-	4932500102	4058546572662
a.	ACR		M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT	5/8″	M18	J18-ACR 5/8"	-	4932500104	4058546572686
	ACR		M18 BLHPTXL, M12 ONEHPT, M18 ONEBLHPT	7/8″	M18	J18-ACR 7/8"	-	4932500106	4058546572709
	ACR		M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT	1 1/8″	M18	RJ18-ACR 1 1/8"	RJA-1	4932500107	4058546572716
	ACR		M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT	1 3/8″	M18	RJ18-ACR 1 3/8"	RJA-1	4932500108	4058546572723



## **EMPTY PACKOUT™ FOAM INSERT**

	Description	Article Number	EAN Code
a.	Empty M12 HPT presstool PACKOUT™ foam insert	4932498246	4058546521158
b.	Empty M18 BLHPT/ONEBLHPT presstool PACKOUT™ foam insert	4932498247	4058546521165
C.	Empty 4x ring jaw and RJ adaptor PACKOUT™ foam insert	4932498248	4058546521172
d.	Empty M108 XL presskit PACKOUT™ foam insert	4932498249	4058546521189



## **SYSTEM ATTACHMENTS - POLISHERS**

## **PREMIUM POLISHING ACCESSORIES - SPONGES**

	Description	Diameter (mm)	Thickness (mm)	Pack quantity	Article Number	EAN Code
	Sponge Red Coarse 140 / 20 mm	140	20	2	4932492310	4058546416775
a.	Sponge Red Coarse 140 / 25 mm	140	25	2	4932492319	4058546416867
	Sponge Red Coarse 160 / 20 mm	160	20	2	4932492316	4058546416836
	Sponge Yellow Fine 140 / 20 mm	140	20	2	4932492311	4058546416782
b.	Sponge Yellow Fine 140 / 25 mm	140	25	2	4932492320	4058546416874
	Sponge Yellow Fine 160 / 20 mm	160	20	2	4932492317	4058546416843
	Sponge Blue Ultra Fine 140 / 20mm	140	20	2	4932492312	4058546416799
C.	Sponge Blue Ultra Fine 140 / 25 mm	140	25	2	4932492321	4058546416881
	Sponge Blue Ultra Fine 160 / 20 mm	160	20	2	4932492318	4058546416850







## **PREMIUM POLISHING ACCESSORIES - CLOTHS**

	Description	Features	Length (mm)	Width (mm)	Pack quantity	Article Number	EAN Code
a.	Cloth Red 400 x 400 mm	Cloths: Microfibre polishing cloths. Super-soft premium microfibre polishing cloth for finishing gloss polishing. With good absorption properties perfectly suited for final finishing and removing water spots from sensitive surfaces. Colour coded for use with respective sponges and compunds to avoid contamination. Machine-washable with 30° without softener.	400	400	2	4932492306	4058546416737
b.	Cloth Yellow 400 x 400 mm		400	400	2	4932492307	4058546416744
C.	Cloth Blue 400 x 400 mm		400	400	2	4932492308	4058546416751



## PREMIUM POLISHING ACCESSORIES - COMPOUNDS

	Description	Features	Article Number	EAN Code
a.	Compound Red Coarse 11	Polish 1500 compound. A coarse 1500 grit polish for removing deep scratches without damaging the lacquer. Suitable for removing dust grains, orange peel texture, lacquer/paints runs and deep scratches. Free of wax, silicone and toxic solvents. Recommended for use with polishing red hard coarse sponge and red cloth.	4932492300	4058546416676
b.	Compound Yellow Fine 11	Polish 2000 compound. A coarse 2000 grit polish for removing fine scratches without damaging the lacquer. Free of wax, silicone and toxic solvents. Recommended for use with polishing yellow soft fine sponge and yellow cloth.	4932492301	4058546416683
c.	Compound Blue Ultra Fine 11	Polish compound 3000. A medium fine compound with 3000 grit for removing fine scratches, holograms and swirts. Free of silicone. Recommended for use with polishing super fine blue sponge and blue microfibre polishing cloth.	4932492302	4058546416690



## PREMIUM POLISHING ACCESSORIES - HOOK & LOOP Ø 125 MM

	Description	Diameter (mm)	Height (mm)	Article Number	EAN Code	(a)
a.	Polishing backing pad with M14 thread. Very flat design with excellent flexibility. Low vibration allows precise work on any flat and curved profiles	125		4932430394	4002395380558	
b.	Polisher backing pad for M18 FR0PBP125	125		4932479964	4058546377588	Ъ
C.	Lambswool polishing disc. 100% natural lambswool. Premium quality with extremely high fibre density for longer lifetime. Integrated soft touch layer guarantees perfect adjustment to flat and curved profiles. For finishing old and fresh paint. Extremely good polishing of temperature sensitive clear lacquers thanks to heat resistant fibres, e.g. polishing car bumper	135	25	4932430395	4002395380565	©
d.	Polishing sponge hard. Hard sponge with coarse foam structure. For maximum removal of the recondition-ing lacquer, removing deep scratches and polishing weather-beaten lacquer	145	30	4932430396	4002395380572	(1)
e.	Polishing sponge soft. Extremely soft sponge with fine foam structure. For fine polishing with polishing creams / wax compounds to remove very fine scratches and holograms (swirls)	145	30	4932430397	4002395380589	<b>(</b> B)
f.	Microfibre polishing cloth. Super-soft premium microfibre polishing cloth for finishing gloss polishing. With good absorption properties perfectly suited for final finishing and removing water spots from sensitive surfaces. Machine-washable with 30° without softener	400 x 400		4932430398	4002395380596	(f)
g.	Polish M-Cut 1500 (250 ml). A coarse 1500 grit polish for removing deep scratches without damaging the lacquer. Suitable for removing dust grains, orange peel texture, lacquer/paints runs and deep scratches. Free of wax, silicone and roxic solvents. Recommended for use with polishing sponge hard (4932430396) and lambswool polishing disc (4932430395)			4932430475	4002395381364	(9)
h.	Polish M-Wax 6000 (250 ml). Premium high-tech wax with 6000 grit for removing fine scratches and sealing the paintwork in one step. Excellent performance in removing fine scratches / holograms / swirls. Contains the finest Brazilian Carnuba wax for long lasting mirror-like shine. Free of silicone. Recommended for use with polishing sponge soft (4932430397) and microfibre polishing cloth (4932430398)			4932430476	4002395381371	



#### POLISHING ACCESSORIES - HOOK & LOOP Ø 150 MM

	Description	Diameter (mm)	Height (mm)	Article Number	EAN Code	(a)	200
a.	Polishing backing pad. Application: Reception of felt / lambswool polishing discs and sponges. Characteristics: M14 thread, break resistant with integrated soft and flexible foam layer, Hook & Loop fixation	150	25	4932373161	4002395347285	ъ	
b.	Polisher backing pad for M18 FR0PBP150	150		4932479965	4058546377595	©	
C.	Backind pad for M12 FUEL™ 150 mm random orbital sander - Soft and Hook & Loop	150		4932499244	4058546564087		
d.	Backind pad for M12 FUEL™ 150 mm random orbital sander - Hard and Hook & Loop	150		4932499245	4058546564094	(1)	
e.	Backind pad for M12 FUEL™ 150 mm random orbital sander - Soft and PSA	150		4932499246	4058546564100	(0)	
f.	Backind pad for M12 FUEL™ 150 mm random orbital sander - Hard and PSA	150		4932499247	4058546564117	•	
g.	Felt polishing disc. Application: second polishing / finish of new lacquer work (spray mist and inclusion of dust), non ferrous metals and stainless steel, can also be used with polishing paste. Requires polishing backing	150	25	4932373163	4002395347902	9	
h.	Lambswool polishing disc. Finishing high gloss polishing	150	25	4932373164	4002395347926	®	
i.	Polishing sponge hard. Polish up of weather-beaten lacquer, lacquer re-conditioning	150	50	4932373165	4002395347940	①	
j.	Polishing sponge soft. Second polish of lacquer, lacquer care	150	50	4932373186	4002395347964	①	



## **POLISHING ACCESSORIES - SPOT POLISHER**

	Description	Diameter (mm)	Height (mm)	Article Number	EAN Code
a	Polishing / Sanding backing pad. Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper	76		4932430488	4002395381494
b	Polishing sponge - Hard (yellow). Hard sponge for use with more aggressive polish for removal of deep scratches. Hook and look fixation. For use with polishing / sanding backing pad	75	25	4932430489	4002395381500
С	Polishing sponge - Soft (white). Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad	80	25	4932430490	4002395381517
d	Lambswool polishing pad. Hook and loop fixation. For use with polishing / sanding backing pad	80		4932430838	4002395385003
е	Fibre disc backing pad. Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal. Ideal for sanding small or awkward to reach areas such as pinch welds, door shuts and wheel arches	46		4932430492	4002395381531





















## **SYSTEM ATTACHMENTS - SANDERS**

## **BELT SANDERS**

	Description	Fits belt sanders	Article Number	EAN Code
a.	Dust bag (spare)	BS 100 S,BS 100 LE	4932336597	4002395311026
b.	Pair of clamps for MILWAUKEE® belt sander.		4932459653	4058546028251





## **RANDOM ORBITAL SANDERS**

	Description	Diameter (mm)	Fits Milwaukee Random Orbital Sanders	Article Number	EAN Code	(a)	
a.	Base plate Ø 125 mm, 8 holes. Complete with rubber ring as spare	125	ROS 125 E	4932430091	4002395377527		0
a.	Base plate Ø 150 mm, 6 holes. Complete with	150	TXE 150,R0S 150 E	4932357591	4002395343317	a	
	rubber ring as spare	130	ROS 150 E-2	4932430145	4002395378067		
b.	75 mm sanding base for M12 FSDR75	75	M12 FSDR75	4932499472	4058546566364		
C.	125 mm sanding base for M18 FROS125	125	M18 FROS125	4932500123	4058546572877	<b>a</b>	
	Clean Line System. Frame with dust bag	125	ROS 125 E	4931435448	4002395889563		
	Great Line System. Frame with dust bag	150	ROS 150	4931435911	4002395874729		
	Spare paper bags for 4932345544 (5pc)		TXE 150,TX 125,R0S 150 E	4931442873	4002395247882	@	
	Frame holder for dust bag 4932313096	125/150	ROS 150 E,TXE 150	4931329719	4002395610938		
d.	Lambswool polishing disc. Finishing high gloss polishing	150	ROS 150,ROS 150 E,TXE 150	4932373164	4002395347926	(0)	
e.	Lambswool polishing disc. 100% natural lambswool. Premium quality with extremely high fibre density for longer lifetime. Integrated soft touch layer guarantees perfect adjustment to flat and curved profiles. For finishing old and fresh paint. Extremely good polishing of temperature sensitive clear lacquers thanks to heat resistant fibres, e.g. polishing car bumper	135	TX 125,R0S 125 E	4932430395	4002395380565		
f.	Polishing sponge hard. Polish up of weather-beaten lacquer, lacquer re-conditioning	150	TXE 150,ROS 150 E,ROS 150	4932373165	4002395347940	T)	



## SYSTEM ATTACHMENT - SAWZALL™

		Description	Fits Milwaukee SAWZALL	Article Number	EAN Code
	Conversion kit: to convert FIXTEC™ blade reception models to keyed blade reception to accept 20 mm reception blades	Clamp		42680685	4058546073183
a.		Screw	FUEL™ SAWZALL,USE 980 X,V28 SX,SSPE 1500 X	06832976	4058546069193
		Allen key 5/32"		49960070	045242221554
	Conversion kit: to convert FIXTEC** blade reception models to keyed blade reception to accept 1/2" universal reception blades	Clamp	SSE 1000 QX,SSPE 1000 QX,SSH 800 QX Hatch- et,PSH 18v hatchet,V18 SX,SSPE 1300 QX,M18 FUEL™ SAWZALL,USE 980 X,V28 SX,SSPE 1500 X	49225016	045242182060
b.		Screw		06832976	4058546069193
		Allen key 5/32"		49960070	045242221554
C.	Pipe clamp		Fits to the current cordless FUEL™ SAWZALL™s (FSZ, FSX)	4932478816	4058546360986

a















## **SYSTEM ATTACHMENTS - JIGSAWS**

		Description	Article Number	EAN Code
	Gliding shoe for materials with delicate surfaces	For HD18, BST18, JS120, JSPE 135, STEP 1200, JSPE90, FSPE 110, BSPE110, STEP800, ST800, V28 JSB	4932430356	4002395380176
a.	unung side of materials with delicate surfaces	For STEP 70, STEP 75, ST700, STEP90, STEP 100, FSPE100, BSPE100	4932430834	4002395384969



## **SYSTEM ATTACHMENT - NAILERS**

	Description	Article Number	EAN Code
a.	Extended magazine for M18 FUEL™ framing nailer	4932471605	4058546295042





# **SYSTEM ATTACHMENTS - DIE GRINDERS**

	Description	Fits Milwaukee Die Grinders	Article Number	EAN Code
	Ø 3 mm collet	DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG	4932308974	4002395309092
	Ø 3 mm collet	M18 FDG	4932471202	4058546288303
	Ø 6 mm collet	PSG 14.4 PP,HD18 SG,PSG 12,DG 30 E,DGL 30 E,DGL 34	4932313192	4002395302833
	Ø 6 mm collet	DG 7 E	4931391453	4002395734818
a.	Ø 6 mm collet	DG 14-50 Q	48660978	045242155620
	Ø 8 mm collet	DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG,V 28 SG	4932313190	4002395302840
	Ø 8 mm collet	DG 7 E	4931391452	4002395734801
	Ø 6.35 mm (1/4') collet	DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG	4932313194	4002395302857
b.	Rubber Sleeve for M12 FDGA	M12 FDGA	4932478759	4058546360412





# SYSTEM ATTACHMENTS - PLATE SHEARS

	Description	Fits Milwaukee Plate Shears	Article Number	EAN Code
a.	Piston four sided blade	PPS 12	4932308837	4002395311583
b.	Cutting table blade four sided blade	KS 2.5,S 2.5	4932430171	4002395378326
D.	Culting table blade four sided blade	PPS 12	4932308838	4002395309085
c.	Centre blade	SMC 1.2 Q	48440150	045242140701
d.	Left blade	SMC 1.2 Q	48440160	045242140756
e.	Right blade	SMC 1.2 Q	48440170	045242140800
f.	Socket wrench 5/32"	SMC 1.2 Q	49960070	045242221554
g.	Replacement shear head assembly.	SMC 1.2 Q	48080500	045242089253



## **SYSTEM ATTACHMENTS - NIBBLERS**

	Description	Fits nibblers		Article Number	EAN Code
a.	Punch	KN 2	PN 14.4,PN 12,N 2	4932430172	4002395378333
b.	Die	KN 2	PN 14.4,PN 12,N 2	4932279565	4002395308521
C.	Die and punch set for M12 FUEL™ sub compact 1.6 mm nibbler	KN 2	PN 14.4,PN 12,N 2	4932479353	4058546371470
d.	Die holder extension for M12 FUEL™ sub compact 1.6 mm nibbler	KN 2	PN 14.4,PN 12,N 2	4932479354	4058546371487
e.	Special die. Especially designed for cutting corrugated steel. Max. cutting capacity 1.5 mm	KN 2	PN 14.4,PN 12,N 2	4932279498	4002395308514











Description

## **SYSTEM ATTACHMENTS - WALL CHASERS**

- AUDD blade is a perfect solution for 80% of wall chaser applications
   30% less loading on the machine compared to the MILWAUKEE® DU blade
   40% higher speed of cut compared to the MILWAUKEE® DU blade
   ✓ Maximum performance ◆ Limited suitability recommended for intermittent use

	a.	b.	c.
	HUDD	AUDD	DSU
Abrasive refractory materials	•	V	
Aerated and breeze concrete blocks	•	V	•
Brick medium to soft	·	·	·
Concrete medium	v	·	·
Concrete reinforced with rebar	·	•	·
Concrete with flint and rebar	•	V	
Fireclay	·	V	V
General building materials	V	V	V
Granite	V		V
Lime and sandstone blocks soft and abrasive	•	·	•
Lime and sandstone blocks medium	V	v	
Screed	•	V	~

Fits wall chasers



a.	Transport case for wall chasers	WCE 30,WCS 45,DME 30,DME 45	4932383357	4002395357390
b.	Two hole spanner straight	DME 30, DME 45, WCS 45, DME 65, WCE 65,WCE 30	4932367712	4002395338467
C.	T-handle key	WCE 30, WCS 45, WCE 65,DME 30, DME 45,DME 65	4931362928	4002395661879
d.	Dust protection grille against entry of ground particles	WCE 30, WCS 45, DME 30,DME 45	4932329397	4002395303892
e.	Dust protection grille against entry of ground particles	WCE 65, DME 65	4932326525	4002395303311
f.	Adaptor with bayonet fitting for direct connection of hose to machine	WCE 30, WCS 45, WCE 65,DME 30, 'DME 45,DME 65	4932362778	4002395334285
g.	Side handle	WCE 30,WCS 45, DME 30,DME 45	4932409546	4002395370870
h.	Flange nut	DME 1300	4932334667	4002395304448
i.	Clamping flange	DME 1300	4932334706	4002395304455
j.	Spacer set. Contents 6 rings		4931334675	4002395762804



EAN Code

Article Number

# SYSTEM ATTACHMENTS - SCREWDRIVERS

	Description	Fits Milwaukee Corded Screwdrivers	Article Number	EAN Code		
а	Drywall sleeve assembly	DWE 4000 Q, DWSE 4000 Q, TKSE 2500 Q, 6790, 6743	49261036	045242185245	(1)	
b	Self drill sleeve assembly	TKSE 2500 Q, 6790	49261082	045242185375	©	
	1/4" magnetic bit holder 76 mm	DWE 4000 Q, DWSE 4000 Q, 6743	48323065	045242128600	111	
	1/4" magnetic bit holder 76 mm, requires additionally 49261036 sleeve assembly	TKSE 2500 0, 6790	48323070	045242128655	<b>(1)</b>	- B
	Hex socket driver set (3pc)	THOS GEOGRA COMO TROS 4000 O TROS GEORG GEORG	40000004	0.450.400070.40		
С	Ø 6 / 8 / 10 mm magnetic sockets	1 TKSE 2500 Q, 6790, TQSE 1200 Q, TQSE 2500 Q, 6580, 6581	49663004	045242207848	<b>e</b>	_
d	Collated attachment for M18 FSG		4933459202	4002395289974	•	
е	PH2 148 mm drywall screwdriving bit for M18 FSG		4932459393	4058546010546	(a) (b)	
f	Mag / ring drywall bit holder 75 mm for M18 FSG	/ ring drywall bit holder 75 mm for M18 FSG		4058546010553	0	8
g	Offset attachment 1/4" hex M12FPDX		4932464481	4058546224264		
h	M12 FPDX-RAA Right angle attachment for drilling and screw positions. Direct bit reception.	rdriving applications in confined spaces. 90° angle. 12 fixing	4932464480	4058546224257	•	4
i	13 mm Keyless chuck to suit M12 FPDX sub compact percus	sion drill	4932464479	4058546224240	®	
j	Rivet tool nose set		48540100	045242504466		-
k	152mm Nose extension kit- for M12™ rivet tool		48950100	045242504459		
I	M12 BDDX-0A offset attachment for screwdriving application	is - 12 fixing positions	4932430432	4002395380930		
m	M12 BDDX-RAA right angle attachment for drilling and screwdriving applications in confined spaces - 90° angle - 12 fixing positions - direct bit reception		4932430433	4002395380947	**************************************	1
n	Retention nose pieces set for M18 FUEL™ rivet tool with ONE	-KEY™	4932478961	4058546362430	0	
0	Extension nose piece for M18 FUEL™ rivet tool with ONE-KEY	ты	4932478962	4058546362447		

## **SIDE HANDLES**

	Description	Article Number	EAN Code
a	Side handle with depth gauge for all drills and percussion drills with gear neck diameter 43 mm	4932373725	4002395352647
b	Side handle with depth gauge for all drills and percussion drills with a short gear neck (13 mm) of diameter 43 mm		4002395342198





## **QUIK-LOK™ CABLES**

	Cable length (m)	Country version	Article Number	EAN Code
	4	EU	4932373502	4002395351725
	10	EU	4932373503	4002395351732
a.	4	СН	4932373504	4002395351749
a.	4	GB	4932373508	4002395351787
	4	GB	4932373510	4002395351800
	6	EU	4932364483 <sup>1</sup>	4002395337620
b.	QUIK-LOK <sup>™</sup> cable repair kit		4931380758	4002395714551



## **UNIVERSAL RIGHT ANGLE DRILL ATTACHMENT**

- Converts MILWAUKEE® HDE 13 RQD straight drill to angle drill.
  Used extensively for drilling between joists or in tight corners.
  Head and handle swivel 360°.
  Provides two speeds: 1. Low: speed decreases by 30% torque increases by 50% 2. High: speed increases by 50%

	Description	Article Number	EAN Code
a.	Right angle drill attachment	48062871	045242088812



## **RUBBER SLEEVES FOR IMPACT WRENCHES**

	Description	Article Number	EAN Code	(a)
a.	Rubber sleeve for M18 ONEFIW2FC12	4932498145	4058546513054	
b.	Rubber sleeve for M18 ONEFMTIW2FC12	4932498144	4058546513047	©
C.	Rubber sleeve for M18 ONEFHIWF1	4932478760	4058546360429	
d.	Rubber sleeve for M18 ONEFHIWF1	4932479975	4058546377694	0
e.	Rubber sleeve for M18 FHIWF12, M18 ONEFHIWF12 & M18 ONEFHIWF34	49162767	045242506422	
f.	Rubber sleeve for M18 FHIWP12 & M18 ONEFHIWP12	49162766	045242506415	e
g.	Rubber sleeve for M18 FHIW2F12	4932493560	4058546484316	
h.	Rubber sleeve for M18 FHIW2P12	4932493581	4058546484521	(9) (h) (h)
i.	Rubber sleeve for M18 FIW2F & M18 FIW2P	4932478770	4058546360528	
j.	Rubber sleeve for M18 FMTIW2F & M18 FMTIW2P	4932478771	4058546360535	
k.	Rubber sleeve for M18 FMTIWP	49162861	045242510146	
I.	Rubber sleeve for M18 CHIW and M28 CHIW	49162763	045242324255	
m.	Rubber sleeve for M18 CIW	49162754	045242320455	
n.	Rubber sleeve for M12 FIWF	4932478758	4058546360405	
0.	Rubber sleeve for M12 FIR38	4932479100	4058546368944	,
p.	Rubber sleeve for M12 FRAIWF38 & M12 FRAIWF12	4932479098	4058546368920	© 📦 📵
q.	Rubber sleeve for M12 FID	4932479102	4058546368968	
r.	Rubber sleeve for M12 FID2	4932479977	4058546377717	
s.	Rubber sleeve for M18 FID2	4932479103	4058546368975	
t.	Rubber sleeve for M18 FID3	4932479974	4058546377687	

<sup>&</sup>lt;sup>1</sup>Heavy duty and acid resistant, non repairable

# SYSTEM ATTACHMENTS - ROTARY HAMMERS

## **ROTARY HAMMERS CHUCK ADAPTORS**

Γ		Description	Reception	Tool drive	Only suitable for	Article Number	EAN Code	
	a	FIXTEC - SDS-Plus	SDS-Plus	FIXTEC	-	4932379877	4002395346561	(a)
	b	FIXTEC - SDS-Plus	SDS-Plus	FIXTEC	BH 26 LXE, PLH 16 QEX, V28 HX, V18 HX, PLH 26 QEX, PH 30 POWER X	4932399152	4002395357628	<b>b</b>
	С	FIXTEC - SDS-Plus	SDS-Plus	FIXTEC	PH 26 X, KH24 XE, KH 26 XE, KH 28 SUPER XE.	4932352299	4002395369584	©
	d	FIXTEC - ½" x 20 UNF 1	½″ x 20 UNF	FIXTEC	PH 26 X, KH 24 XE, KH 24 XE, KH 26 XE, KH 28 Super XE.	4932371807	4002395344710	®
	е	FIXTEC - ½" x 20 UNF 2	½″ x 20 UNF	FIXTEC	PLH 16 QEX, V 28 HX, V 18 HX, PLH 26 QEX, PH 30 Power X, KH 26 XE, KH 24 XE, KH 28 Super XE, BH 26 LXE and PH 26 X.	4932399154	4002395357635	©
	f	SDS-plus - 1/2"x 20 UNF 1. Chuck adapter with direct bit reception ('/4" Hex) to accept screwdriving bits. Threaded housing enables adapter to be tightened to the chick resulting in no wobble	½″ x 20 UNF	SDS-Plus	-	4932367438	4002395337668	•
	g	SDS-plus - 1/2" x 20 UNF 1. Chuck adaptor with retaining screw	½″ x 20 UNF	SDS-Plus		4932367166	4002395334438	(1)



## **KEYED CHUCKS**

	Chuck jaws open (mm)	Drill reception	Locking device	Safety screw	Rotary drill	Percussion drill	Battery drill	Chuck key	Article Number	EAN Code
a.	1.5-13	1/2″ x 20		`	V	~	~	А	4932267980	4002395300488
b.	3.0-16	Taper B16			v			С	4932127010	4002395306169
c.	3.0-16	M18x2.5	V	V	V	~		С	4932320014	4002395310784



## **KEYED CHUCKS - MACHINE SPECIFIC**

	Chuck jaws open (mm) Drill reception		Fits Milwaukee Drill Drivers	Safety screw Chuck key		Article Number	EAN Code
a.	1.0-10	3/8″ x 24	HDE 6 RQ	V	Н	48660817	045242155705



## **KEYED CHUCKS WITH 1/4" HEX RECEPTION**

	Chuck jaws open (mm)	Drill reception	Battery drill	Chuck key	Article Number	EAN Code
a.	1.0-10	1/4" Hex	V	A	4932314867	4002395300112



## **CHUCK KEYS**

	Description	Туре	Ref. No.	Article Number	EAN Code
		А	S2A	4932221378	4002395302765
		В	S2AT	4932310612	4002395309177
		С	S3T	4932221379	4002395306381
		D	S14	4932304684	4002395300105
a	Chuck key	E	S4	4932221380	4002395306398
		G	S2	4932319995	4002395303724
		Н		48663350	045242157600
		J		48663240	045242157501
		К		48663280	045242157556
b	Morse taper No. 3 adaptor for chucks with B16 taper	MT3 - B16		4932117042	4002395305834
C.	Ejector tool DIN 317 size 3			4932604226	4002395311248







## **KEYLESS CHUCKS 2 SLEEVES**

	Chuck jaws open (mm)	Reception	Locking device	Safety screw	Rotary drill	Percussion drill	Battery drill	Article Number	EAN Code	a
a.	1.0-10	³/s″ x 24		~	V		~	4932349457	4002395318155	<b>b</b>
b.	1.0-10	½″ x 20	<b>,</b>	~	·	,	~	4932364382	4002395337675	<u> </u>
C.	1.5-13	½″ x 20	V		v	,	~	4932376531	4002395346332	
d.	1.5-13	½″ x 20	,	~	v	,	~	4932376533	4002395346349	(1)
e.	1.5-13	½″ x 20	,		v	,	~	4932364265 <sup>1</sup>	4002395334056	(9)
f.	1.5-13	½″ x 20	,	•	v	,	v	4932364267	4002395334070	Ð















## **KEYLESS CHUCKS FOR FIXTEC (SPINDLE LOCK) MACHINES**

	Chuck jaws open (mm)	Reception	Locking device	Safety screw	Rotary drill	Percussion drill	Battery drill	Article Number	EAN Code	] @
a.	1.0-10	³/8˝ x 24	~	~	~	V	~	4932371018	4002395339365	
b.	1.0-10	½″ x 20	,	~	~	V	~	4932372443	4002395345458	6
C.	1.5-13	½″ x 20	V	~	V	V	~	4932371913	4002395345366	@
d.	1.5-13	³/8″ x 24	V	~	V	V	~	4932399492	4002395361137	
e.	1.5-13	<sup>9</sup> /16″ x 18	V	v	V	V	v	4932478806 <sup>1</sup>	4058546360887	•









## INDUSTRIAL KEYLESS CHUCKS FOR CORDED PERCUSSION DRILLS

	Chuck jaws open (mm)	Reception	Locking device	Rotary drill	Percussion drill	Battery drill	Article Number	EAN Code
a.	1.0-13	½″ x 20	~	~	V		4932364266	4002395334063



## **KEYLESS CHUCKS - SPECIFIC TOOL RELATED CHUCKS**

Chu	ck jaws open (mm)	Reception	Machine specific	Locking device	Rotary drill	Safety screw	Article Number	EAN Code	
a.	1.0-10	½″ x 20	HDE 10 RQX			~	48661520	045242156795	
b.	1.5-13	½″ x 20	HDE 13 RQX			,	42660755	4002395891436	
C.	1.5-13	FIXTEC		,	,		4932399214	4002395358236	
d.	1.0-10	FIXTEC	M12 BDDX		v		4932430444	4002395381050	















## **SYSTEM ATTACHMENTS - ANGLE GRINDERS**

	Description	Fits 115 mm angle grinders	Fits 125 mm angle grinders	Fits 150mm angle grinders	Fits 180mm angle grinders	Fits 230mm angle grinders	Article Number	EAN Code
a.	Flange nut M14	V	~	V	~	~	4932345628	4002395313105
b.	Backing flange	V	~	V	V	~	4932449324	4002395245185
C.	Two hole spanner straight	V	V	V	V	V	4932367712	4002395338467
d.	Open-ended spanner. SW 17/24	V	~	V	V	V	4932345710	4002395307722
e.	Cranked two hole spanner for steel wire brushes				V	~	4932371469	4002395342181
f.	Dust protection grille against entry		~	V			4932329397	4002395303892
1.	of ground particles				V	~	4932326525	4002395303311
	Side handle	V	~	V			4932409546	4002395370870
_	Anti Vibration aida bandla	V	~	V	<b>✓</b> ¹		4932399991	4002395366507
g.	Anti-Vibration side handle				~	~	4932399992	4002395366514
	Hand protection guard						4932378478	4002395347353
	Flange nut set. Only for AGV 16- 180 QXC Suitable for WS 2300 (Australia version)						4022251622	4000205201626
	Flange nut M14 (4932345629), bac		4932351632	4002395321636				





## **FLEXIBLE BACKING PADS**

	Description	Bore size (mm)	Diameter (mm)	Fits 115 mm angle grinders	Fits 125 mm angle grinders	Fits 180mm angle grinders	Fits 230mm angle grinders	Article Number	EAN Code
	Flexible backing pad. Com- a. plete with flange nut M14 for- all angle grinders	14.2	110	~				4932345760	4002395313488
		14.2	125		~			4932345761	4002395313495
a.		14.2	170			~		4932345758	4002395313501
		22.2	170			V		4932352744	4002395374021
b.	Replacement flange nut M14		~	~	V	~	4932345627	4002395313112	





## **CUTTING AND GRINDING DUST EXTRACTION**

	Description	Fits 115 mm angle grinders	Fits 125 mm angle grinders	Fits 180mm angle grinders	Fits 230mm angle grinders	Article Number	EAN Code
a.	Dust guard for cutting - DEC 125. 100% tool free connection to Ø 115 - 125 mm AG(V) 12, AGV 15 series and FUEL™ grinders except the flathead model, keyless depth adjustment from 5 - 28 mm. Guide to prevent twisting during cutting. Dust guard fits to the Milwaukee® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner	V	V			4932430467	4002395381289
b.	Dust guard for surface conditioning - DEG 125. 100% tool free connection to Ø 125 mm AG(V) 12, AGV 15 series and FUEL™ grinders except the flathead model. Supplied with additional loop handle. Removable magnetic front cover to gain access to tight corners and edges when using a cup wheel. Dust guard fits to the Milwaukee® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner. Includes replaceable brush 4931448429		v			4932430468	4002395381296
C.	Dust guard for cutting - DEC 230. 100% tool free connection to Ø 180 - 230mm AG 22, keyless depth adjustment from 5 - 60mm. Solid steel cutting guide to prevent twisting during cutting and flexible cutting line indicator for plunge cuts. Dust guard fits to the Milwaukee® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner.			×	V	4932459340	4058546010010
	Dust guard for cutting - DEC 230 K. 100% tool free connection to Ø 180 - 230mm AG21, AGV 22, AG 24, AGVK 24 and FUEL™ grinders. Does not fit to LAG's equipped with autobalancer. Keyless depth adjustment from 5 - 60mm. Solid steel cutting guide to prevent twisting during cutting and flexible cutting line indicator for plunge cuts. Dust guard fits to the Milwaukee® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner.			V	v	4932459341	4058546010027







## **SYSTEM ATTACHMENTS - BANDSAWS**

- Safety Protects user from injuries by preventing any access to the blade
- Jobsite Armor® durability Proprietary composite material and crush zone barriers absorb impacts and protect the tool
   Protection from debris Covers protect the blade track and the pulley wheels from debris entering the tool and affecting overall performance
- Tool-free installation and removal within second
- Extends life of blade by protecting it from external objects

#### **BANDSAW COVERS**

	Description	Article Number	EAN Code
a	Bandsaw Cover for HD18 BS	4932471458	4058546290863
b	Bandsaw Cover for M18 FBS85	4932472241	4058546326371
С	Bandsaw Cover for M18 CBS125 & BS 125	4932471459	4058546290870



## **SYSTEM ATTACHMENTS - CIRCULAR SAWS**

	Description	Fits Milwaukee Circular Saws	Article Number	EAN Code
a.	Dust absorbtion connector.	PCS 55	4932369282	4002395338412
b.	Spanner for removing saw blade.	CS 55,HK 46 N,SCS 65 Q,CS 75,PCS 55,HKS 75,HK 75 A,HKS 85,PMS 18	4932371469	4002395342181
C.	Parallel guide / fence	SCS 65 Q	49224146	045242181896
d.	Dust extraction hood for mitre saw, includes long hose, short hose, five lock fittings, 2x universal adaptors, extractor hose	MS 216 SB,M18 SMS216	4932430005	4002395376667



## **GUIDE RAILS AND ATTACHMENTS**

		Description	Description	Article Number	EAN Code
a.	PSA-1	Guide rail clamps	Guide rail clamps compatible with GR 800, GR 1400 and GR 2700 guide rails	4932479068	4058546368623
b.	PSA-2	Guide rail joining bars	Guide rail joining bars for GR 800, GR 1400 and GR 2700 guide rails	4932479069	4058546368630
C.	PSA-3	Replacement guide rail splinter strip	Replacement guide rail splinter strip for GR 800, GR 1400 and GR 2700	4932479070	4058546368647
d.	PSA-4	Guide rail bag	Guide rail bag for GR 800 and GR 1400	4932479071	4058546368654
e.	PSA-5	Replacement low friction strip	Replacement low friction strip for GR 800, GR 1400 and GR 2700	4932479072	4058546368661
f.	GR 2700	2.7 m aluminium guide rail	Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8	4932479067	4058546368616
g.	GR 1400	1.4 m aluminium guide rail	Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8	4932479066	4058546368609
h.	GR 800	0.8 m aluminium guide rail	Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8	4932479065	4058546368593
i.	GR-KIT	1400 mm guiderails kit	2 x 1400 mm guiderails, supplied with bag and joining bars. Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCSG6GR3, M18 FR12, M18 FTR, M18 FTR8	4932480906	4058546411916





## **PLANER BLADES**

	Description	Width (mm)	Fits planers	Article Number	EAN Code
		56.1 mm	M12 BLP	4932493399	4058546482701
	Tungsten carbide reversible blades. Two reversible blades, suitable for soft and hardwoods	82 mm	M18 BP,H 500,H 750	4932273484	4002395300150
		102 mm	HB 750,HBE 800	4932316243	4002395300167


#### (

# **SYSTEM ATTACHMENTS - OUTDOOR PRODUCTS**

## **SYSTEM ATTACHMENTS - CHAINSAWS**

			Chain bar length (cm)	Chain gauge (mm/)	Chain pitch (mml")	Article Number	EAN Code
		15 cm/ 6" saw chain ³/s" 1.1mm	15 cm/ 6"	1.1/ 0.043"	9.5/ 3/8"	4932478427	4058546346188
		20 cm/ 8" saw chain 3/s" x 1.1mm	20 cm/ 8"	1.1/ 0.043"	9.5/ 3/8"	4932480176	4058546404611
		25 cm/ 10" Saw Chain 3/6" x 1.1mm	25 cm/ 10"	1.1/ 0.043"	9.5/ 3/8"	4932471329	4058546289577
		30 cm/ 12" Saw Chain 0.325" x 1.1mm	30 cm/ 12"	1.1/ 0.043"	8.3/ .325"	4932480177	4058546404628
a.	Chainsaw chains	30 cm/ 12" Saw Chain 3/s " x 1.1mm	30 cm/ 12"	1.1/ 0.043	9.5/ 3/8"	4932471385	4058546290139
		35 cm/ 14" Saw Chain 0.325" x 1.1mm	35 cm/ 14"	1.1/ 0.043"	8.3/ .325"	4932480178	4058546404635
		35 cm/ 14" Saw Chain 3/s" x 1.1mm	35 cm/ 14"	1.1/ 0.043"	9.525/ 3/8"	4932479820	4058546376147
		40 cm/ 16" Saw Chain 3/6" x 1.1mm	40 cm/ 16"	1.1/ 0.043"	9.5/ 3/8"	4932464873	4058546228187
		50 cm/ 20" Saw Chain 0.325" x 1.3mm	50 cm/ 20"	1.3/ 0.050"	8.3/ .325"	4932498791	4058546526603
		15 cm/ 6" guide bar 3/s" 1.1mm	15 cm / 6"	1.1/ 0.043"	9.5/ 3/8"	4932480168	4058546404536
		20 cm/ 8" guide bar ³/s" x 1.1mm	20 cm/ 8"	1.1/ 0.043"	9.5/ 3/8"	4932480169	4058546404543
		25 cm/ 10" Guide Bar 3/8 " x 1.1mm	25 cm/ 10"	1.1/ 0.043"	9.5/ 3/8"	4932480170	4058546404550
	Chainsaw guide	30 cm/ 12" Guide Bar 0.325" x 1.1mm	30 cm/ 12"	1.1/ 0.043"	8.3/ .325"	4932480171	4058546404567
b.	bars	35 cm/ 14" Guide Bar 3/8 " x 1.1mm	35 cm/ 14"	1.1/ 0.043"	9.5/ 3/8"	4932480172	4058546404574
		35 cm/ 14" Guide Bar 0.325" x 1.1mm	35 cm/ 14"	1.1/ 0.043	8.3/ .325"	4932480173	4058546404581
		40 cm/ 16" Guide Bar 3/8 " x 1.1mm	40 cm/ 16"	1.1/ 0.043"	9.5 / 3.8"	4932480174	4058546404598
		50 cm/ 20" Guide Bar 0.325" x 1.3mm	50 cm/ 20"	1.3/ 0.050	8.3/ .325	4932498790	4058546526597
c.	Obsisses	Chainsaw bag for M18™ rear handle chainsaws				4932493810	4058546509705
d.	Chainsaw bags	Chainsaw bag for M18™/M12™ hatchet pruning saws	4932493811	4058546509712			









## **SYSTEM ATTACHMENTS - LINE TRIMMERS**

		Article Number	EAN Code	
a.	Double shoulder harness for brush cutters	4932492849	4058546477202	
b.	Single shoulder strap for line trimmers	4932492671	4058546475420	
C.	Trimmer replacement head complete (includes spool and line 49162712)	49162710	045242493937	
d.	Trimmer replacement spool (includes 49162712 line)	49162711	045242493920	
e.	2 mm x 45 m trimmer line	49162712	045242493906	
f.	2.4 mm x 76 m trimmer line	49162713	045242493913	
g.	Auto feed trimmer replacement spool	49162714	045242006458	
h.	Brush cutter replacement blade 4-tooth for M18 FOPH-BCA	4932481041	4058546413262	]
i.	Brush cutter replacement blade- 3-tooth for M18 F2BCU	4932498762	4058546526313	
j.	Easy load trimmer head Gen II	4932480180	4058546404659	



#### **SYSTEM ATTACHMENTS - MOWERS**

		Article Number	EAN Code	
	Mower blade 187 46 cm	4932492106	4058546414733	
a.	Mower blade 217/53 cm	4932479818	4058546376123	
h	High performance mower blade 187 46 cm	4932492107	4058546414740	
b.	High performance mower blade 21"/ 53 cm	4932479819	4058546376130	,
	Lawn mower cover 187/ 46 cm	4932492108	4058546414757	
C.	Lawn mower cover 217/53 cm	4932479821	4058546376154	



#### **SYSTEM ATTACHMENTS - BLOWERS**

		Article Number	EAN Code	
a.	Single shoulder strap for M18 F2BL	4932492418	4058546417857	
b.	Angled flare attachment for blowers	4932498513	4058546523824	
C.	Blower nozzle attachment kit for blowers	4932498514	4058546523831	
d.	Gutter attachment for handheld blowers	4932498512	4058546523817	



## **SYSTEM ATTACHMENTS - OTHER OUTDOOR PRODUCTS**

		Article Number	EAN Code
a.	Edger blade 203 mm	4932471330	4058546289584
b.	Holster for M12 <sup>™</sup> brushless pruning shear	4932492430	4058546417970
C.	Replacement blade for M12 <sup>™</sup> brushless pruning shear	4932492431	4058546417987
d.	Replacement blade for M18 BLTS	4932493557	4058546484286
e.	Bristle brush replacement drums for M18 FOPH	4932499150	4058546530198
f.	Rubber broom replacement drums for M18 FOPH	4932499151	4058546530204









# CRIMPING DIES

					M18 HCCT, M18 0	NEHCCT60		M18 HCCT109/42		
	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article Number	EAN Code	Description	Article Number	EAN Code
			6	5	DN22 Cu 6	4932464861	4058546228064	-	-	-
			10	6	DN22 Cu 10	4932464862	4058546228071	-	-	-
			16	8	DIN22 Cu 16	4932451744	4002395277551	DIN13 Cu 16	4932459465	4058546011260
			25	10	DIN22 Cu 25	4932451745	4002395277568	DIN13 Cu 25	4932459466	4058546011277
	DIN 4000F for conner		35	12	DIN22 Cu 35	4932451746	4002395277575	DIN13 Cu 35	4932459467	4058546011284
	DIN 46235 for copper		50	14	DIN22 Cu 50	4932451747	4002395277582	DIN13 Cu 50	4932459468	4058546011291
a.	compression cable lugs	Hex	70	16	DIN22 Cu 70	4932451748	4002395277599	DIN13 Cu 70	4932459469	4058546011307
	and connectors ( DIN 46267)		95	18	DIN22 Cu 95	4932451749	4002395278206	DIN13 Cu 95	4932459470	4058546011314
	40207)		120	20	DIN22 Cu 120	4932451750	4002395278213	DIN13 Cu 120	4932459471	4058546011321
			150	22	DIN22 Cu 150	4932451751	4002395278220	DIN13 Cu 150	4932459472	4058546011338
			185	25	DIN22 Cu 185	4932451752	4002395278237	DIN13 Cu 185	4932459473	4058546011345
			240	28	DIN22 Cu 240	4932451753	4002395278244	DIN13 Cu 240	4932459474	4058546011352
			300	32	DIN22 Cu 300	4932451754	4002395278251	DIN13 Cu 300	4932459475	4058546011369
					M18 HCCT, M18 0	NEHCCT60		M18 HCCT109/42		



					M18 HCCT, M18 0	NEHCCT60		M18 HCCT109/42		
	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article Number	EAN Code	Description	Article Number	EAN Code
			6	6	R22 Cu 6	4932479391	4058546371852	-	-	-
			10	10	R22 Cu 10	4932479392	4058546371869	-	-	-
			16	16	R22 Cu 16	4932451755	4002395278268	R13 Cu 16	4932459494	4058546011550
			25	25	R22 Cu 25	4932451756	4002395278275	R13 Cu 25	4932459495	4058546011567
			35	35	R22 Cu 35	4932451757	4002395278282	R13 Cu 35	4932459496	4058546011574
			50	50	R22 Cu 50	4932451758	4002395278299	R13 Cu 50	4932459497	4058546011581
a.	Tubular cable lugs and	Hex	70	70	R22 Cu 70	4932451759	4002395278909	R13 Cu 70	4932459498	4058546011598
l a.	connectors	пех	95	95	R22 Cu 95	4932451760	4002395278916	R13 Cu 95	4932459499	4058546011604
			120	120	R22 Cu 120	4932451761	4002395278923	R13 Cu 120	4932459500	4058546011611
			150	150	R22 Cu 150	4932451762	4002395278930	R13 Cu 150	4932459501	4058546011628
			185	185	R22 Cu 185	4932451763	4002395278947	R13 Cu 185	4932459502	4058546011635
			240	240	R22 Cu 240	4932451764	4002395278954	R13 Cu 240	4932459503	4058546011642
			300	300	R22 Cu 300	4932451765	4002395278961	R13 Cu 300	4932459504	4058546026769
	ļ		400	400	-	-	-	R13 Cu 400	4932459505	4058546026776
$\overline{}$	ſ		ĭ	i e	1			1		



					M18 HCCT, M18 0	NEHCCT60		M18 HCCT109/42			
Туре		Form	Cable lug size (mm²)	Imprint code	Description	Article Number	EAN Code	Description	Article Number	EAN Code	
			10	-	R22 OU/KRF 10	4932479378	4058546371722	-	-	-	
			16	-	R22 OU/KRF 16	4932479379	4058546371739	-	-	-	
			25	-	R22 0U/KRF 25	4932479380	4058546371746	-	-	-	
			35	-	R22 OU/KRF 35	4932479381	4058546371753	-	-	-	
KRF L	Lugs for copper		50	-	R22 OU/KRF 50	4932479382	4058546371760	-	-	-	
compi	pression cable lugs		70	-	R22 0U/KRF 70	4932479383	4058546371777	-	-	-	
a. and co	connectors (Nordic		95	-	R22 OU/KRF 95	4932479384	4058546371784	-	-	-	
Series	s)		120	-	R22 0U/KRF 120	4932479385	4058546371791	-	-	-	
			150	-	R22 OU/KRF 150	4932479386	4058546371807	-	-	-	
			185	-	R22 OU/KRF 185	4932479387	4058546371814	-	-	-	
			240	-	R22 OU/KRF 240	4932479388	4058546371821	-	-	-	
			300	-	R22 OU/KRF 300	4932479389	4058546371838	-	-	-	



					M18 HCCT, M18 0	NEHCCT60		M18 HCCT109/42			
	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article Number	EAN Code	Description	Article Number	EAN Code	
			16	16	NF22 Cu 16	4932451733	4002395276837	NF13 Cu 16	4932459453	4058546011147	
			25	25	NF22 Cu 25	4932451734	4002395276844	NF13 Cu 25	4932459454	4058546011154	
			35	35	NF22 Cu 35	4932451735	4002395276851	NF13 Cu 35	4932459455	4058546011161	
			50	50	NF22 Cu 50	4932451736	4002395276868	NF13 Cu 50	4932459456	4058546011178	
			70	70	NF22 Cu 70	4932451737	4002395276875	NF13 Cu 70	4932459457	4058546011185	
l a.	NF C 20-130 for copper	Hex	95	95	NF22 Cu 95	4932451738	4002395276882	NF13 Cu 95	4932459458	4058546011192	
a.	compression cable lugs	пех	120	120	NF22 Cu 120	4932451739	4002395276899	NF13 Cu 120	4932459459	4058546011208	
			150	150	NF22 Cu 150	4932451740	4002395277506	NF13 Cu 150	4932459460	4058546011215	
			185	185	NF22 Cu 185	4932451741	4002395277513	NF13 Cu 185	4932459461	4058546011222	
			240	240	NF22 Cu 240	4932451742	4002395277520	NF13 Cu 240	4932459462	4058546011239	
			300	300	NF22 Cu 300	4932451743	4002395277544	NF13 Cu 300	4932459463	4058546011246	
			400	400	-	-	-	NF13 Cu 400	4932459464	4058546011253	



					M18 HCCT, M	W18 HCCT, M18 ONEHCCT60			M18 HCCT109/42			
	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article Number	EAN Code	Description	Article Number	EAN Code		
			35/ 50	E140	NF22 E140	4932479394	4058546371883	NF13 E140-2x9	4932479686	4058546374808		
	Alu Cuivre (9 mm crimp) NFC	Hex	70/ 95/ 120	E173	NF22 E173	4932479395	4058546371890	NF13 E173-2x9	4932479687	4058546374815		
	63-061-B		150/ 185/ 240	E235	NF22 E235	4932479396	4058546371906	NF13 E235-2x9	4932479688	4058546374822		
			300	E260	NF22 E260	4932479397	4058546371913	NF13 E260-2x9	4932479689	4058546374839		
	Insulated overhead BT line MJPB		6 - 35	E140	NF22 E140	4932479394	4058546371883	NF13 E140-2x9	4932479686	4058546374808		
	- MJBPS -MJPBAS - EBPAU -	Hey	25 - 70	E173	NF22 E173	4932479395	4058546371890	NF13 E173-2x9	4932479687	4058546374815		
	MJT – CPTAU – DPCNA - DPCNU	Hex	150	E215	NF22 E215	4932479398	4058546371920	NF13 E215-9	4932479690	4058546374846		
	- EJAS - EDSACN		185 - 240	E280	-	-	-	NF13 E280-9	4932479691	4058546374853		
			7.07	E54	NF22 E54	4932479399	4058546371937	NF13 E54-10	4932479692	4058546374860		
			9.6/ 10.8/ 12.56	E68	NF22 E68	4932479400	4058546371944	NF13 E68-18	4932479693	4058546374877		
			12.4/ 14.1/ 15.9/ 19.6	E72	NF22 E72	4932479401	4058546371951	NF13 E72-10	4932479694	4058546374884		
	Copper overhead lines BT /	Hex	17.8/ 22/ 27.6	E83	NF22 E83	4932479402	4058546371968	NF13 E83-18	4932479695	4058546374891		
	HTA JU		28.25/ 29.3/ 38.2/ 38.46	E100	NF22 E100	4932479403	4058546371975	NF13 E100-18	4932479696	4058546374907		
			48,3	E120	NF22 E120	4932479404	4058546371982	NF13 E120-18	4932479697	4058546374914		
			70/ 95/ 120	E173	NF22 E173	4932479395	4058546371890	NF13 E173-2x9	4932479687	4058546374815		
_			116/ 146	E215	-	-	-	NF13 E215-18	4932479698	405854637492		
a.			22	E100	-	-	-	NF13 E100-18	4932479696	4058546374907		
			34.4	E120	-	-	-	NF13 E120-18	4932479697	4058546374914		
	HTA JL – CN2AA – CN2AU –		43.1/ 54.6	E140	-	-	-	NF13 E140-2x9	4932479686	4058546374808		
	CNAA – ABT – CB – CBO – RDB	Hex	75.5/ 93.3	E173	-	-	-	NF13 E173-2x9	4932479687	4058546374815		
	– QNAU		117	E210	-	-	-	NF13 E210-10	4932479699	4058546374938		
			148	E230	-	-	-	NF13 E230-10	4932479700	4058546374945		
			228	E280	-	-	-	NF13 E280-5	4932479701	4058546374952		
			17.8/ 22/ 27.8/ 34.4	E120	-	-	-	NF13 E120-18	4932479697	4058546374914		
			37.7 /43.1/ 54.6	E140	-	-	-	NF13 E140-2x9	4932479686	4058546374808		
			58.9/ 80/ 69.3/ 88	E173	-	-	-	NF13 E173-2x9	4932479687	4058546374815		
	Hatanana Oranastana DT / HTA		59.7/ 116.2	E210	-	-	-	NF13 E210-10	4932479699	4058546374938		
	Heterogen Connectores BT / HTA JAR, JARL, JLR	Hex	75.7/ 147.1	E230	-	-	-	NF13 E230-10	4932479700	405854637494		
	JAN, JANL, JLN		17.8/ 22/ 27.8/ 34.4/ 43.1	E54	-	-	-	NF13 E54-10	4932479692	4058546374860		
			37.7/ 54.6/ 69.3/ 88	E72	-	-	-	NF13 E72-10	4932479694	4058546374884		
			58.9/ 80	E100	-	-	-	NF13 E100-10	4932479702	4058546374969		
			59 7/ 116 2/ 75 5/ 147 1	F120	1 -	1 -	-	NF13 F120-9	4932479703	4058546374976		



_					M18 HCCT, M18 (	NEHCCT60			M18 HCCT109/42		
]	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article No		EAN Code	Description	Article Number	EAN Code
1			16	16	Q22 CU 16	49324517		4002395278978	Q13 CU 16	4932459477	4058546011383
-	Copper solderless ter-	Half round	25 35	25 35	Q22 CU 25 Q22 CU 35	49324517		4002395278985	Q13 CU 25 Q13 CU 35	4932459478	4058546011390 4058546011406
а.	minals (DIN 46234, DIN	indent	50	50	Q22 CU 50	49324517		4002395278992 4002395279609	Q13 CU 50	4932459479 4932459480	4058546011413
-	46230, DIN 46341)		70	70	Q22 CU 70	49324517		4002395279616	Q13 CU 70	4932459481	4058546011420
			95	95	-	-		-	Q13 CU 95	4932459482	4058546011437
					M18 HCCT, M18 C	NEHCCT60			M18 HCCT109/42		
_	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article N		EAN Code	Description	Article Number	EAN Code
7			10	10	DIN22 AL 10	49324793		4058546371845	-	-	-
1	DIN 41		16/25	12	DIN22 AL 16/25	49324517		4002395279623	DIN13 AL 16/25	4932459506	4058546026783
-	DIN Aluminium for		35 50	14	DIN22 AL 35	49324517		4002395279630	DIN13 AL 35	4932459507	4058546026790 4058546026806
	aluminium compression cable lugs and connec-		70	18	DIN22 AL 50 DIN22 AL 70	49324517		4002395279647 4002395279654	DIN13 AL 50 DIN13 AL 70	4932459508 4932459509	4058546026806
٠	tors (DIN 46329, 46267	Hex	95/120	22	DIN22 AL 70	49324517		4002395279661	DIN13 AL 95/120	4932459510	4058546026820
	Part 1 and 2, DIN EN		150	25	DIN22 AL 150	49324517	76	4002395279678	DIN13 AL 150	4932459511	4058546026837
	50182)		185	28	DIN22 AL 185	49324517		4002395279685	DIN13 AL 185	4932459512	4058546026844
			300	32	DIN22 AL 240 DIN22 AL 300	49324517		4002395279692 4002395276905	DIN13 AL 240 DIN13 AL 300	4932459513 4932459514	4058546026851 4058546026868
_		I		1				100200270000		1002 1000 1 1	1000010020000
4	Туре	Form	Cable lug size (mm²)	Imprint code	M18 HCCT, M18 C	Article No	ımhor	EAN Code	M18 HCCT109/42 Description	Article Number	EAN Code
4	., po		16	8	L22 Cu 16	49324644		4058546224325	L13 Cu 16	4932464500	4058546224455
			25	10	L22 Cu 10	49324644		4058546224332	L13 Cu 25	4932464501	4058546224462
-			35	12	L22 Cu 35	49324644	189	4058546224349	L13 Cu 35	4932464502	4058546224479
-			50	14	L22 Cu 50	49324644		4058546224356	L13 Cu 50	4932464503	4058546224486
	Copper tubular cable	Hov	70	16	L22 Cu 70	49324644		4058546224363	L13 Cu 70	4932464504	4058546224493
	lugs and connectors like L series	Hex	95 120	18	L22 Cu 95 L22 Cu 120	49324644		4058546224370 4058546224387	L13 Cu 95 L13 Cu 120	4932464505 4932464506	4058546224509 4058546224516
-	2 001100		150	22	L22 Cu 120	49324644		4058546224394	L13 Cu 120	4932464507	4058546224523
ŀ			185	25	L22 Cu 185	49324644		4058546224400	L13 Cu 185	4932464508	4058546224530
-			240	28	L22 Cu 240	49324644	196	4058546224417	L13 Cu 240	4932464509	4058546224547
╛		<u> </u>	300	32	L22 Cu 300	49324793	193	4058546371876	L13 Cu 300	4932464510	4058546224554
٦					M18 HCCT, M18 C	NEHCCT60			M18 HCCT109/42		
7	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article N	lumber	EAN Code	Description	Article Number	EAN Code
+		İ	16	-	RU22 Cu/Al 16	4932451		4002395276912	RU13 Cu/Al16	4932459483	4058546011444
			35/25	-	RU22 Cu35/AL25	4932451	781	4002395276929	RU13 Cu35/AL25	4932459484	4058546011451
			50/35	-	RU22 Cu50/AL35	4932451		4002395276936	RU13 Cu50/AL35	4932459485	4058546011468
1	Pre rounding of triangu-		70/50	-	RU22 Cu70/AL50	4932451		4002395276943	RU13 Cu70/AL50	4932459486	4058546011475
.	lar shaped aluminium	Round	95/70 120/95	-	RU22 Cu95/AL70 RU22 Cu120/AL95	4932451		4002395276950 4002395276967	RU13 Cu95/AL70 RU13 Cu120/AL95	4932459487 4932459488	4058546011482 4058546011499
	and copper conductors		150/120	-	RU22 Cu150/AL93			4002395276974	RU13 Cu150/AL93		4058546011505
			185/150	-	RU22 Cu185/AL15	0 4932451		4002395276981	RU13 Cu185/AL150	4932459490	4058546011512
			240/185 300/240	-	RU22 Cu240/AL18 RU22 Cu300/AL24			4002395276998 4002395277605	RU13 Cu240/AL185 RU13 Cu300/AL240		4058546011529
_		I	JUU/24U	I -			109	4002393277605		J 499743A4A	4058546011536
4	Tuno	Eor	Coble luc size /2	Imprint c - d -	M18 HCCT, M18 (	1	ımkar İ	EAN Codo	M18 HCCT109/42	Artiala Nove-tree	EAN Code
_	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article No	ımper	EAN Code	Description AEH13 Cu 16	Article Number 4932459515	EAN Code 4058546026875
			16 25	-	-	1-		-	AEH13 Cu 16 AEH13 Cu 25	4932459515	4058546026882
1			35	-	-	-		-	AEH13 Cu 35	4932459517	4058546026899
1			50	-	-	-		-	AEH13 Cu 50	4932459518	4058546026905
	Ferruls	Trapezoid	70	-	-	-		-	AEH13 Cu 70	4932459519	4058546026912
			95	-	-	-		-	AEH13 Cu 130	4932459520	4058546026929
1			120 150	-	-	1-		-	AEH13 Cu 120 AEH13 Cu 150	4932459521 4932459522	4058546026936
1			185	-	-	-		-	AEH13 Cu 185	4932459523	4058546026950
l		<u> </u>	240	-	-	-		-	AEH13 Cu 240	4932459524	4058546026967
7					M18 HCCT, M18 (	NEHCCT60			M18 HCCT109/42		
1	Туре	Form	Cable lug size (mm²)	Imprint code	Description	Article No	ımber	EAN Code	Description	Article Number	EAN Code
7			10	-	C22 Cu 10/C4	49324648		4058546228088	-	-	-
			16	-	C22 Cu 16/C5	49324648		4058546228095	C13 Cu 16	4932459525	4058546026974
-			25 35	-	C22 Cu 25/C6 C22 Cu 50/C8C9	49324648		4058546228101 4058546228118	C13 Cu 25 C13 Cu 35	4932459526 4932459527	4058546026981 4058546026998
	0.	١	50	-	-	-	,50	-	C13 Cu 50	4932459528	4058546027001
	C taps	Oval	70	-		<u> </u>		-	C13 Cu 70	4932459529	4058546027018
- 1			10	-	-	-		-	C13 Cu 10	4932459530	4058546027025
ı			10-35	-	-	-		-	C13 Cu 10-35 C13 Cu 25-50	4932459531	4058546027032
			05.50							4932459532	4058546027049
			25-50 35-70	-	-	-		-			
			25-50 35-70	-	-	-		-	C13 Cu 35-70	4932459533	
				-	- - M18 HCCT, M18 C	- NEHCCT60		-			
	Туре	Form		- - Imprint code	M18 HCCT, M18 (	NEHCCT60	ımber	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description	4932459533 Article Number	4058546027056 EAN Code
			35-70  Cable lug size (mm²) 70	Imprint code	-	1	ımber	EAN Code	M18 HCCT109/42  Description  HAH13 Cu 70	4932459533 Article Number 4932459534	4058546027056 <b>EAN Code</b> 4058546027063
	Type H clamps	Form Oval	35-70  Cable lug size (mm²)		-	1	ımber	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description	4932459533 <b>Article Number</b> 4932459534 4932459535	4058546027056 EAN Code
			35-70  Cable lug size (mm²)  70  95	Imprint code	Description	Article No	ımber	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120	4932459533 Article Number 4932459534	EAN Code 4058546027063 4058546027063 4058546027070
	H clamps	Oval	35-70  Cable lug size (mm²) 70 95 120	Imprint code	Description M18 HCCT, M18 C	Article No		-	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42	4932459533 <b>Article Number</b> 4932459534 4932459535 4932459536	EAN Code 4058546027063 4058546027063 4058546027070 4058546027087
	H clamps		35-70  Cable lug size (mm²)  70  95	Imprint code	Description	Article No		EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120	4932459533 <b>Article Number</b> 4932459534 4932459535	EAN Code 4058546027063 4058546027063 4058546027070
	H clamps	Oval	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70	Imprint code	Description M18 HCCT, M18 C	Article No		-	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x70	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538	EAN Code 4058546027056 4058546027063 4058546027070 4058546027087  EAN Code 4058546027094 4058546027094
	Type  Double press cable	Oval Form Oval	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95	Imprint code Imprint code	Description M18 HCCT, M18 C Description -	Article No	ımber	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537	EAN Code 4058546027056 4058546027063 4058546027070 4058546027087  EAN Code 4058546027094 4058546027094
	Type  Double press cable	Oval  Form Oval  M18 HCCT,	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70	Imprint code	Description M18 HCCT, M18 C Description	Article No	ımber M18 HC	EAN Code CT109/42	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x70	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538 4932459538	EAN Code  4058546027056  4058546027063  4058546027070  4058546027087  EAN Code  4058546027094  4058546027117
a.	Type  Double press cable	Oval  Form Oval  M18 HCCT, Contents	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95  M18 ONEHCCT60	Imprint code Imprint code	Description M18 HCCT, M18 0 Description e Number EAN 0	Article No	ımber M18 HC	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x70  DP13 Cu 2x95	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538 4932459539  Article Number	EAN Code  4058546027056  4058546027070  4058546027070  4058546027087  EAN Code  4058546027100  4058546027117  EAN Code
	Type  Double press cable	Form Oval  M18 HCCT, Contents Die storage 95, 120, 15	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95  M18 ONEHCCT60  box incl. 11 dies - 16, 25, 350, 185, 240 & 300 mm²	Imprint code   -	Description M18 HCCT, M18 0 Description e Number EAN 0	Article No	M18 HC Content Die stora 95, 120,	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50 DP13 Cu 2x70 DP13 Cu 2x95  - 16, 25, 35, 50, 70, 0 mm²	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538 4932459538	EAN Code  4058546027056  4058546027063  4058546027070  4058546027087  EAN Code  4058546027094  4058546027117
	Type  Double press cable	Oval  Form  Oval  M18 HCCT, Contents  Die storage 95, 120, 15  Die storage	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95  M18 ONEHCCT60  box incl. 11 dies - 16, 25, 36, 0, 185, 240 & 300 mm² box incl. 9 dies - 16/25, 35,	Imprint code	Description M18 HCCT, M18 ( Description e Number EAN C 471997 40588	Article No	M18 HCC Content Die stora 95, 120, Die stora	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x70  DP13 Cu 2x95  - 16, 25, 35, 50, 70, 0 mm²  16/25, 35, 50, 70, 70,	4932459533  Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538 4932459539  Article Number	EAN Code  4058546027056  4058546027070  4058546027070  4058546027087  EAN Code  4058546027100  4058546027117  EAN Code
	Type Double press cable shoes	Oval  Form  Oval  M18 HCCT, Contents  Die storage 95, 120, 15  Die storage 95/120, 15  Die storage	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95  M18 ONEHCCT60  box incl. 11 dies - 16, 25, 33 0, 185, 240 & 300 mm² box incl. 9 dies - 16/25, 35, 0, 185, 240 & 300 mm² box incl. 11 dies - 16, 25, 33	Imprint code	Description M18 HCCT, M18 C Description 471997 40585 471998 40585	Article No	M18 HCC Content Die stora 95, 120, Die stora 95/120, Die stora	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x50  DP13 Cu 2x70  DP13 Cu 2x95  - 16, 25, 35, 50, 70, 0 mm²  - 16, 25, 35, 50, 70, 0 mm²  - 16, 25, 35, 50, 70, 70, 0 mm²	Article Number 4932459534 4932459534 4932459536  Article Number 4932459537 4932459538 4932459539  Article Number 4932472000 4932472001	EAN Code  4058546027056  4058546027063  4058546027070  4058546027087  EAN Code  4058546027100  4058546027117  FAN Code  405854632396  405854632396
	Type Double press cable shoes	Oval  Form  Oval  M18 HCCT, Contents  Die storage 95,120,15  Die storage 95,120,15  Die storage 95,120,15	35-70  Cable lug size (mm²) 70 95 120  Cable lug size (mm²) 2x50 2x70 2x95  M18 ONEHCCT60  box incl. 11 dies - 16, 25, 35, 0, 185, 240 & 300 mm² box incl. 9 dies - 16/25, 35, 0, 185, 240 & 300 mm²	Imprint code   -	Description M18 HCCT, M18 C Description 471997 40585 471998 40585	Article No	M18 HC Content Die stora 95, 120, Die stora 95/120, Die stora 95, 120,	EAN Code	C13 Cu 35-70  M18 HCCT109/42  Description  HAH13 Cu 70  HAH13 Cu 95  HAH13 Cu 120  M18 HCCT109/42  Description  DP13 Cu 2x50  DP13 Cu 2x50  DP13 Cu 2x70  DP13 Cu 2x95  - 16, 25, 35, 50, 70, 0 mm²  - 16, 25, 35, 50, 70, 0 mm²	Article Number 4932459534 4932459535 4932459536  Article Number 4932459537 4932459538 4932459539  Article Number 4932472000	EAN Code  4058546027056  4058546027063  4058546027070  4058546027087  EAN Code  4058546027100  4058546027117  EAN Code  405854632396























## **SYSTEM ATTACHMENTS - PIPE CUTTERS**

	Description	Article Number	EAN Code
a	Pipe cutter wheels. Suitable for copper pipe. Not suitable for plastic or stainless steel pipe	48380010	045242159710
b	Cable cutter blade for C12 PC	4932430070	4002395377312
c.	PEX cutter blade for C12 PPC	4931441978	4002395179268
d.	Wheels for M12™ RAPTOR™ pipe cutter stainless steel (M12 PCSS) (2pc)	4932479243	4058546370374
e.	Wheels for M12 <sup>™</sup> RAPTORXL <sup>™</sup> pipe cutter stainless steel (M12 PCCS54)	4932498665	4058546525347























## **SYSTEM ATTACHMENTS - CABLE CUTTERS**

	Description	Description	Article Number	EAN Code
a.	ACSR Aluminium steel reinforced cable cutting jaw including blades	Cable cutter jaw and blade set for cutting aluminium-steel transmission cable. ACSS-aluminium conductor steel supported cable and ACSR-aluminium conductor steel reinforced cable i.e. 94-AL1 / 15-ST1A (EN 50182). Not suitable for armoured cable or steel rods. Max. cutting Ø22.5 mm	49162773	045242350070
	ACSR Aluminium steel reinforced cable cutting blades	Replacement cable cutter blades for ACSR-jaw. Not suitable for armoured cable or steel rods.	48440412	045242355235
b. 1	Cu/Al standard copper & aluminium cable cutting jaw including blades	Cable cutter jaw and blade set for cutting copper/aluminium. Copper/aluminium standard stranded cable up to 4 x 50 mm², 1 x 500 mm² in aluminium and 1 x 400 mm² in copper. Not suitable for fine stranded/highly flexible cable. Max. cutting Ø35 mm	4932430839	4002395385010
J.	Cu/Al standard copper & aluminium cable cutting blades	Cu/Al standard copper & aluminium cable cutting blades. The blades fit for the Cu/Al cutting jaws for M18HCC & ONEHCC cutters + M18 HCCT crimper cutting jaw	4932464498	4058546224431
C.	FSW fine stranded wire cutting jaw including blades	Cable cutter jaw and blades for class 5 fine stranded wire and class 6 finest stranded wire according to IEC 60228/DIN VDE 0295 standards. Also suitable for high flexible data- and telecomcable. Not suitable for thick stranded cables. Max. cutting Ø35 mm	49162778	045242505722
0.	FSW fine stranded wire cutting blades	FSW fine stranded wire cutting blade	48442778	045242505739
d.	EHS guy wire/steel wire cutting jaw including blades	Cutting jaw and blades for EHS grade guy wire, stay wire & steel wire according to DIN48201/3 guy wire of grade ST1/ST2/ST3. Not suitable for fine stranded steel ropes. Max. cutting Ø15 mm	49162777	045242505449
u.	EHS guy wire/steel wire cutting blades	EHS guy wire/steel wire cutting blades	48442777	045242505456
e.	Armored cable cutting Jaw for M18 HCC	Armored cable cutting Jaw for M18 HCC	4932464867	4058546228125
0.	Replacement SWA blade for M18 HCC	Replacement SWA blade for M18 HCC	4932464868	4058546228132
f.	Replacement blade for M18 HCC125/	Latch replacement blade for M18 HCC125/ M18 HSFC125	4932492423	4058546417901
	M18 HSFC125	Moving ram replacement blade for M18 HCC125/ M18 HSFC125	4932492424	4058546417918
g.	Grounding kit for M18 HSFC125	Grounding kit for M18 HSFC125	4932492425	4058546417925

































# SYSTEM ATTACHMENTS - THREADED ROD CUTTER

	Description	Article Number	EAN Code
a.	Dies for M18 <sup>™</sup> BLTRC threaded rod cutter	4932471372	4058546290009





## **SYSTEM ATTACHMENTS - STRUT SHEAR**

	Description	Article Number	EAN Code
	Strut shear die set 22 x 41 mm	49160078	045242821914
a.	Strut shear die set 41 x 41 mm	49160158	045242821891
	Strut shear die set 21 x 41 mm	49161316	045242821907
	Strut shear combination die set 21 x 41	49161513	045242821921
b.	Strut shear combination die set 22 x 41	49161578	045242821938











## SYSTEM ATTACHMENTS - M18 FUEL™ FISH TAPES

		Description	Article Number	EAN Code
a	Steel fish drums	36 m x 3 mm steel fish drum	48445176	4058546326432
a	Seeriisii uuilis	72 m x 3 mm steel fish drum	48445178	4058546326449
	Non-conductive degree	30 m non-conductive polyester drum	48445195	4058546326463
b	Non-conductive drums	60 m non-conductive polyester drum	48445197	4058546326470







## **SYSTEM ATTACHMENTS - HYDRAULIC KNOCKOUT PUNCH**

- $\circ$  Suitable for mild steel and aluminium up to a thickness of 3 mm.  $^\circ$  Also suitable for stainless steel max. 2.5 mm.

	Description	Diameter (mm)	Article Number	EAN Code			Description	Diameter (mm)	Article Number	EAN Code	
	Punch M16	16.2	4932430841	4002395385034	a		Die M16	16.2	4932430913	4002395385751	(a)
	Punch PG16	22.5	4932430843	4002395385058			Die PG16	22.5	4932430915	4002395385775	
	Punch M20	20.4	4932430842	4002395385041			Die M20	20.4	4932430914	4002395385768	
	Punch PG21	28.3	4932430845	4002395385072			Die PG21	28.3	4932430917	4002395385799	
a.	Punch M25	25.4	4932430844	4002395385065		a.	Die M25	25.4	4932430916	4002395385782	
	Punch M32	32.5	4932430846	4002395385089			Die M32	32.5	4932430918	4002395385805	
	Punch M40	40.5	4932430847	4002395385096			Die M40	40.5	4932430919	4002395385812	
	Punch M50	50.5	4932430848	4002395385102			Die M50	50.5	4932430920	4002395385829	
	Punch M63	63.5	4932430849	4002395385119			Die M63	63.5	4932430921	4002395385836	
	raw stud bolt 491 1.5 mm drill bit / s		d 20.4 mm) Ø 11,	1 mm: requires pre	e-drilling with Ø 11.3 -	-					
b.	Draw bolt 11.1 mm (*/+é*)  Draw stud bolt 49162680 (for 16.2 and 20.4 mm) Ø 11,1 mm: requires pre-drilling with Ø 11.3 - 11.5 mm drill bit / step drill.							49162680	045242311774	(b)	
C.	c. Draw bolt 19 mm (3/4) Draw stud bolt 49162681 Ø 19 mm: requires pre-drilling with Ø 19.5 - 20 mm drill bit / step drill. 49162681 045242311781									©	

## **SYSTEM ATTACHMENTS - HYDRAULIC PUMP**

	Description	Features	Article Number	EAN Code
a.	1.8 m extension cord for M18 HUP controller	Compatible with M18™ FORCE LOGIC™ hydraulic pump     IP 67 ingress protection for reliable use in the elements     Male-female connectors for interconnectable extension up to     7.3 m of length	49122775	4058546326487
b.	Bucket hanger for M18 HUP700	Compatible with M18™ FORCE LOGIC™ hydraulic pump     Extendable bar & rubber bumpers allow for use with most existing buckets & steel baskets     Symmetrical lift ring design enable use from both sides of the hanger	49122776	045242535231
C.	Replacement oil M18 HUP700	o 1 Liter accessory oil for M18™ FORCE LOGIC™ HUP700 hydraulic pump     e Ensures full performance and reliable use in extreme environmental conditions from -18°C to 50°C	4932472004	4058546324001







# SYSTEM ATTACHMENTS - EXPANSION TOOLS

## **EXPANDER HEADS**

		Pipe diameter (mm)	Pipe wall thickness (mm)	Pipe pressure (bar)	Suitable	Article Number	EAN Code
	PXPH 9.9 - 144/8	9.9	1.1	4/8	M12, M18	4932430102	4002395377633
	PXPH 12I -14	12	1.7/ 1.8/ 2	6-10	M12, M18	4932352716	4002395373741
	PXPH 15N -14	14 / 15	2.5	6-10	M12, M18	4932352727	4002395373857
	PXPH 16I - 1406	16	1.5/ 1.8	6	M12, M18	4932430103	4002395377640
	PXPH 16I - 14	16	1.8/ 2.0/ 2.2	10	M12, M18	4932352717	4002395373758
	PXPH 18N - 14 17 / 18		2.5	6-10	M12, M18	4932352728	4002395373864
	PXPH 20I - 1406	20	1.9/ 2.0/ 2.3	6, (8 bar - Ø 2.3 mm)	M12, M18	4932352718	4002395373765
	PXPH 20I - 1410	20	2.8	10	M12, M18	4932352719	4002395373772
	PXPH 20I - 2506	20	1.9/ 2.0/ 2.3	6, (8 bar - Ø 2.3 mm)	M18	4932352733	4002395373918
	PXPH 20I - 2510	20	2.8	10	M18	4932352748	4002395374069
	PXPH 22N - 14	22	3	6-10	M12, M18	4932352729	4002395373871
	PXPH 25I - 1406	25	2.3	6	M12, M18	4932352720	4002395373789
a.	PXPH 25I - 1410	25	3.5	10	M12, M18	4932352721	4002395373796
	PXPH 25I - 2506	25	2.3	6	M18	4932352722	4002395373802
	PXPH 25I - 2510	25	3.5	10	M18	4932352749	4002395374076
	PXPH 28N - 14	28	4	6-10	M12, M18	4932352730	4002395373888
	PXPH 32I - 1406	32	2.9	6	M12, M18	4932352723	4002395373819
	PXPH 32I- 25	32	2.9/ 4.4	6-10	M18	4932352724	4002395373826
	PXPH 40I - 2506	40	3.7	6	M18	4932352725	4002395373833
	PXPH 40I - 2510	40	5.5	10	M18 FPXP	4932479581	4058546373757
	PXPH 40I - 5606	40	3.7	6-10	M18 BLPXPL	4932451396	4002395160884
	PXPH 50I - 25	50	4.6/ 6.9	6-10	M18 FPXP	4932479582	4058546373764
	PXPH 50I - 5606	50	4.6	6-10	M18 BLPXPL	4932451397	4002395160891
	PXPH 63I - 5606	63	5.8	6-10	M18 BLPXPL	4932451398	4002395158102
	PXPH 75I - 5606	75	6.8	6-10	M18 BLPXPL	4932451399	4002395158119
	Grease				For lubrication of cone and expander heads.	4932352726	4002395373840
b.	Grease expander h	eads 40/50 mm		For lubrication of M18 FPXP cone and 40/50 mm expander heads.	4932479835	4058546376291	







## **RAPID SEAL™ EXPANDER HEADS**

		Pipe diameter (mm)	Pipe wall thickness (mm)	Pipe pressure (bar)	Suitable	Article Number	EAN Code
	FPXPH9.9I-14	9.9	1.1	4-8	M12, M18	4932472150	4058546325466
	FPXPH16I-14	16	1.5/ 1.8/ 2.0/ 2.2	6-10	M12, M18	4932472151	4058546325473
	FPXPH20I-1406	20	1.9/ 2.0/ 2.3	6-8	M12, M18	4932472152	4058546325480
a.	FPXPH20I-1410	20	2.8	10	M12, M18	4932472153	4058546325497
	FPXPH25I-1406	25	2.3	6	M12, M18	4932472271	4058546339173
	FPXPH25I-1410	25	3.5	10	M12, M18	4932472272	4058546339180
	FPXPH32I-1406	32	2.9	6	M12, M18	4932472273	4058546339197







# SYSTEM ATTACHMENTS - CAULK GUNS

	Description	Fits Milwaukee Caulk Guns	Article Number	EAN Code	a	
a.	310 ml standard carriage. Accepts all standard 250 ml and 310 ml tubes/cartridges Includes plunger rod assembly (4932352937), piston for carriage assemblies and a feed screw (44700330)	C18 PCG	48081076	045242263127		
b.	310 ml standard carriage. Accepts all standard 250 ml and 310 ml tubes/cartridges Includes plunger rod assembly (4932430099), piston for carriage assemblies and a feed screw (44700330)	C12 PCG	48080900	045242286355	Ь	7
c.	310 ml aluminium sausage tube barrel. Accepts standard 310 ml "sausage style" material packs and 380 ml cartridges. Requires plunger rod 49520660	PCG 14 / 300,PCG 14 / 600	48081085	045242089246	©	<b>*</b> 00
d.	400 ml aluminium sausage tube barrel. Accepts standard 400 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091090) and piston (44700375)	C18 PCG,C12 PCG	4932352844	4002395375028	<b>(d)</b>	
e.	600 ml aluminium sausage tube barrel. Accepts standard 600 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091091) and piston (44700375)	C18 PCG,C12 PCG	4932352845	4002395375035	®	
f.	400 ml transparent sausage tube barrel. Accepts standard 400 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091090) and piston (44700375)	C18 PCG,C12 PCG	4932352842	4002395375004	Ð	
g.	600 ml transparent sausage tube barrel. Accepts standard 600 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091091) and piston (44700375)	C18 PCG,C12 PCG	4932352843	4002395375011	9	
h.	Plunger rod assembly for 310 ml cartridges. For use with: 48081076 310 ml standard carriage	C18 PCG	4932352937	4002395375950	h	
i.	Plunger rod assembly for 310 ml carriage. For use with: 48080900 310 ml standard carriage	C12 PCG	4932430099	4002395377602	(1)	
j.	Plunger rod short (340 mm long). For use with: 48081075 carriage and 48081085 "sausage style" barrel	PCG 14 / 300,PCG 14 / 600	49520600	045242190201	(j) (k)	
k.	Plunger rod assembly for 400 ml sausage tube barrel. For use with: 4932352844 400 ml aluminium sausage tube barrel. 4932352842 400 ml transparent sausage tube barrel	C18 PCG	48091090	045242263158	①	<del></del>
I.	Plunger rod assembly for 400 ml sausage tube barrel. For use with: 4932352844 400 ml aluminium sausage tube barrel. 4932352842 400 ml transparent sausage tube barrel	C12 PCG	4932430100	4002395377619	m	
m.	Plunger rod assembly for 600 ml sausage tube barrel. For use with: 4932352845 600 ml aluminium sausage tube barrel. 4932352843 600 ml transparent sausage tube barrel	C18 PCG	48091091	045242263165	n	<del></del>
n.	Plunger rod assembly for 600 ml sausage tube barrel. For use with: 4932352845 600 ml aluminium sausage tube barrel. 4932352843 600 ml transparent sausage tube barrel	C12 PCG	4932430101	4002395377626	0	
0.	Piston for carriage assemblies	C18 PCG,C12 PCG	44700330	045242260928	(P)	
p.	Piston for sausage tube barrels	C18 PCG,C12 PCG	44700375	045242277438		
q.	Replacement nozzle	PCG 14 / 300,PCG 14 / 600,C18 PCG,C12 PCG	45760525	4002395775323	9	

#### **SYSTEM ATTACHMENTS - ELECTRICAL TEST & MEASURING**

	Description	Article Number	EAN Code
a	Electrical test probes (max. 1000 Volts/ 10 Amps) heads 125 mm long	49771004	045242238965
b	Electrical alligator clips (max. 1000 Volts/ 10 Amps)	49771005	045242238972



## **SYSTEM ATTACHMENTS - HEATED JACKETS**

- M18<sup>™</sup> USB Power Source M18<sup>™</sup> USB PS HJ. Powers the jacket on M18<sup>™</sup> battery packs. USB
- charging port for MP3 player, mobile phone, digital camera, GPS.

  12 V Car Plug 12 V CP HJ. Powers the jacket on any 12 V cigarette style outlet.

	Description	Article Number	EAN Code
a.	M18™ 2.1A USB controller (M18 USB PS HJ2)	4932471597	4058546294960
b.	M12™ car plug (12 V CP HJ)	4932430085	4002395377466





## ONE-KEY™ BLUETOOTH® TRACKING TAG

- Track with any item in your MILWAUKEE® ONE-KEY™ inventory. Simply pair the TICK™ with your chosen item and leverage ONE-KEY™ integrated tool tracking to locate your missing product
   Fully compatible with all ONE-KEY™ integrated tool tracking and inventory management features

- 1968 withstands toughest jobsite conditions
   Withstands temperatures from +60 °C to -20 °C
   3-year run time with built-in non-replaceable battery, eliminates the need to stock batteries
- $^{\circ}$  Identify a specific item or find an item, even if it cannot be visibly seen, with the new built-in speaker  $^{\circ}$  Up to 90 m beacon range
- 5 seconds duty cycles
- NFC allows you to pull data to troubleshoot
- The QR code allows for 2 step activation, tracking when Bluetooth® isn't working and quickly identify specific item within the ONE-KEY™ software
- The accelerometer will alert you if your item has been in use or is moved from where it belongs
   Solid, one piece, construction makes for a stronger, more durable product

	Description	Article Number	EAN Code
a.	MILWAUKEE® ONE-KEY™ Bluetooth® tracking tag - BTT	4933478640	4058546348335
b.	MILWAUKEE® ONE-KEY™ Bluetooth® tracking tag - BTT - 10 pc	4933478643	4058546348366







## **SYSTEM ATTACHMENTS - ROUTERS**

		Description	Article Number	EAN Code
a.	TRB-1	Trim router offset base attachment, for trimming close to walls	4932471946	4058546298456
b.	TRB-2	Trim router offset base attachment for M18 FTR8	4932493596	4058546484675
c.	RCA-1	Quarter inch collet and nut for M18 FTR8	4932479425	4058546372194
d.	TRA-2	Plunge base for M18 FTR and M18 FTR8	4932480544	4058546408299
e.	RBA-1	12 mm router plunge base to be used with M18 FR12	4932493307	4058546481780
f.	RBA-2	Router guide rail adaptor attaches the M18 FR12 router to the current MILWAUKEE® guide rails	4932493306	4058546481773
	RC600	6 mm collet and nut for M18 FR12	4932493912	4058546510725
	RC635	6.35 mm (1/a) collet and nut for M18 FR12 router	4932493913	4058546510732
g.	RC800	8 mm collet and nut for M18 FR12 router	4932493914	4058546510749
	RC1200	12 mm collet and nut for M18 FR12 router	4932493915	4058546510756
	RC1250	12.5 mm (1/z) collet and nut for M18 FR12 router	4932493916	4058546510763
h.	Screw clamp (singl	Screw clamp (single piece) for stationary use of routers when used with flexible shaft (2 pcs required)		










## **SYSTEM ATTACHMENTS - INSPECTION CAMERAS**

- All extension cables are water splash and dust proof.
- Extensions are attached between the base camera unit and standard supplied camera cable.

	Description	Cable length (m)	Cable diameter (mm)	Fits Milwaukee Inspection Cameras	Article Number	EAN Code
	Cable extension: Up to a maximum of 3 extensions can be fixed together	0.9	17	C12 IC	48530110	045242157747
	Cable extension: Up to a maximum of 5 extensions can be fixed together	0.9	17	C12 AVD,C12 AVA	48530141	045242216529
a.	Replacement analog camera cable	0.9	9.5	C12 AVD,C12 AVA	4931419517	4002395828234
	1m replacement cable camera for the M-spector camera	1	12	M12 IC AV3	48530150	045242344208
	3m replacement cable camera for the M-spector camera	3	12	M12 IC AV3	48530151	045242344222
b.	1 m articulating cable	1	12	M12 IC AV3	48530155	045242344215
c.	Skid set for M18™SIC36	-	-	M18 SIC36	4931473616	4058546354923
d.	Skid set for M18™SIC60	-	-	M18 SIC60	4931473638	4058546355142
e.	Grounding kit for M18™SISH	-	-	M18 SISH	4931473526	4058546354022
f.	23 m replacement cable with 8 mm reception for M18™ high speed flexible shaft machine	23	-	-	4932480723	4058546410087
g.	5.0 mm replacement camera for M12™ automotive technician borescope	0.9	9.5	C12 AVD,C12 AVA	4932492938	4058546478094
h.	10 mm camera head -3 m inspection camera for M12™ sewer inspection monitor	3	6	M12 SIM	4932498227	4058546520960
n.	10 mm camera head - 1.2 m inspection camera for M12 <sup>™</sup> sewer inspection monitor	1.2	6	M12 SIM	4932498228	4058546520977



## **SYSTEM ATTACHMENTS - PIPE STAND**

	Description	Article Number	EAN Code
a	MILWAUKEE® pipe stand replaceable jaws	4932478923	4058546362058
a	MILWAUKEE® pipe stand neoprene jaws	4932478924	4058546362065
b	MILWAUKEE® pipe stand stainless steel jaws	4932478925	4058546362072
С	MILWAUKEE® pipe stand removeable shelf	4932478926	4058546362089



# SYSTEM ATTACHMENTS - PASS-THROUGH RATCHET

		Description	Article Number	EAN Code
		INSIDER™ pass-through ratchet socket 8 mm (pass-through)	4932492855	4058546477264
		INSIDER™ pass-through ratchet socket 9 mm (pass-through)	4932492856	4058546477271
		INSIDER™ pass-through ratchet socket 10 mm (pass-through)	4932492857	4058546477288
	INSIDER <sup>™</sup> pass-through ratchet sockets	INSIDER™ pass-through ratchet socket 11 mm (pass-through)	4932492858	4058546477295
a.	INSIDER pass-infoughtratchet sockets	INSIDER™ pass-through ratchet socket 12 mm (pass-through)	4932492859	4058546477301
		INSIDER™ pass-through ratchet socket 13 mm (pass-through)	4932492860	4058546477318
		INSIDER™ pass-through ratchet socket 14 mm (pass-through)	4932492861	4058546477325
		INSIDER™ pass-through ratchet socket 15 mm (pass-through)	4932492862	4058546477332
		INSIDER™ pass-through ratchet socket 16 mm	4932492863	4058546477349
		INSIDER™ pass-through ratchet socket 17 mm	4932492864	4058546477356
b.	INSIDER <sup>™</sup> pass-through ratchet sockets	INSIDER™ pass-through ratchet socket 18 mm	4932492865	4058546477363
		INSIDER™ pass-through ratchet socket 19 mm	4932492866	4058546477370
		INSIDER™ pass-through ratchet socket 21 mm	4932492867	4058546477387
		INSIDER™ pass-through ratchet 1/4" anvil adapter	4932499408	4058546565725
C.	INSIDER <sup>™</sup> pass-through ratchet anvil adapters	INSIDER™ pass-through ratchet 3/8" anvil adapter	4932499409	4058546565732
		INSIDER™ pass-through ratchet 1/2" anvil adapter	4932499410	4058546565749
d.	INSIDER™ pass-through ratchet Hex bit holders	INSIDER™ pass-through ratchet 1/4" Hex bit holder	4932492871	4058546477424









## M12™ / M18™ DUST ABSORPTION SYSTEM

	Description	Fits MILWAUKEE® Dust Extractors	Pack quantity	Min. order quantity	Article Number	EAN Code	] a
a.	Drilling nozzle	M18 CDEX / M18/28 CPDEX,M12 DE	2	1	49902301	045242337279	<b>6</b>
b.	Filter	M18 CDEX / M18/28 CPDEX,M12 DE	3	1	49902306	045242299454	
							(
C.	Crevice nozzle	M12 DE	1	1	49902325*	045242297603	(d
	Filter set (3pc)						
d.	Filter box, filter, box lid	M12 DE	3	1	49902340	045242299461	@
e.	M18 & M28 Dustbox with filter box, filter	M18 CDEX / M18/28 CPDEX	4	1	49902342	045242341948	Œ
f.	Dust thru-box to allow connection of the M / vacuum cleaner. Outlet nozzle: Ø 37 mm (	1	1	4932430479	4002395381401		
g.	Drilling shroud - PHDE152	1	1	4932471990	4058546298890		




















# **SYSTEM ATTACHMENTS - DUST ABSORPTION**

## **VACUUM CLEANERS**

		Description	Fits MILWAUKEE® Dust Extractors	Article Number	EAN Code
	System Ø 35 mm	Extraction hose, anti static. 4 m long 36 mm diameter with tool adaptor	AS 300 ELCP,AS 500 ELCP,AS 300 EMAC	4932352311	4002395369706
a		Universal adaptor Ø 35 / 33 / 27 mm	WDC 1400 A,AS 1,AS 2 C,AS 3 W,ASE 1400,ASM 1400	4932369282	4002395338412
		Extraction hose Ø 35 mm / 5 m	ASE 1400,ASM 1400	4932373626	4002395351534
b.		Metal push handle	AS 42 MAC,AS 30 MAC,AS 30 LAC	4932459691	4058546028633
c.		27 mm x 3.5 m hose attachment	AS2-250EM/H	4932498236	4058546521059
d.		PACKOUT™ compatible dust seperator	M18 FPOVCL	4932498256	4058546521257



## **FILTER BAGS**

	Description	Fits MILWAUKEE® Dust Extractors	Capacity (I)	Article Number	EAN Code
a.	Filter bags (5pc)	AS 250 ECP	25	4932352306	4002395369652
b.	Filter bags	AS 300 ELCP,AS 300 EMAC,AS 300 ELAC	30	4932352307	4002395369669
C.	Filter bags: 5 x plastic bags, 30 l	AS 250 ECP,AS 300 ELCP,AS 300 EMAC	30	4932352309	4002395369683
d.	Disposable bags 30 I	AS 42 MAC,AS 30 MAC,AS 30 LAC	30	4932459690	4058546028626
e.	Filter bags	AS 500 ELCP	50	4932352308	4002395369676
f.	Filter bags: 5 x plastic bags, 50 l	AS 500 ELCP	50	4932352310	4002395369690
g.	Fleece filter bags for AS 30/42	AS 30 LAC,AS 30 MAC,AS 42 MAC	30	4932459689	4058546028619
h.	Fleece filter bag (5pc)	M18 F2VC23L	23	4932479807	4058546376017
i.	Fleece bags (3pc)	M18 FPOVCL,M12 FVCL	3.5	4932478762	4058546360443



## **FILTER CARTRIDGES**

	Description	Fits MILWAUKEE® Dust Extractors	Article Number	EAN Code
a.	Filter cartridges, 2pc	AS 300 EMAC,AS 300 ELAC	4932352305	4002395369645
b.	Filter cartridge	AS 250 ECP,AP 250 ECP	4932352303	4002395369621
c.	Filter cartridge	AS 300 ELCP,AS 500 ELCP,AS 2-250 ELCP	4932352304	4002395369638
d.	Flat folded polyester filter cartridge, 2 pcs	ASE 1400,ASM 1400	4932373623	4002395351510
e.	PTFE flat filter	AS 30 LAC,AS 42 MAC,AS 30 MAC	4932459687	4058546028596
f.	Motor cooling filter	AS 42 MAC,AS 30 MAC,AS 30 LAC	4932459688	4058546028602
g.	Wet filter universal	M12 FVCL,M18 FPOVCL,M18 VC2	4932478802	4058546360849
h.	Wet filter replacement	M18 F2VC23L	4932479806	4058546376000
i.	Dry HEPA filter universal replacement	M12 FVCL,M18 FPOVCL,M18 VC2	4932478754	4058546360368
j.	Dry HEPA filter replacement for M18 FCVL	M18 FCVL	4932478814	4058546360962
k.	Dry HEPA filter replacement	M18 F2VC23L	4932479805	4058546375997
l.	H-Class filter	AS2-350EH	4932498235	4058546521042



## SYSTEM ATTACHMENTS - AIR TIP™ ATTACHMENTS

						_	
		Description	Features	Article Number	EAN Code	(a)	
a.	AT-1	AIR-TIP™ dust collector	<ul> <li>Funnel design to capture more debris</li> <li>Uses the vacuums suction to suck to walls, allowing for hands-free use</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Strong rubber seal</li> </ul>	4932498010	4058546511708		*
b.	AT-2	AIR-TIP™ 3-in-1 crevice and brush tool	Reversible and removeable 2-sided brush head Two-sided brush head has long/ soft bristles on one side, and short/ stiff bristles on the other Brush head slides and removes easily with two detent buttons	4932498011	4058546511715	©	
C.	AT-3	AIR-TIP™ 2-in-1 utility brush tool	Brush tool slides and locks into place Agitating brushes for easy debris removal Length 28.4 cm Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters	4932498012	4058546511722	(1)	-
d.	AT-4	AIR-TIP™ long reach flexible micro hose set	<ul> <li>Five interchangeable micro hose lengths and diameters for many hard to reach spaces</li> <li>Can be used in a variety of spaces like automotive, HVAC, plumbing, light fixtures, condensate lines, and many more</li> </ul>	4932498013	4058546511739	е	
e.	AT-5	AIR-TIP™ cross brush tool	<ul> <li>Cross bristle design mitigates pushing debris away from the cleaning area</li> <li>Agitating brushes for easy debris removal</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Bristles will not mar or scratch surfaces</li> </ul>	4932498014	4058546511746	(f)	
f.	AT-6	AIR-TIP™ swiveling palm brush	Swivels 360° Interchangeable bristle/ brush heads included Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters	4932498015	4058546511753	9	The state of the s
g.	AT-7	AIR-TIP™ pivoting extension wand	<ul> <li>Strong detent mechanism</li> <li>Pivoting 90° joint allows for greater cleaning access overhead and below</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Can hold 32 mm accessories on the end of the tip</li> </ul>	4932498016	4058546511760	h (i)	
h.	AT-8	AIR-TIP <sup>™</sup> rotating corner brush tool	<ul> <li>360° rotating brush head</li> <li>Agitating brushes for easy debris removal</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Corner shaped tip</li> </ul>	4932498017	4058546511777		
i.	AT-9	AIR-TIP™ conduit line puller kit	<ul> <li>Flexible rubber design to fit into small conduit boxes and tight areas</li> <li>Narrow ends and cross design stopper prevents line and bag from sucking into the vacuum</li> <li>Rubber cone seal</li> </ul>	4932498018	4058546511784	① ®	
j.	AT-10	AIR-TIP™ low profile pivoting brush tool	Strong pivoting joint for use in multiple orientations 360° flat swiveling head Bristles will not mar or scratch surfaces Agitating brushes for easy debris removal	4932498019	4058546511791	(I)	<u> </u>
k.	AT-11	AIR-TIP™ magnetic utility nozzle	Black zinc coating prevents rust     Optimised for handheld use     Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters	4932498020	4058546511807	_	=
l.	AT-12	AIR-TIP™ 4-in-1 right angle cleaning tool	Gradual bend and right angle design can be used around pipes near walls and in a variety of tight access cleaning situations     Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters     Tip holder stores the 4 included tips	4932498021	4058546511814	(m) (n)	1 1
m.	AT-13	AIR-TIP™ flexible long reach crevice tool	<ul> <li>Flexible tool shaft can bend to reach into difficult areas</li> <li>40 cm in overall length</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Durable and flexible rubber material</li> </ul>	4932498022	4058546511821		
n.	AT-14	AIR-TIP™ non-marring utility nozzle kit	<ul> <li>Specialised resin allows for each tip to be used on finished surfaces without marking up the area</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> <li>Non-marring edges indicated by the black surface on each tool</li> </ul>	4932498023	4058546511838		
0.	AT-15	AIR-TIP™ claw utility nozzle with brushes	<ul> <li>Ergonomic claw grips and integrated bristles allows for more cleaning leverage and agitation in the same application</li> <li>Agitating brushes for easy debris removal</li> <li>Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters</li> </ul>	4932498024	4058546511845	®	
p.	AT-16	AIR-TIP™ rocking utility nozzle with brushes	Easier to push and pull across surfaces     Agitating brushes for easy debris removal     Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters     Beveled design optimised for both forward and backward cleaning strokes	4932498025	4058546511852	9	•
q.	M12 AUN	M12 <sup>™</sup> AIR-TIP <sup>™</sup> utility nozzle	<ul> <li>The M12<sup>™</sup> powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces</li> <li>The universal reception fits to all MILWAUKEE® M12<sup>™</sup> and M18<sup>™</sup> cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)</li> </ul>	4932479461	4058546372552		



## **SYSTEM ATTACHMENTS - FLEXIBLE SHAFT MACHINE**

		Name	Description	Fits Milwaukee flexible shaft machine	Article Number	EAN Code
a.	Lubrication oil for M18 <sup>™</sup> high speed flexible shaft machine	HSFSM-OIL	Lubrication oil for M18™ high speed flexible shaft machine	M18 HSFSM	4932480905	4058546411909
b.	23 m replacement cable with 8 mm reception for M18 $^{\!\!\!\!\!\!^{\text{\tiny M}}}$ high speed flexible shaft machine	HSFSM-RC8	23 m replacement cable with 8 mm reception for M18™ high speed flexible shaft machine	M18 HSFSM	4932480723	4058546410087
		HSFSM-SC3240	32 - 40 mm standard chain for M18™ high speed flexible shaft machine	M18 HSFSM	4932480724	4058546410094
c.	Standard chain for M18 <sup>™</sup> high speed	HSFSM-SC50	50 mm standard chain for M18™ high speed flexible shaft machine	M18 HSFSM	4932480725	4058546410100
6.	flexible shaft machine	HSFSM-SC75	75 mm standard chain for M18 <sup>™</sup> high speed flexible shaft machine	M18 HSFSM	4932480726	4058546410117
		HSFSM-SC110	110 mm standard chain for M18 <sup>™</sup> high speed flexible shaft machine	M18 HSFSM	4932480727	4058546410124
	Carbide chains for M18™ high speed	HSFSM-CC3240	32 - 40 mm carbide chain for M18 <sup>™</sup> high speed flexible shaft machine	M18 HSFSM	4932480728	4058546410131
d.		HSFSM-CC50	50 mm carbide chain for M18 <sup>™</sup> high speed flexible shaft machine	M18 HSFSM	4932480729	4058546410148
u.	flexible shaft machine	HSFSM-CC75	75 mm carbide chain for M18™ high speed flexible shaft machine	M18 HSFSM	4932480730	4058546410155
		HSFSM-CC110	110 mm carbide chain for M18™ high speed flexible shaft machine	M18 HSFSM	4932480731	4058546410162
e.	Penetrating head for M18 <sup>™</sup> high speed flexible shaft machine	HSFSM-PH	Penetrating head for M18 <sup>™</sup> high speed flexible shaft machine	M18 HSFSM	4932480732	4058546410179

















**e** 



## **SYSTEM ATTACHMENTS - PORTABLE BATTERY EXTENSION**

		Description	Article Number	EAN Code
a.	MXF PBET-24	MX FUEL™ portable battery extension tether 2.4 m with mock battery	4932498068	4058546512286





INTRODUCTION PAGES	
GUARANTEE CONDITIONS	3
M12™ INSPECTION CAMERAS	77
M12 FUEL™ INTRODUCTION	46
M18™ INSPECTION CAMERAS	76
M18 FUEL™ INTRODUCTION	12
M18™ REDLITHIUM™ FORGE™ BATTERIES	13
M18™ REDLITHIUM™ FORGE™ RUN TIME DATA	14
MX FUEL <sup>TM</sup> FORGE <sup>TM</sup>	8
MX FUEL™ INTRODUCTION	4
MX FUEL™ RUN TIME DATA	10
ONE-KEY™ INTRODUCTION	11
OPE TOOLS RUN TIME DATA	84 - 85
TRUEVIEW™ TECHNOLOGY	86

T00LS	4	- 103
2200-40	VOLTAGE DETECTOR	68
2205-40	FORK METER FOR ELECTRICIANS	68
2212-20	AUTO VOLTAGE / CONTINUITY TESTER	68
2216-40	LIGHT COMMERCIAL MULTIMETER	68
2217-40	DIGITAL MULTIMETER	68
2217-40	NON CONTACT VOLTAGE DETECTOR WITH LASER	
2225-20	THERMOMETER	68
2235-40	LIGHT COMMERCIAL CLAMP METER	68
2267-40	10:1 INFRARED TEMP-GUN™	68, 72
AG 10 EK	1000 W ANGLE GRINDER	98 - 99
AG 13 XSPD	1250 W ANGLE GRINDER WITH SLIM PADDLE SWITCH	98 - 99
AG 22	2200 W ANGLE GRINDER	98 - 99
AG 24	2400 W ANGLE GRINDER	98 - 99
AG 800 E	800 W ANGLE GRINDER	98 - 99
AG 800 EK	800 W ANGLE GRINDER WITH KEYLESS GUARD	98 - 99
AGS 15-125 C	1500 W GRINDER/SANDER	100
AGV 10 EK	1000 W ANGLE GRINDER WITH AVS	98 - 99
AGV 12	1200 W ANGLE GRINDER WITH AVS	98 - 99
AGV 12 DEC	1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	97
AGV 12 DEG	1200 W ANGLE GRINDER WITH DUST MANAGEMENT	97
AGV 13	1250 W ANGLE GRINDER WITH AVS AND SLIDE SWITCH	98 - 99
AGV 13 XSPDE	1250 W ANGLE GRINDER WITH AVS AND SLIM PADDLE SWITCH	98 - 99
AGV 13 XSPDEB	1250 W BRAKING GRINDER WITH AVS AND PADDLE SWITCH	98 - 99
AGV 15	1550 W ANGLE GRINDER WITH AVS	98 - 99
AGV 15 DEC	1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	97
AGV 15 DEG	1550 W ANGLE GRINDER WITH DUST MANAGEMENT	97
AGV 17	1750 W ANGLE GRINDER WITH AVS	98 - 99
AGV 17 INOX	1750 W LOW SPEED GRINDER WITH AVS	98 - 99
AGV 22	2200 W ANGLE GRINDER WITH AVS	98 - 99
AGV 24	2400 W ANGLE GRINDER WITH AVS	98 - 99
AGV 26	2600 W ANGLE GRINDER WITH AVS	98 - 99
AGVK 24	2400 W ANGLE GRINDER WITH AVS AND KICKBACK PROTECTION	98 - 99
AGVKB 24	2400 W ANGLE GRINDER WITH BRAKE, KICKBACK PROTECTION AND AVS	98 - 99
AGVM 24	2400 W ANGLE GRINDER WITH AVS AND KICKBACK PROTECTION	98 - 99
AGVM 26	2600 W ANGLE GRINDER WITH AVS AND KICKBACK PROTECTION	98 - 99
AIC2	ALKALINE INSPECTION CAMERA 2ND GEN	78
AP 12 E	1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED	100
AP 14-2 200 E	1450 W POLISHER	100
AS 12 E	1200 W SANDER WITH ELECTRONIC VARIABLE SPEED	100
AS 2-250 ELCP	25 L L-CLASS DUST EXTRACTOR	102
AS 2-250EH	25 L H-CLASS DUST EXTRACTOR	102
AS 2-250EM	25 L M-CLASS DUST EXTRACTOR	102
AS 30 LAC	30 L L-CLASS DUST EXTRACTOR	102
AS 30 MAC	30 L M-CLASS DUST EXTRACTOR	102
AS 42 MAC	42 L M-CLASS DUST EXTRACTOR	102
BRT	BREAKER TROLLEY	96
BS 100 LE	4" (100 MM) BELT SANDER	102
23 100 LL	· (100 mm) DEEL OFFIDER	

BS 125	DEEP CUT BAND SAW	100
C12 C	M12™ CHARGER	93
C12 HZ	M12™ SUB COMPACT HACKZALL™	38, 56
C12 MT	M12™ SUB COMPACT MULTI-TOOL	38, 55
C12 PC	M12™ SUB COMPACT COPPER PIPE CUTTER	71
C12 PN	M12™ SUB COMPACT PALM NAILER	57
C12 PPC	M12™ SUB COMPACT PEX CUTTER	71
C12 PXP	M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	73
C12 RAD	M12™ SUB COMPACT RIGHT ANGLE DRILL	47
C12 RT	M12™ SUB COMPACT ROTARY TOOL	54
C18 HZ	M18™ HACKZALL™	38, 39
C18 PCG/310	M18™ CAULK GUN WITH 310 ML CANISTER	29
C18 PCG/400	M18™ CAULK GUN WITH 400 ML TUBE	29
C18 PCG/600	M18™ CAULK GUN WITH 600 ML TUBE	29
C18 RAD	M18™ COMPACT RIGHT ANGLE DRILL	21
CHS 355	2300 W CHOPSAW	100
CLL	ALKALINE GREEN CROSS LINE LASER	62
CS 60	184 MM CIRCULAR SAW (61 MM DOC)	101
CS 85 CBE	235 MM CIRCULAR SAW (85 MM DOC)	101
CS 85 SB	235 MM CIRCULAR SAW (85 MM DOC)	101
DD 2-160 XE	2-SPEED DRY DIAMOND DRILL	96
DD 3-152	3-SPEED COMBI DIAMOND DRILL	96
DE 10 RX	630 W SINGLE HIGH SPEED ROTARY DRILL	100
DE 13 RP	630 W SINGLE SPEED ROTARY DRILL	96 - 97
DG 30 E	VARIABLE SPEED SINGLE HANDED DIE GRINDER	100
DG 7 E	LOW SPEED DIE GRINDER	100
DGL 30 E	VARIABLE SPEED 2-HANDED DIE GRINDER	100
DGL 34	SINGLE HIGH SPEED 2-HANDED DIE GRINDER	100
FL-LED	ALKALINE FLOOD LIGHT	91
FSPE 110 X	HEAVY DUTY BODY GRIP JIGSAW	101
HAC0850	8 KG CLASS SDS-MAX DRILLING AND BREAKING HAMMER	94 - 95
HD18 CS	M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC	37, 38
HD18 PXP	M18™ UPONOR™ Q&E EXPANSION TOOL	73
HDE 13 RQX	950 W SINGLE SPEED ROTARY DRILL	96 - 97
HI-VIST	HIGH VISIBILITY LASER TARGET PLATE	63
HL-SF	ALKALINE SPOT FLOOD HEADLAMP	91
HL2-LED	ALKALINE SLIM HEADLAMP	91
IPL-LED	ALKALINE PEN LIGHT	91
IPWE 400 R	½" DRIVE IMPACT WRENCH	96
IPWE 520 R	3/4" DRIVE IMPACT WRENCH	96
IR FFL	INTERNAL RECHARGEABLE FOLDING FLOOD LIGHT	91
IR FL	INTERNAL USB RECHARGEABLE FLASHLIGHT 500 LUMENS	91
IR HL	INTERNAL USB RECHARGEABLE HEADLAMP 450 LUMENS	91
IR PL	INTERNAL USB RECHARGEABLE PEN LIGHT 250 LUMENS	91
IRPSU0P2500	ROLL-ON 7200/ 3600 W 2.5 KWH POWER SUPPLY	8
ISHL-LED	ALKALINE INTRINSICALLY SAFE HEADLAMP	91
JSPE 135	HEAVY DUTY TOP HANDLE JIGSAW	101
K 1000 S	10 KG CLASS SDS-MAX BREAKING HAMMER	94 - 95
K 1528 H	16 KG CLASS 28 MM HEX BREAKING HAMMER	94 - 95
K 1520 H	16 KG CLASS 30 MM HEX BREAKING HAMMER	
K 2628 H	25 KG CLASS 28 MM HEX BREAKING HAMMER	94 - 95
		94 - 95
K 500 S	5 KG CLASS BREAKING HAMMER	94 - 95
K 540 S	5 KG CLASS DRILLING AND BREAKING HAMMER	94 - 95
K 545 S	5 KG CLASS DRILLING AND BREAKING HAMMER	94 - 95
K 750 S	7 KG CLASS DRILLING AND BREAKING HAMMER	94 - 95
K 900	10 KG CLASS BREAKING HAMMER	94 - 95
K 950	10 KG CLASS DRILLING AND BREAKING HAMMER	94 - 95
L4 B3	3.0 AH REDLITHIUM™ USB BATTERY	92
L4 BOLTHL	BOLTTM HEADLAMP 600 LUMENS USB RECHARGEABLE	90
L4 CLL	USB RECHARGEABLE GREEN CROSS LINE LASER	62
L4 CLLP	USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS	62
	1 01110	
L4 FFL	USB RECHARGEABLE FOLDING FLOOD LIGHT	90
L4 FFL L4 FL	USB RECHARGEABLE FOLDING FLOOD LIGHT  USB RECHARGEABLE POCKET FLOOD LIGHT	90
L4 FL	USB RECHARGEABLE POCKET FLOOD LIGHT	90

T00LS		4 - 103
L4 HBLB	USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER	60
L4 HL-VIS	USB RECHARGEABLE HI-VIS HEADLAMP	90
L4 HL2	USB RECHARGEABLE HEADLAMP 600 LUMENS	90
L4 HLRP	USB RECHARGEABLE HARD HAT HEADLAMP	90
L4 HSL	USB RECHARGEABLE HOT STICK LIGHT	67
L4 NL400	USB RECHARGEABLE NECK LIGHT 400 LUMENS	90
L4 PWL	USB RECHARGEABLE PIVOTING WORK LIGHT	90
L4 SL	USB RECHARGEABLE STICK LIGHT 550 LUMENS	90
L4 ™LED	USB RECHARGEABLE 1100L TWIST FOCUS FLASHLIGHT	90
LDM 100	100 M LASER DISTANCE METER	64
LDM 30	30 M LASER DISTANCE METER	64
LDM 45	45 M LASER DISTANCE METER	64
LDM 50	50 M LASER DISTANCE METER	64
LLD50	LASER LINE DETECTOR	63
LM360	360° LASER MOUNT	63
LMP	3.6 M TELESCOPING LASER POLE	63
LRD100	LINE/ ROTARY LASER DETECTOR	62
LWM	LASER WALL MOUNT	63
M12 360IC12	M12 <sup>TM</sup> 360° INSPECTION CAMERA 1.2 M 2ND GEN	78
M12 360lC32	M12 <sup>TM</sup> 360° INSPECTION CAMERA 3 M 2ND GEN	78
M12 3PL	M12 <sup>TM</sup> GREEN 360° 3 PLANE LASER	61
M12 AF	M12™ AIR FAN	57
M12 AL	M12™ LED AREA LIGHT	88
M12 APB	M12™ AUTOMOTIVE PREMIUM BORESCOPE	53
M12 ATB	M12™ AUTOMOTIVE TECHNICIAN BORESCOPE	52
M12 AUN	M12™ AIR-TIP™ UTILITY NOZZLE	57
M12 B2	M12™ 2.0 AH BATTERY	92
M12 B3	M12™ 3.0 AH BATTERY	92
M12 B4	M12™ 4.0 AH BATTERY	92
M12 B6	M12™ 6.0 AH BATTERY	92
M12 BBL	M12™ BLOWER	57
M12 BCST	M12™ SUB COMPACT CABLE STAPLER	43, 55
M12 BD	M12™ SUB COMPACT DRIVER	48
M12 BDC6	M12 <sup>™</sup> SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM	75
M12 BDC8	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM	75
M12 BDDX	M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK	47
M12 BHCS3L	M12™ HANDHELD CHEMICAL SPRAYER 3.7 L	82
M12 BI	M12™ SUB COMPACT INFLATOR	53
M12 BIW12	M12™ SUB COMPACT 1/2" IMPACT WRENCH	24 - 25, 49
M12 BIW38	M12™ SUB COMPACT 3/8" IMPACT WRENCH	24 - 25, 49
M12 BLP	M12™ BRUSHLESS PLANER	56
M12 BLPRS	M12™ BRUSHLESS PRUNING SHEARS	81
M12 BLROT	M12™ BRUSHLESS ROTARY TOOL	53
M12 BPRT	M12™ SUB COMPACT RIVET TOOL	49
M12 BPS	M12™ SUB COMPACT POLISHER / SANDER	54
M12 BRAID	M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER	22, 48
M12 BS	M12 <sup>TM</sup> SUB COMPACT BANDSAW	54
M12 BSD	M12 <sup>TM</sup> SUB COMPACT SINGLE SPEED DRIVER	48
M12 BST	M12 <sup>TM</sup> SUB COMPACT STAPLER	43, 56
M12 BSWP	M12 <sup>TM</sup> HYDROPASS <sup>TM</sup> BRUSHED STICK WATER PUMP	72
M12 C4	M12™ 4 BAY CHARGER	93
M12 CC	M12 <sup>TM</sup> SUB COMPACT CABLE CUTTER	65
M12 CD	M12 FUEL™ SUB COMPACT DRIVER	48
M12 CHZ	M12 FUELTM SUB COMPACT HACKZALLTM	38, 56
M12 CLL4P	M12 <sup>TM</sup> CROSS LINE LASER WITH 4 POINTS	61
M12 CLLP	M12 <sup>TM</sup> GREEN CROSS LINE LASER WITH PLUMB POINTS	62
M12 CML	M12™ COLOUR MATCHING LIGHT	89
M12 FBFL10	M12 FUEL™ BAND FILE 10 MM	55
M12 FBFL13	M12 FUEL™ BAND FILE 13 MM	55
M12 FBS64	M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY  M12 FUEL™ ½" COMPACT IMPACT WRENCH WITH FRICTION	54
M12 FCIWF12G3	RING M12 FUELTM 3/8" COMPACT IMPACT WRENCH WITH FRICTION	24 - 25, 48
M12 FCIWF38G3	RING	24 - 25, 49

M12 FCIWP12G3	M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT	24 - 25, 48
M12 FCN18GS	M12 FUEL™ 18 GA STRAIGHT BRAD NAILER	43, 56
M12 FCOT	M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-0FF TOOL	54
M12 FCS442	M12 FUEL™ SUB COMPACT CIRCULAR SAW	38, 56
M12 FDD2	M12 FUEL™ SUB COMPACT DRILL DRIVER	47
	M12 FUEL™ INSTALLATION DRILL/DRIVER WITH	
M12 FDDX	INTERCHANGEABLE HEADS	47
M12 FDGA	M12 FUELTM ANGLED DIE GRINDER	54
M12 FDGS	M12 FUEL™ STRAIGHT DIE GRINDER	54
M12 FDSS	M12 FUEL™ SUB COMPACT SPOT SANDER	55
M12 FHAC16	M12 FUEL™ COMPACT 16 MM SDS-PLUS HAMMER	15, 47
M12 FHIR14	M12 FUELTM 1/4" HIGH SPEED RATCHET	50, 51
M12 FHIR14LR	M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET	50, 51
M12 FHIR38	M12 FUEL™ 3/8" HIGH SPEED RATCHET	50, 51
M12 FHIR38LR	M12 FUELTM 3/8" EXTENDED REACH HIGH SPEED RATCHET	50, 51
M12 FHS	M12 FUEL™ HATCHET™ PRUNING SAW 15 CM	81
M12 FHT20	M12 FUEL™ HEDGE TRIMMER 20 CM	
		80
M12 FID2	M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER	22, 48
M12 FIR12	M12 FUEL™ SUB COMPACT 1/2" RATCHET	50, 52
M12 FIR38	M12 FUEL™ SUB COMPACT 3/8" RATCHET	50, 52
M12 FIR38LR	M12 FUEL™ 3/8" EXTENDED REACH RATCHET	50, 51
M12 FIW14	M12 FUELTM SUB COMPACT 1/4" IMPACT WRENCH	24 - 25, 49
M12 FJS	M12 FUEL™ BODYGRIP JIGSAW	38, 56
M12 FMT	M12 FUEL™ MULTI-TOOL	38, 55
M12 FNB16	M12 FUEL™ 1.6 MM NIBBLER	54
M12 FPD2	M12 FUEL™ SUB COMPACT PERCUSSION DRILL	20, 47
M12 FPDX	M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH	47
	REMOVABLE CHUCK	
M12 FPTR	M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET	50, 51
M12 FPXP	M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	73
M12 FQID	M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER	22, 48
M12 FRAIWF12	M12 FUELTM 1/2" RIGHT ANGLE IMPACT WRENCH WITH	49, 50
WIIZ FRAIWFIZ	FRICTION RING  M12 FUELTM 3/8" RIGHT ANGLE IMPACT WRENCH WITH	49, 50
M12 FRAIWF38	FRICTION RING	49, 50
M12 FR0S2.5	M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT	53
M12 FROS5	M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 5.0 MM ORBIT	53
M12 FSDR75	M12 FUEL™ 75 MM RANDOM ORBIT SANDER	55
M12 FTB	M12 FUEL™ LOW SPEED TYRE BUFFER	
		53
M12 FVCL	M12 FUEL™ WET/ DRY VACUUM	57
M12 GG	M12™ SUB COMPACT GREASE GUN	52
M12 HB2.5	M12™ HIGH OUTPUT™ 2.5 AH BATTERY	92
M12 HB5	M12™ HIGH OUTPUT™ 5.0 AH BATTERY	92
M12 HH4	M12™ HEATED HOODIE	60
M12 HHLBL1	M12™ HEATED LADIES HOODIE - BLACK	60
M12 HJ CAM06	M12™ HEATED CAMOUFLAGE JACKET	58
M12 HJ5	M12™ HEATED JACKET	58
M12 HPJBL2	M12™ HEATED PUFFER JACKET - BLACK	59
M12 HPJLBL2	M12™ HEATED PUFFER JACKET LADIES - BLACK	59
M12 HPVBL2	M12™ HEATED PUFFER VEST	59
M12 HV	M12™ SUB COMPACT STICK VAC	57
M12 HVGREY1	M12™ HEATED VEST - GREY	59
M12 IR	M12™ SUB COMPACT RATCHET	50, 52
M12 LL	M12™ LED LANTERN LIGHT	89
M12 ONEFTR12	M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH	50, 51
M12 ONEFTR38	M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH	50, 51
M12 ONEHPT	M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL WITH ONE-KEY™	70
M12 PAL	M12 ™ PIVOT AREA LIGHT	88
M12 PCG/310	M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE	52
M12 PCG/400	HOLDER M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE	52
M12 PCG/600	M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE	
		52
M12 PCSS	M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL	71
M12 PCSS54	M12™ RAPTORXL™ PIPE CUTTER STAINLESS STEEL	71
M12 PL	M12™ PLUMBING LOCATOR	78
M12 POAL	M12™ PACKOUT™ AREA LIGHT 1400 LUMENS	87
M12 RCDAB+	M12™ RADIO CHARGER DAB+	57

T00LS		4 - 103
M12 SAL	M12™ STAND LIGHT	87
M12 SI	M12™ SUB COMPACT SOLDERING IRON	53
M12 SIC020	M12 <sup>TM</sup> SEWER INSPECTION CAMERA 20 M WITH ONE-KEY <sup>TM</sup>	76
M12 SIC026	M12 <sup>TM</sup> SEWER INSPECTION CAMERA 26 M WITH ONE-KEY <sup>TM</sup>	76
M12 SIM	M12™ SEWER INSPECTION MONITOR	
M12 SL	M12™ LED STICK LIGHT	89
M12 SLED M12 SPEJSG2	M12TM LED SPOT LIGHT	89
	M12™ JOBSITE SPEAKER  M12™ COMPACT CHARGER AND POWER SOURCE 2	57
M12 TC2 M12 TLED	M12™ COMPACT CHARGER AND POWER SOURCE 2	93
M12 UCL	M12™ UNDERCARRIAGE LIGHT	90
M12 UDEL	M12 <sup>TM</sup> UNIVERSAL DUST EXTRACTOR	47
M12 UHL	M12™ LED UNDERHOOD LIGHT	89
M12-18 AC	M12 <sup>TM</sup> -M18 <sup>TM</sup> CAR CHARGER	93
M12-18 C	M12 <sup>TM</sup> - M18 <sup>TM</sup> CHARGER	93
M12-18 FC	M12 <sup>TM</sup> - M18 <sup>TM</sup> FAST CHARGER	93
M1418C6	M14 <sup>TM</sup> - M18 <sup>TM</sup> MULTIBAY CHARGER	93
M18 ABL	M18™ AREA BOOM LIGHT	88
M18 AFG2	M18™ AIR FAN	45
M18 AL	M18™ LED AREA LIGHT	88
M18 ALIS	M18™ SERVICE AREA LIGHT	88
M18 ARFHP	M18™ HIGH PERFORMANCE AIR FAN	45
M18 B2	M18™ 2.0 AH BATTERY	92
M18 B4	M18™ 4.0 AH BATTERY	92
M18 B5	M18™ 5.0 AH BATTERY	92
M18 B5-CR	M18™ RESISTANT 5.0 AH BATTERY	92
M18 BBL	M18™ BATTERY BLOWER	45
M18 BBPFP2	M18™ BACK PACK FLUID PUMP GEN2	82
M18 BBPFP2-CST	M18™ SWITCH TANK™ 15L CHEMICAL SPRAY TANK	82
M18 BBPFP2-WST	M18™ SWITCH TANK™ 15L WATER SUPPLY	82
M18 BH	M18™ COMPACT 2-MODE SDS-PLUS HAMMER	15, 18
M18 BHG	M18™ HEAT GUN	35
M18 BI	M18™ INFLATOR	45
M18 BIW12	M18 <sup>TM</sup> 1/2" IMPACT WRENCH	24 - 25, 28
M18 BIW38	M18 <sup>TM</sup> <sup>3</sup> / <sub>8</sub> " IMPACT WRENCH	24 - 25, 28
M18 BJS	M18™ TOP HANDLE JIGSAW	38, 40
M18 BLCHTO	M18TM BRUSHLESS 1 TON CHAIN HOIST WITH ONE-KEYTM	19
M18 BLCS66	M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	38, 39
M18 BLDD2	M18™ BRUSHLESS DRILL DRIVER	21
M18 BLDDRC	M18™ COMPACT BRUSHLESS DRILL DRIVER	21
M18 BLH	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER	15, 18
M18 BLHACD26	M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER	15, 18
M18 BLHIWF12	M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH	24 - 25, 28
M10 DI UDT	FRICTION RING  M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL	
M18 BLHPT M18 BLHPTXL	M18 <sup>TM</sup> FORCE LOGICTM BRUSHLESS XL PRESS TOOL	69
	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER	69
M18 BLHX	WITH FIXTEC™ CHUCK	15, 18
M18 BLIDR	M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER	22, 23
M18 BLIDRC	M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER	22, 23
M18 BLLT	M18™ BRUSHLESS GRASS TRIMMER	79
M18 BLPD2	M18™ BRUSHLESS PERCUSSION DRILL	20, 21
M18 BLPDRC	M18™ COMPACT BRUSHLESS PERCUSSION DRILL	20, 21
M18 BLSAG115XPD	M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH	30, 33
M18 BLSAG125X	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH	30, 33
M18 BLSAG125XPD	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH	30, 33
M18 BLSWP	M18 <sup>TM</sup> HYDROPASS <sup>TM</sup> BRUSHLESS STICK WATER PUMP	72
M18 BLTRC	M18™ BRUSHLESS THREADED ROD CUTTER	67
M18 BLTS	M18™ BRUSHLESS TELESCOPIC SHEAR	82
M18 BMS12	M18™ METAL SHEAR	34
M18 BMS20	M18™ METAL SHEAR	35
M18 BMT	M18™ MULTI-TOOL	38, 40
M18 B0S125	M18™ 125 MM RANDOM ORBITAL SANDER	41
M18 BP	M18™ PLANER	40

M18 BQSS	M18™ QUARTER SHEET SANDER	41
M18 BRAID	M18™ RIGHT ANGLE IMPACT DRIVER	22, 23
M18 BRAIW	M18 <sup>TM 3</sup> /8" RIGHT ANGLE IMPACT WRENCH	28
M18 BSBT	M18™ SHEAR BOLT TOOL	67
M18 BSX	M18 <sup>TM</sup> SAWZALL <sup>TM</sup>	38, 39
M18 BTP	M18™ COMPACT TRANSFER PUMP	72
M18 CDEX	M18 FUEL™ SDS-PLUS DUST EXTRACTOR	18
M18 CHM	M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING	15, 16
M18 CRAD2	HAMMER M18 FUEL™ RIGHT ANGLE DRILL	21
M18 CV	M18™ HAND VAC	44
M18 DBSC	M18™ DUAL BAY SUPER CHARGER	
M18 DFC	M18™ DUAL BAY RAPID CHARGER	93
M18 F2BCU	M18 FUEL™ DUAL BATTERY BRUSH CUTTER	79
M18 F2BL	M18 FUEL™ DUAL BATTERY BROWER	
M18 F2BPB	M18 FUEL™ DUAL BATTERY BLOWER  M18 FUEL™ DUAL BATTERY BACKPACK BLOWER	82
	M18 FUEL™ DUAL BATTERY CHAINSAW 50 CM	82
M18 F2CHS50	M18 FUEL™ DUAL BATTERY CHAINSAW 50 CM  M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER	81
M18 F2LM46	46 CM	79
M18 F2LM53	M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM	79
M18 F2VC23L	M18 FUEL™ 23L L-CLASS VACUUM	44
M18 FAC	M18 FUEL™ AIR COMPRESSOR	41
M18 FAP	M18 FUEL™ POLISHER	33
M18 FB12	M18™ FORGE™ 12.0 AH BATTERY	92
M18 FB6	M18™ FORGE™ 6.0 AH BATTERY	92
M18 FB8	M18™ FORGE™ 8.0 AH BATTERY	92
M18 FBCU	M18 FUEL™ BRUSH CUTTER	79
M18 FBJS	M18 FUEL™ BODY GRIP JIGSAW	38, 40
M18 FBLG3	M18 FUEL™ BLOWER	81
M18 FBPV	M18 FUEL™ BACKPACK VACUUM	44
M18 FBS127	M18 FUEL™ DEEP CUT BAND SAW GEN 2	34
M18 FBS127D0	M18 FUEL™ DUAL-TRIGGER DEEP CUT BAND SAW WITH ONE-KEY™	34
M18 FBS85	M18 FUEL™ COMPACT BAND SAW	34
M18 FBTS75	M18 FUEL™ 75 MM BELT SANDER	41
M18 FCDDEXL	COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS	17
M18 FCHS	M18 FUELTM CHAINSAW WITH 40 CM BAR	80
M18 FCHS35	M18 FUEL™ CHAINSAW WITH 35 CM BAR	80
M18 FCHSC	M18 FUEL™ CHAINSAW WITH 30 CM BAR	81
M18 FC0S230	M18 FUEL™ CUT-OFF SAW	19
M18 FCS552	M18 FUEL™ COMPACT CIRCULAR SAW	37, 38
M18 FCS66GR3	M18 FUEL™ GUIDE RAIL COMPATIBLE CIRCULAR SAW	38, 39
M18 FCSRH662	M18 FUEL™ REAR HANDLE CIRCULAR SAW GEN2	37, 38
M18 FCSSM	M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE	75
M18 FCVN	M18 FUEL™ NEEDLE CONCRETE VIBRATOR	19
M18 FDCPF10	M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM	74
M18 FDCPF8	M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM	75
M18 FDD3	M18 FUEL™ DRILL DRIVER	19
M18 FDDEC	M18™ DEDICATED DUST EXTRACTOR FOR M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER	18
M18 FDDEL32	DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-	16
M18 FDDEXL	PLUS D-HANDLE HAMMER WITH AUTOPULSE™  DEDICATED DUST EXTRACTION FOR M18 FUEL™26 MM SDS-	17
M18 FDGRB	PLUS HAMMERS WITH AUTOPULSE™  M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH	34
M18 FDGROVB	M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™,	34
M18 FDGROVPDB	VARIABLE SPEED AND SLIDE SWITCH  M18 FUELTM BRAKING DIE GRINDER WITH ONE-KEYTM,	34
	VARIABLE SPEED AND PADDLE SWITCH	
M18 FDN	M18 FUEL™ DUPLEX NAILER	42, 43
M18 FEDG	M18 FUEL™ EDGER	80
M18 FFN	M18 FUEL™ 34° FRAMING NAILER 2-MODE	41, 43
M18 FFN21	M18 FUEL™ 21° FRAMING NAILER 2-MODE	41, 43
M18 FFNS	M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY	41, 43
M18 FFSDC10	M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM	74
M18 FFSDC13	M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM	74
M18 FFSDC16	M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM	74
M18 FFUS	M18 FUEL™ FENCING UTILITY STAPLER	42, 43
M18 FH	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER	15, 17

T00LS		4 - 103
	M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS	
M18 FHAC16	HAMMER M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS	15, 18
M18 FHACDDE	HAMMER WITH DEDICATED DUST EXTRACTOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH	18
M18 FHACOD32	ONE-KEY™  M18 FUEL™ 16 MM SDS-PLUS HAMMER WITH INTEGRATED	15, 16
M18 FHAFOH16	DUST EXTRACTOR	15, 17
M18 FHET60G2	M18 FUEL™ HEDGE TRIMMER 60 CM	80
M18 FHET75G2	M18 FUEL™ HEDGE TRIMMER 75 CM	80
M18 FHETE22	M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 216 CM	80
M18 FHETE27 M18 FHIW2F12	M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 267 CM M18 FUEL™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH	24 - 25, 27
M18 FHIW2P12	FRICTION RING  M18 FUEL <sup>TM 1</sup> / <sub>2</sub> " HIGH TORQUE IMPACT WRENCH WITH PIN	24 - 25, 27
M18 FHIWF1R	DETENT M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION	24 - 25, 26
M18 FHM	RING M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND	15, 16
M18 FHS20	BREAKING HAMMER M18 FUEL™ HATCHET™ PRUNING SAW 20 CM	81
M18 FHSAG125XB2	M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH SLIDE SWITCH	30, 31
M18 FHSAG125XPDB2	M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH	30, 31
M18 FHSAG150XB2	M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH SLIDE SWITCH	30, 31
M18	M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER	30, 31
FHSAG150XPDB2 M18	WITH PADDLE SWITCH  M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER	30, 31
M18	WITH VARIABLE SPEED AND ONE-KEY™ M18 FUEL™ HIGH PERFORMANCE 180 MM BRAKING GRINDER	30, 31
FHSAG0180VXPDB2 M18 FHX	WITH VARIABLE SPEED & ONE-KEY™ GEN 2 M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH	15, 17
	FIXTECTM	
M18 FHZ	M18 FUELTM HACKZALLTM	38, 39
M18 FID3	M18 FUELTM 1/4" HEX IMPACT DRIVER	22, 23
M18 FIW2F12	M18 FUEL <sup>TM 1</sup> / <sub>2</sub> " COMPACT IMPACT WRENCH WITH FRICTION RING	24 - 25, 28
M18 FIW2F38	M18 FUEL <sup>TM 3</sup> /s" COMPACT IMPACT WRENCH WITH FRICTION RING	24 - 25, 28
M18 FIW2P12	M18 FUELTM 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT	24 - 25, 28
M18 FJS	M18 FUEL™ TOP HANDLE JIGSAW	38, 40
M18 FLAG230XPDB	M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH	30, 31
M18 FMCS	M18 FUEL™ 57 MM METAL CIRCULAR SAW	33
M18 FMCS66	M18 FUEL <sup>TM</sup> 66 MM METAL CIRCULAR SAW  M18 FUEL <sup>TM</sup> MAGNETIC DRILLING PRESS WITH PERMANENT	33
M18 FMDP	MAGNET	34
M18 FMS190	M18 FUEL™ 190 MM MITRE SAW	35, 36
M18 FMS254	M18 FUEL™ 254 MM MITRE SAW	35, 36
M18 FMS305	M18 FUELTM ONE-KEYTM 305 MM MITRE SAW	35, 36
M18 FMT	M18 FUEL™ MULTI-TOOL  M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH	38, 40
M18 FMTIW2F12	FRICTION RING  M18 FUEL <sup>TM 3</sup> /8" MID TORQUE IMPACT WRENCH WITH FRICTION	24 - 25, 27
M18 FMTIW2F38	RING M18 FUEL <sup>TM 1</sup> /2" MID-TORQUE IMPACT WRENCH WITH PIN	24 - 25, 27
M18 FMTIW2P12 M18 FN15GA	DETENT  M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE	24 - 25, 27 42, 43
M18 FN16GA	M18 FUELTM 16 GA ANGLED NAIL FINISH NAILER 2-MODE	42, 43
M18 FN16GS	M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER	42, 43
M18 FN18GS	M18 FUEL™ 18 GS FINISH NAILER	42, 43
M18 FNCS18GS	M18 FUEL™ NARROW CROWN STAPLER 2-MODE	43, 44
M18 FOPH-BA	QUIK-LOK <sup>TM</sup> BLOWER ATTACHMENT	83
M18 FOPH-BBA	QUIK-LOK™ BRISTLE BRUSH ATTACHMENT	83
M18 FOPH-BCA	QUIK-LOK™ BRUSH CUTTER ATTACHMENT	83
M18 FOPH-CA	QUIK-LOK™ CULTIVATOR ATTACHMENT	83
M18 FOPH-CSA	QUIK-LOK™ CHAINSAW ATTACHMENT	83
M18 FOPH-EA	QUIK-LOK™ EDGER ATTACHMENT	83
M18 FOPH-EXA	QUIK-LOK™ EXTENSION ATTACHMENT	83
M18 FOPH-HTA	QUIK-LOK™ HEDGE TRIMMER ATTACHMENT	83
M18 FOPH-LTA	QUIK-LOK™ GRASS TRIMMER ATTACHMENT	83
M18 FOPH-RA	QUIK-LOK™ RECIPROCATOR ATTACHMENT	83
M18 FOPH-RBA	QUIK-LOK™ RUBBER BROOM ATTACHMENT	83

M18 FOPH-SHTA	QUIK-LOK™ SHORT HEDGE TRIMMER ATTACHMENT	83
M18 FOPH2	M18 FUELTM OUTDOOR POWER HEAD WITH QUIK-LOKTM	83
M18 FOPHLTKIT2	M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT	83
M18 FPD3	M18 FUEL™ PERCUSSION DRILL  DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-	19, 20
M18 FPDDEXL	PLUS HAMMERS WITH AUTOPULSETM	16
M18 FPFT	M18 FUEL™ POWERED FISH TAPE	66
M18 FPM	M18 FUEL™ PADDLE MIXER	19
M18 FPOVCL	M18 FUEL™ PACKOUT™ WET/ DRY VACUUM	44
M18 FPS55	M18 FUEL™ 55 MM PLUNGE SAW	37, 38
M18 FPT114	M18 FUELTM PIPE THREADER 1 1/4" WITH ONE-KEYTM	70
M18 FPT2	M18 FUELTM PIPE THREADER 2" WITH ONE-KEYTM	70
M18 FPXP	M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL  M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER	73
M18 FQID M18 FR12	M18 FUELTM 12 MM ROUTER	22, 23
	M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL	
M18 FRAD2	DRIVER GEN II	21
M18 FRCN45	M18 FUEL™ ROOFING COIL NAILER	42, 43
M18 FR0P15	M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE	33
M18 FR0P21	M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE	33
M18 FR0S125	M18 FUEL™ 125 MM RANDOM ORBIT SANDER	41
M18 FSAG125X	M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH	30, 32
M18 FSAG125XB	M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE	30, 32
WITO FOAUTZOAD	SWITCH	30, 32
M18 FSAGF125XB	M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH	30, 32
M18 FSAGF125XPDB	M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH	30, 32
M18 FSAGSV0125X	M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED	30, 31
M18 FSAGV125XB	AND ONE-KEY™ M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE	30, 32
M18	GRINDER WITH SLIDE SWITCH  M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE	
FSAGV125XPDB	GRINDER WITH PADDLE SWITCH	30, 32
M18 FSG	M18 FUEL™ SCREW GUN	23
M18 FSGC	M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT	23
M18 FSX	M18 FUELTM SUPER SAWZALLTM	38, 39
M18 FSZ	M18 FUELTM SAWZALLTM	38, 39
M18 FTHCHS30 M18 FTHCHS35	M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR  M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR	81 81
M18 FTPS30	M18 FUELTM TELESCOPIC POLE SAW 30 CM	82
M18 FTR8	M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND	40
	BASES	
M18 FTS210 M18 FVP5	M18 FUEL™ ONE-KEY™ TABLE SAW  M18 FUEL™ VACUUM PUMP 5 CFM	37, 38
M18 GG	M18™ GREASE GUN	73
M18 HB3	M18 <sup>TM</sup> HIGH OUTPUT <sup>TM</sup> 3.0 AH BATTERY	92
M18 HB5.5	M18™ HIGH OUTPUT™ 5.5 AH BATTERY	92
M18 HCC125	M18 <sup>TM</sup> FORCE LOGICTM HYDRAULIC 125 MM CABLE CUTTER	65
M18 HCC45	M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER	65
M18 HCC75	M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE	65
M18 HCC75R	CUTTER M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND	65
	CABLE CUTTER	
M18 HCCT	M18TM FORCE LOGICTM HYDRAULIC 53 KN CABLE CRIMPER	67
M18 HCCT109/42 M18 HDCT	M18 <sup>TM</sup> FORCE LOGIC <sup>TM</sup> HYDRAULIC 109 KN CABLE CRIMPER  M18 <sup>TM</sup> FORCE LOGIC <sup>TM</sup> HYDRAULIC DIELESS CRIMPER	67
M18 HKP	M18 <sup>TM</sup> FORCE LOGIC <sup>TM</sup> HYDRAULIC KNOCKOUT PUNCH	66
M18 HMP700	M18™ HYDRAULIC MINI PUMP 700 BAR	29
M18 HOAL	M18™ HIGH OUTPUT AREA LIGHT	87
M18 HOSALC	M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER	87
M18 HSFC125R	M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE	65
M18 HSFSM	CUTTER M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE	75
M18 HUP700	M18™ HYDRAULIC UTILITY PUMP	66
M18 IL	M18™ LED INSPECTION LIGHT	89
M18 LL	M18™ LED LANTERN LIGHT	89
M18 MDBSC	M18™ MOBILE DUAL BAY SUPER CHARGER	93
M18 MDTL	M18™ MULTI-DIRECTIONAL TASK LIGHT	88
M18 MPC6	M18™ MOBILE PACKOUT™ SIX BAY RAPID CHARGER	93

TOOLS		4 - 103
	M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH	4 - 103
M18 ONEBLHPT	ONE-KEYTM  M18TM ONE-KEYTM FORCE LOGICTM UPONORTM Q&E	69
M18 ONEBLPXPL	HYDRAULIC PIPE EXPANDING TOOL	73
M18 ONEDD3	M18 FUEL™ ONE-KEY™ DRILL DRIVER	19
M18 ONEFH	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™	15, 17
M18 ONEFHIWF1	M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	24 - 25, 26
M18 ONEFHIWF12	M18 FUELTM ONE-KEYTM 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	24 - 25, 26
M18 ONEFHIWF12E	M18 FUELTM ONE-KEYTM 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	24 - 25, 26
M18 ONEFHIWF1D	M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	24 - 25, 26
M18 ONEFHIWF1DS	M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL	24 - 25, 26
M18 ONEFHIWF34	M18 FUELTM ONE-KEYTM 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	24 - 25, 26
M18 ONEFHIWH716	M18 FUELTM 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEYTM	24 - 25, 27
M18 ONEFHIWP12	M18 FUELTM ONE-KEYTM 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	24 - 25, 27
M18 ONEFHP	M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™	15, 16
M18 ONEFHPX	M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK	15, 16
M18 ONEFHPXDEL	M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR	16
M18 ONEFHX	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™	15, 17
M18 ONEFHXDEL	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR	17
M18 ONEFIW2FC12	M18 FUELTM ONE-KEYTM TORQUE-SENSETM 1/2" CONTROLLED SOLAR COMPACT IMPACT WRENCH WITH FRICTION RING	24 - 25, 26
M18 ONEFLAG230XPDB	M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	29, 30
M18 ONEFLT	M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™	29
M18 ONEFMTIW2FC12	M18 FUELTM ONE-KEYTM TORQUE-SENSETM 1/2" CONTROLLED SOLAR MID-TORQUE IMPACT WRENCH WITH FRICTION RING	23, 24 - 25,
M18 ONEFPRT	M18 FUEL™ RIVET TOOL WITH ONE-KEY™	29
M18 ONEFSAG125XB	M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	30, 32
M18 ONEFSAG125XPDB	M18 FUEL <sup>TM</sup> ONE-KEY <sup>TM</sup> 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	30, 32
M18 ONEFSZ	M18 FUELTM ONE-KEYTM SAWZALLTM	38, 39
M18 ONEHCC	M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER	66
M18 ONEHCCT60	M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER	67
M18 ONEID3	M18 FUELTM ONE-KEYTM 1/4" HEX IMPACT DRIVER	21, 22
M18 ONEIWF12	M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING  M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN	24 - 25, 27
M18 ONEIWP12	DETENT	24 - 25, 28
M18 ONEPD3	M18 FUELTM ONE-KEYTM PERCUSSION DRILL	19, 20
M18 ONERSAL	M18 <sup>TM</sup> ONE-KEY <sup>TM</sup> LED REMOTE STAND LIGHT	87
M18 ONESLDP	M18 <sup>TM</sup> ONE-KEY <sup>TM</sup> LED COMPACT SITE LIGHT CHARGER	86
M18 ONESLSP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT  M18™ PIVOTING AREA LIGHT	86
M18 PAL2		88
M18 PC6 M18 POALC	M18TM PACKOUTTM SIX BAY RAPID CHARGER	93
M18 PRCDAB+	M18 <sup>TM</sup> PACKOUT <sup>TM</sup> AREA LIGHT CHARGER  M18 <sup>TM</sup> PACKOUT <sup>TM</sup> RADIO CHARGER	87 45
M18 RADDAB+G2	M18™ JOBSITE RADIO DAB+	45
M18 RC	M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®	45
M18 RL0H600	M18 <sup>TM</sup> 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY <sup>TM</sup>	61
	M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE	
M18 RLOHV1200	ROTARY LASER WITH ONE-KEY <sup>TM</sup> M18 <sup>TM</sup> 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER	61
M18 RLOHVG300	WITH ONE-KEY <sup>TM</sup>	61
M18 SAL2 M18 SIC30 HDR	M18™ LED STAND LIGHT  M18™ SEWER INSPECTION CAMERA REEL 30 M, 25 MM HDR	87
M18 SIC30 HDR M18 SIC36 HDR	CAMERA HEAD  M18™ SEWER INSPECTION CAMERA REEL 36 M, 25 MM HDR	76
	CAMERA HEAD  M18™ SEWER INSPECTION CAMERA REEL 60 M, 60 MM	76
M18 SIC60 HDR  M18 SIC60SC HDR	CAMERA HEAD  M18™ SEWER INSPECTION CAMERA REEL 60 M, 25 MM	76
M18 SICOUSC HUR	CAMERA HEAD  M18 <sup>TM</sup> SEWER INSPECTION MONITOR	76

****	MACTA OFFICE MODERATION ON AT LIND	
M18 SISH M18 SLED	M18™ SEWER INSPECTION SMART HUB  M18™ LED SEARCH LIGHT	77 88
M18 SPEJSG2	M18 <sup>TM</sup> JOBSITE SPEAKER	45
M18 STS0	M18 <sup>TM</sup> FORCE LOGIC <sup>TM</sup> STRUT SHEAR	72
M18 TAL	M18™ TRADESMAN AREA LIGHT	87
M18 TLED	M18™ LED TORCH	90
M18 VC2	M18™ WET/ DRY VACUUM	44
MCS 66	DRY CUT METAL CIRCULAR SAW	100
MDE 41	MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET	100
MDP 41	MAGNETIC DRIILING PRESS WITH PERMANENT MAGNET	100
ML-LED	ALKALINE FLASHLIGHT	91
MPS	MILWAUKEE® PIPE STAND	71
MSL 1000	MITRE SAW STAND EXTENDABLE UP TO 2 M	35, 36
MSL 2000	MITRE SAW STAND EXTENDABLE UP TO 2.5 M	35, 36
MSL 3000	MITRE SAW STAND EXTENDABLE UP TO 3 M	35, 36
MSUV 280	MITRE SAW STAND EXTENDABLE UP TO 2.8 M	36, 37
MXF C	MX FUEL™ CHARGER	9
MXF COS350G2	MX FUEL™ 350 MM CUT-OFF SAW	6
MXF COSCG2	MX FUEL™ CUT-OFF SAW CART	6
MXF CP203	MX FUEL™ REDLITHIUM™ 3.0 AH BATTERY	9
MXF CVBC	MX FUEL™ BRIEFCASE CONCRETE VIBRATOR	5
MXF CVBP	MX FUELTM BACKPACK CONCRETE VIBRATOR	5
MXF CVHF	MX FUEL™ HIGH FREQUENCY CONCRETE VIBRATOR	5
MXF DCD150	MX FUEL™ 150 MM DIAMOND CORE DRILL	6
MXF DCD350	MX FUELTM 350 MM DIAMOND CORE DRILL	6
MXF DH2528H	MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER	7
MXF DHT	BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER  PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™	7
MXF DR255TV	DIAMOND CORE DRILL MXF DCD150	6
MXF FC	MX FUEL™ FAST CHARGER	9
MXF FORGENRG-122	MX FUEL™ FORGE BATTERIES AND CHARGER KIT	9
MXF FORGENRG-802	MX FUEL™ FORGE™ BATTERIES AND CHARGER KIT	9
MXF HD812	MX FUEL™ FORGE™ 12.0 AH BATTERY	9
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	7, 74
MXF NRG-406	MX FUEL™ BATTERIES AND CHARGER KIT	9
MXF PBE	MX FUEL™ PORTABLE BATTERY EXTENSION	8
MXF PC50	MX FUEL™ PLATE COMPACTOR	4
MXF PS	MX FUEL™ POWER SUPPLY	8
MXF PSC	MX FUELTM SCREED	5
MXF PTR2	MX FUEL™ PIPE THREADING MACHINE 2"	7, 70
MXF RAM	MX FUEL™ RAMMER	4
MXF SC	MX FUEL™ SUPER CHARGER  MY FUEL IM SUBMEDSIDLE DUMB	9
MXF SMP2 MXF TL	MX FUEL™ SUBMERSIBLE PUMP  MX FUEL™ TOWER LIGHT	7, 86
MXF TLIC	MX FUEL™ COMPACT SITE LIGHT	7, 86
MXF WBT60	MX FUEL™ 600 MM WALK BEHIND EDGING TROWEL	5
MXF WBT90	MX FUELTM 900 MM WALK BEHIND POWER TROWEL	5
MXF XC406	MX FUELTM REDLITHIUMTM 6.0 AH BATTERY	9
MXF XC608	MX FUEL™ FORGE™ 8.0 AH BATTERY	9
PCE 3/K	3 KG SDS-PLUS CHIPPING HAMMER	94 - 95
PD-705	705 W PERCUSSION DRILL	96 - 97
PD2E 22 R	850 W 2-SPEED PERCUSSION DRILL	96 - 97
PD2E 24 R	1020 W 2-SPEED PERCUSSION DRILL	96 - 97
PDE 13 RX	630 W SINGLE SPEED PERCUSSION DRILL	96 - 97
PDE 16 RP	630 W SINGLE SPEED PERCUSSION DRILL	96 - 97
PFH 26	26 MM SDS-PLUS 2-MODE FIXING HAMMER	94 - 95
PFH 26 T	26 MM SDS-PLUS 2-MODE FIXING HAMMER	94 - 95
PH 26 T	26 MM SDS-PLUS 3-MODE HAMMER	94 - 95
PH 28	28 MM SDS-PLUS 3-MODE HAMMER	94 - 95
PH 30	30 MM SDS-PLUS 3-MODE HAMMER	94 - 95
PLH 28	28 MM SDS-PLUS 3-MODE L-SHAPED HAMMER	94 - 95
PLH 32	32 MM SDS-PLUS 3-MODE L-SHAPED HAMMER	94 - 95
PODS-1	PACKOUT™ COMPATIBLE DUST SEPERATOR	44
RCO	REMOTE SOCKET CONTROLLER	102
RCS	REMOTE CONTROL SOCKET AND CONTROLLER KIT	102

T00LS		4 - 103
RD1200	ROTARY LASER DETECTOR 1200 M	62
RD300G	ROTARY LASER DETECTOR 300 M GREEN	62
RD600	ROTARY LASER DETECTOR 600 M	62
R0D500	500 CM GRADE ROD	64
ROS 125 E	5" (125 MM) RANDOM ORBIT SANDER	102
SB 2-35 D	1010 W 2-SPEED PERCUSSION DRILL	96 - 97
SCS 65 Q	190 MM CIRCULAR SAW (65 MM DOC)	101
SPS 140	1/4" SHEET SANDER	102
SR240	240 CM STAFF ROD	64
SSD 1100 X	1100 W SAWZALL™	101
SSPE 1300 RX	1300 W SAWZALL™ WITH ROTATING HANDLE	101
SSPE 1300 SX	1300 W SAWZALL™	101
SSPE 1500 X	1500 W SUPER SAWZALL™	101
TRP120	1.2 METER COMPACT LASER TRIPOD	64
TRP160	1.6 METRE LASER TRIPOD	64
TRP180	1.8 METER LASER TRIPOD	63
TRP300	3.0 METRE LASER TRIPOD	63
TSS 1000	TABLE SAW STAND	37
WCE 30	1500 W 125 MM (30 MM DOC) WALL CHASER	97
WCS 45	1900 W 150 MM (45 MM DOC) WALL CHASER	97
WLB	WIRELESS LASER ALIGNMENT BASE	63

SYSTEM ATTACHMENTS	104 - 144
CRIMPING DIES	132 - 13
SIDE HANDLES	123
SYSTEM ATTACHMENTS - ANGLE GRINDERS	128
CUTTING AND GRINDING DUST EXTRACTION	128
FLEXIBLE BACKING PADS	128
SYSTEM ATTACHMENTS - BANDSAWS	129
BANDSAW COVERS	129
SYSTEM ATTACHMENTS - CABLE CUTTERS	134
SYSTEM ATTACHMENTS - CAULK GUNS	138
SYSTEM ATTACHMENTS - CIRCULAR SAWS	129
GUIDE RAILS AND ATTACHMENTS	129
SYSTEM ATTACHMENTS - DIE GRINDERS	121
SYSTEM ATTACHMENTS - DRAIN CLEANERS	110
SYSTEM ATTACHMENTS - DUST ABSORPTION	141 - 143
FILTER BAGS	142
FILTER CARTRIDGES	142
M12 <sup>TM</sup> / M18 <sup>TM</sup> DUST ABSORPTION SYSTEM	14
SYSTEM ATTACHMENTS - AIR TIP™ ATTACHMENTS	143
VACUUM CLEANERS	142
SYSTEM ATTACHMENTS - ELECTRICAL TEST & MEASURING	139
SYSTEM ATTACHMENTS - EXPANSION TOOLS	137
EXPANDER HEADS	137
RAPID SEAL™ EXPANDER HEADS	137
SYSTEM ATTACHMENTS - FLEXIBLE SHAFT MACHINE	144
SYSTEM ATTACHMENTS - HEATED JACKETS	139
SYSTEM ATTACHMENTS - HYDRAULIC PUMP	136
SYSTEM ATTACHMENTS - HYDRAULIC KNOCKOUT PUNCH	136
SYSTEM ATTACHMENTS - IMPACT WRENCHES	124
RUBBER SLEEVES FOR IMPACT WRENCHES	124
SYSTEM ATTACHMENTS - INSPECTION CAMERAS	140
SYSTEM ATTACHMENTS - JIGSAWS	120
SYSTEM ATTACHMENTS - M18 FUEL™ FISH TAPES	135
SYSTEM ATTACHMENTS - MAGNETIC DRILL STANDS	108
SYSTEM ATTACHMENT - NAILERS	120
SYSTEM ATTACHMENTS - NIBBLERS	12
SYSTEM ATTACHMENTS - ONE-KEY™ BLUETOOTH® TRACKING	139
SYSTEM ATTACHMENTS - OUTDOOR PRODUCTS	130 - 131
SYSTEM ATTACHMENTS - BLOWERS	13
SYSTEM ATTACHMENTS - CHAINSAWS	130
SYSTEM ATTACHMENTS - LINE TRIMMERS	131
SYSTEM ATTACHMENTS - MOWERS	131

SYSTEM ATTACHMENTS - OTHER OUTDOOR PRODUCTS	131
SYSTEM ATTACHMENTS - PASS-THROUGH RATCHET	141
SYSTEM ATTACHMENTS - PIPE CUTTERS	134
SYSTEM ATTACHMENTS - PIPE STAND  EVETEM ATTACHMENTS - DIDE TUDEADED	140
SYSTEM ATTACHMENTS - PIPE THREADER  SYSTEM ATTACHMENTS - PIPE THREADER DIE HEADS	106 - 107
SYSTEM ATTACHMENTS - PIPE THREADER DIES	106
SYSTEM ATTACHMENTS - PLANERS	130
PLANER BLADES	130
SYSTEM ATTACHMENTS - PLATE SHEARS	121
SYSTEM ATTACHMENTS - POLISHERS	116 - 118
PREMIUM POLISHING ACCESSORIES - CLOTHS	116
PREMIUM POLISHING ACCESSORIES - COMPOUNDS	116
PREMIUM POLISHING ACCESSORIES - HOOK & LOOP Ø 125 MM	117
PREMIUM POLISHING ACCESSORIES - SPONGES	116
POLISHING ACCESSORIES - HOOK & LOOP Ø 150 MM	117
POLISHING ACCESSORIES - SPOT POLISHER	118
SYSTEM ATTACHMENTS - PORTABLE BATTERY EXTENSION	144
SYSTEM ATTACHMENTS - PRESS JAWS	112 - 115
EMPTY PACKOUT™ FOAM INSERT	115
PIVOTING RING JAWS	115
PRESS JAW ACR STREAMLINE	115
PROFILE BPM	114
PROFILE FF	113
PROFILE G	113
PROFILE G 2	114
PROFILE M	112
PROFILE M 2	114
PROFILE TH	113
PROFILE U	112
PROFILE V	112
PROFILE VIEGA MEGA PRESS	113
SYSTEM ATTACHMENTS - ROTARY HAMMERS	125 - 127
CHUCK KEYS	126
INDUSTRIAL KEYLESS CHUCKS FOR CORDED PERCUSSION DRILLS	127
KEYED CHUCKS	126
KEYED CHUCKS - MACHINE SPECIFIC	126
KEYED CHUCKS WITH 1/4" HEX RECEPTION	126
KEYLESS CHUCKS 2 SLEEVES	127
KEYLESS CHUCKS FOR FIXTEC (SPINDLE LOCK) MACHINES	127
KEYLESS CHUCKS - SPECIFIC TOOL RELATED CHUCKS	127
ROTARY HAMMERS CHUCK ADAPTORS	125
SYSTEM ATTACHMENTS - ROUTERS	140
SYSTEM ATTACHMENTS - SANDERS	118 - 119
BELT SANDERS	118
RANDOM ORBITAL SANDERS	119
SYSTEM ATTACHMENT - SAWZALL™	120
SYSTEM ATTACHMENTS - SCREWDRIVERS	123
SYSTEM ATTACHMENTS - SECTIONAL SEWER MACHINES	111
SYSTEM ATTACHMENTS - STRUT SHEAR	135
SYSTEM ATTACHMENTS - THREADED ROD CUTTER	135
SYSTEM ATTACHMENTS - VIBRATORS	104 - 105
SYSTEM ATTACHMENTS - CONCRETE VIBRATOR HEADS	104
SYSTEM ATTACHMENTS - CONCRETE VIBRATOR WHIPS	104
SYSTEM ATTACHMENTS - HIGH SPEED CONCRETE VIBRATOR	104
SYSTEM ATTACHMENTS - PLATE COMPACTOR	105
SYSTEM ATTACHMENTS - SCREED	105
SYSTEM ATTACHMENTS - TROWEL	105
CVCTEM ATTACHMENTS WALL CHACEDS	122
SYSTEM ATTACHMENTS - WALL CHASERS	
SYSTEM ATTACHMENTS - WALL CHASENS SYSTEM ATTACHMENTS - WET DIAMOND DRILLING	109
	109



# Distributed by:

## **Techtronic Industries GmbH**

Postfach 320 D-71361 Winnenden Germany Tel +497195120 Fax +49719512666